
DECEMBER 1986 VOL. 4, NO. 12 $3.95

FOR IBM PERSONAL COMPUTER USERS

TECH PC JOURNAL®



RT PC: A SIGNIFICANT DEPARTURE

Technology, Hardware, Software

IBM CABLING SYSTEM

BASIC COMPILERS

0 71486 02166 7 12

Turbo Pascal Programming

Learn Secrets, Strategies, Game Theory!

$10.00 Scratch 'n Win Rebate!



Turbo GameWorks®

Also recently released, Turbo GameWorks is what you think it is: "Games" and "Works." Games you can play right away (like Chess, Bridge and Go-Moku), plus the Works—which is how computer games work. All the secrets and strategies of game theory are there for you to learn. You can play the games "as is" or modify them any which way you want. Source code is included to let you do that, and whether you want to write your own games or simply play the off-the-shelf games, Turbo GameWorks will give hours of diversion, education, and intrigue. George Koltanowski, Dean of American Chess, and former President, United States Chess Federation, reacted to Turbo GameWorks like this: "*With Turbo GameWorks, you're on your way to becoming a master chess player.*" And Kit Woolsey, writer, author, and twice Champion of the Blue Ribbon Pairs, wrote, "*Now play the world's most popular card game—Bridge . . . even program your own bidding and scoring conventions.*" Suggested retail: $69.95. Use a $10.00 Scratch 'n Win Rebate and you're talking an *incredible $59.95!* Minimum memory: 192K.



Turbo GameWorks' Chessboard

Create Your Own High-Res Graphics!

$10.00 Scratch 'n Win Rebate!



Turbo Graphix Toolbox®

It includes a library of graphics routines for Turbo Pascal programs. Lets even beginning programmers create high-resolution graphics with an IBM, Hercules,™ or compatible graphics adapter. Our Turbo Graphix Toolbox includes all the tools you'll ever need for complex business graphics, easy windowing, and storing screen images to memory. It comes complete with source code, ready to compile. Suggested retail: $69.95, but with a $10.00 Scratch 'n Win Rebate, *only $59.95!* Minimum memory: 192K.

The Ultimate Learning Experience!

$10.00 Scratch 'n Win Rebate!

COMPLETELY NEW VERSION!



Turbo Tutor® 2.0

The new Turbo Tutor can take you from "What's a computer?" through complex data structures, assembly languages, trees, tips on writing long programs in Turbo Pascal, and a high level of expertise. Source code for everything is included. New split screens allow you to put source text in the bottom half of the screen and run the examples in the top half. There are quizzes that ask you, show you, tell you, teach you. You get a 400-page manual—which is not as daunting as it sounds, because unlike many software manuals, it was not written by orangutans. Suggested retail: $39.95. Use a $10.00 Scratch 'n Win Rebate and you're down to an *unheard of $29.95!* Minimum memory: 192K.




Recognition for Borland International has come from business, trade, and media, and includes both product awards and awards for technical excellence and marketing.

America's Cup. Coming Soon!

How to use Scratch 'n Win Rebates

It's really simple. You purchase the product between 9/5/86 and 3/31/87, and return the license agreement along with dated proof of purchase and your rebate card. We'll mail you a check for $10.00 on single product purchases or a check for $15.00 when you buy an advertised "bundle"—which means our Turbo Pascal Jumbo Pack, or Turbo Lightning and Lightning Word Wizard, or Reflex: The Analyst and Reflex Workshop, or SideKick and Traveling SideKick. (Restrictions do apply. See Official Rules on back of Instant Winner card).



Sail designs generated from Shore Sails' Turbo Pascal programs.

Turbo Pascal Programming



$10.00 Scratch 'n Win Rebate!

Turbo Prolog™

"If you're at all interested in artificial intelligence, databases, expert systems, or new ways of thinking about programming, by all means plunk down your $100 and buy a copy of Turbo Prolog."
Bruce Webster, BYTE

"Borland International, Inc. is gunning onto the fast track in the artificial intelligence and engineering-language-software race, riding aboard a new $99 Turbo Prolog," says Tom Schwartz in *Electronic Engineering Times.* And so we are. Our new Turbo Prolog has drawn rave reviews—which we think are well deserved—because Turbo Prolog brings 5th-generation language and supercomputer power to your IBM PC and compatibles. Turbo Prolog is a high-speed compiler for the artificial intelligence language, Prolog, which is probably one of the most powerful programming languages ever conceived. We made a worldwide impact with Turbo Pascal and you can expect the same results and revolution from Turbo Prolog, the natural language of artificial intelligence. Darryl Rubin, writing in *AI Expert* said, *"Turbo Prolog offers generally the fastest and most approachable implementation of Prolog."* Suggested retail, $99.95. Use a $10.00 Scratch 'n Win Rebate and that goes down to only *$89.95!* Minimum memory: 384K.


Technical Specifications:

TURBO PASCAL 3.0 Minimum memory: 128K; includes 8087 and BCD features for 16-bit MS-DOS and CP/M-86 systems. CP/M-80 version minimum memory: 48K; 8087 and BCD features not available. ***TURBO DATABASE TOOLBOX*** Minimum memory: 128K. CP/M-80 minimum memory: 48K. Requires Turbo Pascal 2.0 or later. ***TURBO GRAPHIX TOOLBOX**** Minimum memory: 192K. Requires PC/MS-DOS 2.0 or later, Turbo Pascal 3.0, and IBM CGA, Hercules Monochrome Card or equivalent. ***TURBO TUTOR 2.0*** Minimum memory: 192K. CP/M-80 version minimum memory 48K. Requires PC/MS-DOS 2.0 or later and Turbo Pascal 3.0. ***TURBO EDITOR TOOLBOX**** Minimum memory: 192K. Requires PC/MS-DOS 2.0 or later and Turbo Pascal 3.0. ***TURBO GAMEWORKS**** Minimum memory: 192K. Requires PC/MS-DOS 2.0 or later and Turbo Pascal 3.0. ***TURBO PROLOG**** Minimum memory: 384K. ***REFLEX: THE ANALYST**** Minimum memory: 384K. Requires IBM CGA, Hercules Monochrome Card or equivalent. Works with Intel's AboveBoard-PC and -AT; AST's RAMpage! and RAMpage! AT; Quadram's Liberty-PC and -AT; Tecmar's 640 Plus; IBM's EGA and 3270/PC; AT&T's 6300 and many others. ***REFLEX WORKSHOP**** Minimum memory: 384K. Requires Reflex: The Analyst. ***TURBO LIGHTNING**** Minimum memory: 256K. Two disk drives required. Hard disk recommended. ***LIGHTNING WORD WIZARD**** Minimum memory: 256K. Requires Turbo Lightning. Turbo Pascal 3.0 required to edit source code. ***SIDEKICK**** Minimum memory: 128K. ***TRAVELING SIDEKICK**** Minimum memory: 256K. ***SUPERKEY**** Minimum memory: 128K. *For IBM PC, AT, XT, PCjr and true compatibles only, running PC/MS-DOS 2.0 or later.

Build Your Own Word Processor!

$10.00 Scratch 'n Win Rebate!

Turbo Editor Toolbox™



Recently released, we called our new Turbo Editor Toolbox a "construction set to write your own word processor." Peter Feldmann of *PC Magazine* covered it pretty well with, *"A 'write your own word processor' program for intermediate level programmers, with lots of help in the form of prewritten procedures covering everything from word wrap to pull-down windows."* Source code is included, and we also include MicroStar, a full-blown text editor with pull-down menus and windowing. It interfaces directly with Turbo Lightning to let you spell-check your MicroStar files. Jerry Pournelle of *BYTE* magazine said, *"The new Turbo Editor Toolbox is the Turbo Pascal source code to just about anything you ever wanted a PC-compatible text editor to do."* Suggested retail: $69.95. Use a $10.00 Scratch 'n Win Rebate and you'll get all this for *only $59.95!* Minimum memory: 192K.



MicroStar file directory accessed by pull-down menu

Borland's Business Productivity Programs:

Reflex: The Analyst* Analytical database manager. Provides complete, new look at data normally hidden by programs like 1-2-3® and dBASE.® Best report generator for, and complement to, 1-2-3.

***Reflex Workshop**™* Important new addition to Reflex: The Analyst. Gives you 22 different templates to run your business right.

***SideKick**®* Complete RAM-resident desktop management includes notepad, dialer, calculator and more.

***Traveling SideKick**®* Electronic version of business/personal diaries, daytime organizers; works with your SideKick files; important professional tool.

***SuperKey**®* Keyboard enhancer. Simple macros turn 1000 keystrokes into 1. Also encrypts your files to keep confidential files confidential.

Borland's Electronic Reference Programs:

***Turbo Lightning**®* Works with all your programs and checks your spelling *while you type!* Includes 80,000-word Random House® Concise Word List and 50,000-word Random House Thesaurus. Forerunner of Turbo Lightning Library.™

***Lightning Word Wizard**™* Includes ingenious crossword solver and six other word challenges. If you're into programming, Lightning Word Wizard is also a development toolbox and the technical reference manual for Turbo Lightning.

All Borland products are registered trademarks or trademarks of Borland International, Inc. or Borland/Analytica, Inc. Turbo Lightning Library is a trademark of Borland International Inc. AST TurboLaser, RAMpage! AT, AdvantagePremium, SixPakPremium, 3G Pak and RAMpage! are trademarks of AST Research, Inc. Lotus 1-2-3 is a registered trademark of Lotus Development Corp. dBASE is a registered trademark of Ashton-Tate. IBM is a registered trademark of International Business Machines Corp. Random House is a registered trademark of Random House, Inc. Hercules is a trademark of Hercules Computer Technology. CP/M is a registered trademark of Digital Research, Inc. Traveling SideKick is not in any way associated with Traveling Software, Inc. of Seattle, Washington. Copyright 1986 Borland International. BI-1075C



Borland's award-winning software is the best Holiday present you can give yourself or anyone else

Any one of these Holiday presents could save your marriage, career, reputation and quite a few bucks.

When you give or get any one of these Holiday presents, every day's a Holiday, because you're giving or getting long-lasting software that's a lot more welcome to the Woman in your Life than vacuum cleaners, egg-beaters and ugly earrings. And the Man in your Life would rather have Turbo Prolog,™ Reflex,® Reflex Workshop,™ Turbo Pascal,® Turbo Lightning® or SideKick® than socks, ties and wrong-size shirts.



Turbo Prolog takes you by the hand into the brave new world of Artificial Intelligence

Artificial Intelligence is no substitute for the human brain (well, most human brains; you make your own list), but it is a fascinating new field, and we're leading it with our 5th-Generation Turbo Prolog. In fact, people are telling us that Turbo Prolog is "The most exciting product they've seen this year." So see it for yourself. Give it. Get it. You deserve it.

Turbo Pascal wins PC World's 1986 World Class PC Award for 'Programming Language'!

Give someone our Turbo Pascal "Jumbo Pack," but keep some of the precious pieces for yourself

There's so much in there—Turbo Pascal, Turbo Tutor,® Turbo Database,™ Turbo Graphix,® Turbo GameWorks,® Turbo Editor®—you can probably give someone else one or two of them. (Just keep the ones you don't have already and make the rest thoughtful, really inexpensive presents for someone's Turbo Pascal library.)

Give them one, maybe two kinds of Holiday Reflex action!

Adam B. Green, InfoWorld's highly respected columnist, says "*Everyone agrees Reflex is the best-looking database they've ever seen.*" Peter Norton of PC WEEK says, "*The next generation of software has officially arrived.*" And now, with our brand-new Reflex Workshop, which includes 22 instant ways to run your business well, you can give someone both programs and just about guarantee them a Happy well-run New Year!

Turbo Lightning wins the 1986 World Class PC Award for "Most Promising Newcomer"!

Solve your gift-giving and spelling problems now with Turbo Lightning

While you use SideKick, Reflex, Lotus 1-2-3® and most popular programs, Turbo Lightning proofreads *as you write!* If you misspell a word, Turbo Lightning will beep at you instantly, and suggest a correction for the word you just misspelled. Press one key, and the misspelled word is immediately replaced by the correct word. And if you're ever stuck for a word, Turbo Lightning's thesaurus is there with instant alternatives. Perfect gift for everyone who reads and writes!

Attention SideKick users! Your SideKick now has a sidekick!

If you're going anywhere for the Holidays, you'll need a Traveling SideKick!

It's the electronic organizer for this electronic age—a professional binder, a software program and a report generator—a modern business tool that prints your ever-changing appointments in daily/weekly/monthly/yearly form. Your appointments, phone list, address list, meeting schedule, travel itinerary—even your mailing list—can be kept up-to-the-minute correct *and with you!* (SideKick Owners: All your files translate instantly to Traveling SideKick.) Traveling SideKick is electronic, so it's good for this year, next year and all the next years after that—it's not a dusty old diary that dies Dec. 31!



Borland's Instant Winner Game

Scratch this card now and you could *instantly win* 2 free round-trip airline tickets to Australia for the America's Cup Race!




$10,000

First Prize ($10,000 value!) includes accommodations for two in Perth, Australia during the final America's Cup races, which start January 31, 1987. See America win it back after our *only* loss in 134 years! There's more than one *instant winner* in Borland's Instant Winner Game, because you could win one of two new $6,895 4-WD Suzuki Samurai convertibles, or a $4,995 AST TurboLaser™ printer, or a $4,499 Toshiba T3100,™ or a $2,399 Toshiba T1100™ Plus, or a $595 AST SixPakPremium™, or a $69.95 Traveling SideKick,® or any one of hundreds of other Borland products—and at the very least a Borland Rebate Coupon, good for $10 off any single product or $15 off any bundled product offer!




$6,895





$4,499



$69.95

See Official Rules on the back of this card for details.

Don't delay! There will be a second-chance drawing for the trip if not claimed by 12/30/86. There's also a second-chance drawing for the two Suzukis if not claimed by 2/26/87. All rebate coupons are good for products purchased 9/5/86-3/31/87. Product prices above are suggested list prices.

Rub the silver box to reveal whether you win a prize or get a rebate coupon. Then fill in the second-chance entry blank to the right.



Second-Chance Sweepstakes Entry!

We're running two Second-Chance Sweepstakes drawings to award the trip and cars. They *will be won* by someone—it *could be you!* Fill in the entry coupon and mail it now. Winners will be notified immediately, because the final America's Cup races start in Australia on January 31, 1987, and you'll have to pack in a hurry.

(You will need a valid passport and the ability to comprehend Australian versions of the English language.)

Name _____

Address _____

City _____

State _____ Zip _____

OFFICIAL RULES - BORLAND INSTANT WINNER GAME

1. NO PURCHASE NECESSARY: To participate, you may obtain a game card inserted into the October, November, December, or January issue of the following magazines: PC World; Byte; PC Tech Journal; PC Magazine. You may also obtain a game card by mailing a self-addressed, stamped envelope to: Borland International Game Card, P.O. Box 870, Wilton, CT 06897. (Washington State residents send self-addressed envelope.) Limit one game card per stamped request. All requests must be received by January 15, 1987.

2. TO PLAY: Remove the rub-off area on the game card to reveal what prize or rebate offer you have obtained.

3. PRIZES/ REBATES: Beneath the rub-off area one of the following prizes may be revealed: Trip for Two to America's Cup Races or $10,000; 1986 Suzuki 4W Samurai Convertible or $6,895; AST Turbo Laser; Toshiba 1100 Portable Computer; Toshiba 3100 Portable Computer; AST Sixpakpremium; AST Advantagepremium; AST 3 G Pak; AST Rampage; AST Rampage AT; Free Borland Product, or you may obtain the following rebate offer: $10 rebate offer on any individual product or $15 rebate offer on any single advertised Borland bundle (See rule #11 for prize details.).

4. PRIZE CLAIMS: If you obtain one of the prizes stated in Rule #3, sign your full legal signature on the game card and send via certified mail (copy should be made for your records) along with your name and address to: Borland International Prize Claim, 196 Danbury Road, Wilton, CT 06897. All prize claims must be received or postmarked by February 15, 1987. (See Rule #12 for Trip for Two to America's Cup exception.)

5. REBATE CLAIMS: Rebates are good for products purchased from September 5, 1986 through March 31, 1987. The $10 rebate is good for any individual Borland product and the $15 rebate is good for any advertised Borland software bundle. To receive your rebate you must return your completed license agreement from the manual, this game card and dated proof of purchase to: Borland International, Game Card Rebate, 4585 Scotts Valley Drive, Scotts Valley, CA 95066. Upon receipt of the license agreement, game card and proof of purchase, Borland will send your check. Rebate is not valid with any other rebate or promotion offered directly from Borland.

6. VERIFICATION: All game materials are subject to verification. Game materials are void and will be rejected if not obtained through authorized, legitimate channels, and may be rejected if any part is reproduced, counterfeited, torn or altered in any way, or if materials contain printing, typographical, or mechanical errors. Decisions of the Redemption Center are final. Game pieces from any game other than the Borland Instant Winner Game may not be used in this game.

7. CONDITIONS OF PARTICIPATION: Material submitted becomes the property of Borland International. The submission of game pieces is the sole responsibility of the individual seeking verification, who is solely responsible for lost, late, or misdirected mail. All taxes, registration and inspection fees are the sole responsibility of the verified winner. Winners may be required to execute an affidavit of eligibility and name and likeness publicity release. By participating in the game you accept and agree to be bound by these rules and the decision of the Official Redemption Center which will be final.

8. ELIGIBILITY: Participation is open solely to residents of the United States 18 years of age and over, except employees and agents of Borland International, service agencies, and individuals engaged in the development, production, or distribution of game materials, The Merritt Group, Inc. and their immediate family or members of their households. Void in Vermont and where prohibited by law.

9. GAME SCHEOULE ANO AWARD OF PRIZES: The Borland Instant Winner Game will commence on or about September 5, 1986 and end on January 30, 1987. It will officially end, however, when all game pieces are distributed. Verified game prizes will be awarded within thirty (30) days from the date of their receipt for verification at the Official Redemption Center. A major prize winners' list can be obtained by sending a stamped, self-addressed envelope to: Borland Instant Winner Game Winners' List, P.O. Box 7089, Wilton, CT 06897.

10. OOOS CHART: The odds of winning prizes are based upon obtaining the one rare game piece among the applicable number of game pieces.

PRIZE	Qty.	Total Value	Odds of Winning
Trip for Two to America's Cup or $10,000	1	$ 10,000.00	1 in 6,458,000
Suzuki 4W Samurai Convertible JA or $6,895	2	$ 13,790.00	1 in 3,229,000
AST Turbo Laser	1	$ 4,995.00	1 in 6,458,000
Toshiba Portable Computer	2	$ 6,898.00	1 in 3,229,000
AST Memory Boards	25	$ 15,025.00	1 in 258,320
Borland Products	1,000	$149,000.00	1 in 6,458
OVERALL TOTAL	**1,031**	**$199,708.00**	**1 in 6,264**

All remaining game cards will contain a $10 rebate good on any individual Borland product or a $15 rebate good toward any advertised Borland software bundle.

11. PRIZE DETAILS: Trip for two to America's Cup Races (or $10,000) will include coach seating round trip airfare on regularly scheduled commercial airline from San Francisco, California to Perth, Australia and up to two weeks hotel accommodations in Perth, Australia plus $4,500 spending cash. Winners will be responsible for obtaining visa, passport, and all other travel documents. Trip does not include meals, taxes, excess baggage charges and other hotel charges. Minor must be accompanied by parent or legal guardian.

Suzuki 4W Samurai Convertible JA Standard Equipment Package (or $6,895), verified winner will be responsible for all registration, insurance, and licensing fees. AST Turbo Laser; Toshiba Portable Computer Model #T1100; Toshiba Portable Computer Model #T3100; AST Memory Boards and Free Borland Products are non-substitutional except by sponsor due to product availability and all warranties and guarantees are subject to manufacturers terms. All prizes are non-transferrable. Winning consumer is responsible for all local, state and federal taxes.

12. SECOND CHANCE SWEEPSTAKES: There are two Second Chance Sweepstakes drawings scheduled to be conducted on December 31, 1986 and February 28, 1987. Random drawing from all entries received by December 30, 1986 will award trip for two to America's Cup Races (or $10,000). Random drawing from all entries received by February 26, 1987 will award two (2) Suzuki 4W Samurai (or $6,895). All remaining prizes that are unclaimed after February 15, 1987 will remain unclaimed. Send entry to: Second Chance Entry P.O. Box 870 Wilton, CT 06897.

If you have any questions concerning the Borland Instant Winner Game, call: 1-800-451-4471.

The Worldwide Programming Standard

Turbo Pascal Programming!



New Mac Version available!

$10.00 Scratch 'n Win Rebate!

Turbo Pascal® 3.0

"For the IBM® PC, the benchmark Pascal compiler is undoubtedly Borland International's Turbo Pascal," says Gary Ray of *PC Week*. We and more than 500,000 other people around the world think Mr. Ray got that right. Since launch, Turbo Pascal has become the *de facto* worldwide standard in high-speed Pascal compilers. Described by Jeff Duntemann of *PC Magazine* as the "*Language deal of the century*," Turbo Pascal is now an even better deal than that—because we've *included* the most popular options (BCD reals and 8087 support). What used to cost $124.95 is now only $99.95! You now get a lot more for a lot less: the compiler, a completely integrated programming environment, and BCD reals and 8087 support—all for a suggested retail of only $99.95. And with a Scratch 'n Win $10.00 Rebate, you pay *only $89.95*—which really is the "language deal of the century"! Minimum memory: 128K.

Turbo Pascal now includes free 8087 support and BCD!

$10.00 Scratch 'n Win Rebate!

Turbo Database Toolbox™

A perfect complement to Turbo Pascal, because it contains a complete library of Pascal procedures that allows you to search and sort data and build powerful database applications. Having Turbo Database Toolbox means you don't have to re-invent the wheel each time you write a Turbo Pascal program. It comes with source code for a free sample database—right on disk. The database can be searched by key words or numbers. Update, add, or delete records as needed. Just compile it and it's ready to go to work for you. (Shore Sails has more than 700 boat designs and rigs in their Database Toolbox. See front page story.) Suggested retail: $69.95. With a $10.00 Scratch 'n Win Rebate check back from us, *only $59.95!* Minimum memory: 128K.



Build Your Own Database Applications!




SPECIAL PRICES! AMAZING VALUE! ACT NOW!



It's the Works! Everything! The whole electronic enchilada! It's the **Jumbo Pack . . . Turbo Pascal 3.0, Turbo Tutor 2.0, Turbo Editor, Turbo GameWorks, Turbo Graphix** and **Turbo Database.** All 6 Turbo Pascal programs for only $299.95—or **only $284.95** with a $15.00 Scratch 'n Win Rebate! That's about $47.00 each and that's a deal!

Save a bundle on our bundles!




Turbo Lightning and **Lightning Word Wizard** for only $149.95! and an **amazing $134.95** after a $15.00 Scratch 'n Win Rebate!

$15.00 Scratch 'n Win Rebate on all Xmas packs!



Reflex: The Analyst and the new **Reflex Workshop** for only $199.95! And a $15.00 Scratch 'n Win Rebate cuts that down to **only $184.95!**



SideKick and **Traveling SideKick** for only $125.00 but **only $110.00** after a $15.00 Scratch 'n Win Rebate!

CIRCLE NO. 254 ON READER SERVICE CARD

YES! I want the best!

For credit card orders or the dealer nearest you

call (800) 255-8008

in CA call (800) 742-1133
in Canada call (800) 237-1136

Copies	Product	Price	Totals
___	Turbo Pascal 3.0 w/8087 & BCD	$99.95	$
___	Turbo Pascal for CP/M-80	69.95	$
___	Turbo Pascal & Turbo Tutor	125.00	$
___	Reflex: The Analyst	149.95*	$
___	Reflex Workshop	69.95*	$
___	Reflex & Reflex Workshop	199.95*	$
___	Turbo Prolog	99.95	$
___	Turbo Database Toolbox	69.95	$
___	Turbo Graphix Toolbox	69.95	$
___	Turbo Tutor 2.0	39.95	$
___	Turbo Editor Toolbox	69.95	$
___	Turbo GameWorks	69.95	$
___	Turbo Lightning	99.95	$
___	Lightning Word Wizard	69.95	$
___	Turbo Lightning & Lightning Word Wizard	149.95	$
___	SideKick	84.95	$
___	Traveling SideKick	69.95*	$
___	SideKick & Traveling SideKick	125.00*	$
___	SuperKey	69.95	$
___	Turbo Jumbo Pack	299.95	$
	Outside USA add $10 per copy CA and MA res. add sales tax		$
	Amount enclosed		$

Prices include shipping to all US cities.

Carefully describe your computer system:

Mine is: ___ *8-bit* ___ *16-bit*

I use: ___ *PC-DOS* ___ *CP/M-80*
___ *MS-DOS* ___ *CP/M-86*

My computer's name and model is:

The disk size I use is: ☐ *3½"* ☐ *5¼"* ☐ *8"*

Payment: VISA MC Money order Check

Credit card expiration date ___/___

Card #

Name:

Shipping Address:

City:

State: *Zip:*

Telephone:

CODs and purchase orders WILL NOT be accepted by Borland. Outside USA make payment by bank draft, payable in US dollars drawn on a US bank.

**Limited Time Offer*

NOT COPY PROTECTED
60-DAY MONEY-BACK GUARANTEE

If within 60 days of purchase you find that this product does not perform in accordance with our claims, call our customer service department and we will gladly arrange a refund.

All prices are suggested list prices and are subject to change without notice.

GF6

BORLAND INTERNATIONAL

Vive la différence


4585 SCOTTS VALLEY DRIVE
SCOTTS VALLEY, CA 95066
(408) 438-8400 TELEX: 172373

For Canadian credit card orders or the Canadian dealer nearest you, call (800) 237-1136

NEW!

Btrieve®

The Programmer's Choice.



When you're serious about application development, there's just one choice for file management: Btrieve. With what *Computer Language* calls "near mainframe functionality[1]", Btrieve sets the file management standard for PC applications. With Btrieve loaded in your PC, your programs can use simple subroutine calls to retrieve, store and update records.

Multi-user versions for LANs and Xenix. *When your applications need to network, count on Btrieve. A single version runs on all DOS 3 LANs, including IBM PC Network and Novell Advanced Netware. Btrieve is also available for Xenix and multitasking operating systems such as MultiLink Advanced, Microsoft Windows and IBM Topview.*




B-tree based for high performance. *Performance is all-important, especially as your database grows. That's why Btrieve implements the b-tree file structure—the fastest, most efficient method of accessing data.*



Interfaces to C, BASIC, Pascal, COBOL. *Don't waste time programming in awkward fourth generation languages! With Btrieve, simply use the languages you know best—and write applications the right way. Over 15 language interfaces available.*

Built-in security features. *Lock up sensitive data with Btrieve's password protection and unique data encryption scheme—especially useful in local area networks.*



Thorough documentation, easy implementation. *Getting started with Btrieve is easy: the manual is packed with examples of every Btrieve function in BASIC, Pascal, COBOL and C.*



Help is just a phone call away. *Need technical support? You've got it! Btrieve users receive 30 days of unlimited phone support at no charge. This "Direct Connect" policy is renewable for a full year at low cost. And try SoftCraft's free bulletin board for technical tips, seven days a week.*

Database queries, report writing. *Add Xtrieve™ to your Btrieve applications for a fully-relational DBMS. Xtrieve's menu-driven interface gives your users the on-line query capabilities they need—without programming. Add our report writer option to produce custom reports and forms.*





No royalties. *Need we say more?*

Fault tolerant. *Btrieve insures against database disasters. Two levels of fault tolerance guarantee data integrity during accidents or power failures—even if lightning strikes. No extra programming required.*



SoftCraft


P.O. Box 9802 #917 Austin, Texas 78766 (512) 346-8380 Telex 358 200

Suggested retail prices: Btrieve, $245; multi-user Btrieve, $595; Xtrieve, $245; multi-user Xtrieve, $595 (for report generation, add $145 for single-user and $345 for multi-user). Available from SoftCraft and selected distributors. Requires PC-DOS or MS-DOS 2.X, 3.X, Xenix. Btrieve is a registered trademark and Xtrieve is a trademark of SoftCraft Inc. [1]*From* Computer Language, *November 1985.*


CIRCLE NO. 201 ON READER SERVICE CARD

PC TECH JOURNAL


DECEMBER 1986 VOLUME 4, NUMBER 12



RT PC: The Refining of UNIX 98



Underlying Connections 126



Reconsidering BASIC 142

RT PC: A SIGNIFICANT DEPARTURE / THOMAS V. HOFFMANN
For the first time since it introduced the PC, IBM has developed a dramatically different microcomputer. This article and the four that follow it are a careful analysis of the components—hardware and software—that comprise the RT system. 56

RT PC: AN ARCHITECTURE APART / THOMAS V. HOFFMANN
The RT differs from the traditional PC most markedly in its architecture. An enormous virtual address space, a new 32-bit microprocessor, and highly integrated hardware and software offer system capabilities well beyond those of a PC. 72

RT PC: THE INSULATING LAYER / RICHARD M. FOARD
The software environments for the RT contribute to the overall novelty of the system. Separating the hardware from the operating system is the Virtual Resource Manager, a realtime execution environment and virtual memory manager. 90

RT PC: THE REFINING OF UNIX / RICHARD M. FOARD
IBM has embraced UNIX System V as its operating system of choice for the RT. The Advanced Interactive Executive takes UNIX a few steps further, however, vastly improving the system—and marking a milestone in UNIX's coming of age. 98

RT PC: THE NEARBY AT / THOMAS V. HOFFMANN
Old ties are hard to break, none more so than favorite and familiar software. With its AT Coprocessor Option, IBM is trying to accommodate PC software by making the RT two computers in one: a virtual memory RT and a standard AT. 118

UNDERLYING CONNECTIONS / J. SCOTT HAUGDAHL
Anticipating the arrival of IBM's Token-Ring Network, prospective users can begin to plan and install the IBM Cabling System, the underlying wiring system that will pull together all the key components of the local area network. 126

RECONSIDERING BASIC / MARTY FRANZ
BASIC compilers have been denigrated for being too unsophisticated for developers and too difficult for novices to use. In recent months, however, several new and improved implementations are attracting attention from serious programmers. 142

END-TO-END DESIGN, PART 2 / RICHARD ANGELL
The review of P-CAD's PCB-3 continues with an examination of its layout end, which automates the design and production of printed circuit boards. As an end-to-end CAD system for the PC, PCB-3 is a reasonably good, first generation product. 155

11 DIRECTIONS
The RT Mystery

15 LETTERS

29 PRODUCT OF THE MONTH
The JRAM Family

30 TECH RELEASES

49 TECH NOTEBOOK
Large Turbo Pascal Arrays

51 TECH NOTEBOOK
Reading Locked Files

177 PROGRAMMING PRACTICES
Jump Searching
Linked Lists

185 PRODUCT WATCH
Logimouse C7
Interactive-C
PC TOOLS

191 EXPERT CONSULTANT: *APPLIED AI*
Programming for AI

201 BOOK REVIEWS
Some Assembly Required

205 MAIL ORDER

215 TECH MART

218 TECH BOOK

224 CALENDAR

225 READER SERVICE CARD

Cover photography • Blakeslee/Lane Cover computer graphic • Natale/East

PRODUCTIVITY TOOLS

From Opt-Tech Data Processing

Opt-Tech Sort™

ALL NEW Version 3.0 features even faster sorting, record selection, output record reformatting, dBASE III files, comma delimited fields, and much more. This high performance sort/merge/record selection utility can be used as a stand-alone program or called as a subroutine from most languages.

Supports unlimited filesizes, multiple input files and fixed or variable length records. Many special file types are supported including Btrieve and dBASE. Up to nine sort control fields (ascending or descending), all common data types supported. Output files can be combinations of full records, keys or pointers, subsets of the input file fields, and literal values.

Written in assembly language for **high performance.** Example: 4,000 128 byte records sorted to give key and pointer in 30 seconds. **$149.**

On-Line Help™

A comprehensive utility for adding help windows to your programs. It provides efficient utilities and routines for interfacing your programs with the help system routines and help message libraries.

Help windows are displayed in a fraction of a second. You have total control over the contents of the window, its size and its position on the screen, including the display and border colors.

On-Line Help can be interfaced with interpreted Basic and all popular compilers. **$149.**

Scroll & Recall™

Allows you to conveniently scroll back through data that has gone off the top of your display screen. Up to 27 screens of data can be recalled or written to a disk file (great for documenting systems operations).

Allows you to easily recall and edit your previously entered DOS commands and data lines without re-typing.

Scroll & Recall is very easy to use. It's a resident utility that's always there when you need it! **$69.**

All programs IBM PC/XT/AT & MS-DOS compatible.

Visa, M/C, AMEX, Check, Money Order, COD or Purchase Orders accepted.

Quantity and Dealer Discounts Available

To order or to receive additional information write or call:

Opt-Tech Data Processing

P.O. Box 678 - Zephyr Cove, NV 89448

(702) 588-3737

PC TECH JOURNAL

VOL. 4, NO. 12

PUBLISHER: *Newton Barrett*
EDITOR: *Will Fastie*

EDITORIAL
MANAGING EDITOR: *Marjory Spraycar*
EXECUTIVE EDITOR: *Julie Anderson*
SENIOR TECHNICAL EDITOR: *Jim Shields*
TECHNICAL EDITORS: *Jeff Duntemann, Caroline Halliday*
ASSOCIATE TECHNICAL EDITOR: *Dan Beale*
SENIOR COPY EDITOR: *Susan Holly*
COPY EDITOR: *Gail Shaffer*
PROOFREADERS: *Bruce Ansley, Elizabeth Wardlaw*
NEW PRODUCTS EDITOR: *Carole Autenzio*
ADMINISTRATIVE ASSISTANT: *Diana Carey*
RECEPTIONIST: *JeanMarie Donlin*
CONSULTING EDITORS: *Thomas V. Hoffmann, Richard M. Foard*
CONTRIBUTING EDITORS: *Steven Armbrust, Dave Browning, Michael Covington, Ted Forgeron, Augie Hansen, Henry F. Ledgard, Ted Mirecki, Max Stul Oppenheimer, Richard Schwartz, Robert Shostak*

ART & PRODUCTION
CREATIVE DIRECTOR: *Ina Saltz*
ART DIRECTOR: *Paula Jaworski*
ASSOCIATE ART DIRECTOR: *Sharon Reuter*
ADVERTISING PRODUCTION MANAGER: *Alison Regan Mrohs*
CONTRIBUTING ARTISTS: *Maciek Albrecht, David Povilaitis*

ADVERTISING SALES
ADVERTISING DIRECTOR: *Rita Burke*
MARKETING DIRECTOR: *Gayl Sorota*
ASSISTANT TO THE PUBLISHER: *Kathleen Abbott*
ADVERTISING COORDINATOR: *Mary Martin*
SALES SECRETARY: *Kim Schroeder*
DISTRICT MANAGERS: *Rosemarie Caruso—New England; Arlene Braithwaite—Southeast; Pat Toohey—Mid-Atlantic; Bill Barney—Midwest; Ted Bahr, Bill Bush, Phyllis Egan—West Coast*
ACCOUNT REPRESENTATIVES: *Polly White—New England/Southeast; Nanette Vilushis—Mid-Atlantic/Midwest; Carey Clarke, Nancy Hanna—West Coast; John Blake—National Accounts, Mail Order*

CIRCULATION
CIRCULATION MANAGER: *Charles Mast*
CIRCULATION SALES DEVELOPMENT: *Daniel Rosensweig*
MEDIA MANAGER: *Melinda Kendall*
RETAIL SALES MANAGER: *Carol Benedetto*

ZIFF-DAVIS PUBLISHING COMPANY, *a division of Ziff Communications Co.*
PRESIDENT: *Kenneth H. Koppel*
SENIOR VICE PRESIDENT, Marketing: *Paul Chook*
VICE PRESIDENT, Operations: *Baird Davis*
VICE PRESIDENT, Controller: *John Vlachos*
VICE PRESIDENT, Creative Services: *Herbert Stern*
VICE PRESIDENT, Circulation: *Alicia Marie Ivans*
VICE PRESIDENT, Circulation Services: *James Ramaley*
VICE PRESIDENT, Marketing Services: *Ann Pollak Adelman*
VICE PRESIDENT, Development: *Seth Alpert*
VICE PRESIDENT: *Hugh Tietjen*
BUSINESS MANAGER: *Gary A. Gustafson*
PRODUCTION DIRECTOR: *Walter J. Terlecki*

ZIFF COMMUNICATIONS COMPANY
CHAIRMAN: *Philip B. Korsant;* PRESIDENT: *Kenneth H. Koppel;* SENIOR VICE PRESIDENT: *Philip Sine;* VICE PRESIDENTS: *Laurence Usdin, William L. Phillips, J. Malcolm Morris, Steven C. Feinman;* TREASURER: *Selwyn I. Taubman;* SECRETARY: *Bertram A. Abrams*

EDITORIAL OFFICE
PC Tech Journal, Suite 800, 10480 Little Patuxent Parkway, Columbia, MD 21044. 301/740-8300. FAX (group 3): 301/740-8809. MCIMail: PCTECH. PCTECHline: 301/740-8383. Telex: 6502565932 MCI.

ADVERTISING OFFICES
(East Coast/Midwest) Suite 800, 10480 Little Patuxent Parkway, Columbia, MD 21044. 301/740-8300. (New England) 90 Everett Street, Arlington, MA 02174. 617/868-4611. (Mid-Atlantic) 266 Lighthouse Road, New Haven, CT 06512. 203/469-2313. (West Coast) 3460 Wilshire Blvd., Los Angeles, CA 90010. 213/387-2100; 11 Davis Drive, Belmont, CA 94002. 415/598-2290.

SUBSCRIPTION INQUIRIES
PC Tech Journal, P.O. Box 2968, Boulder, CO 80321. Subscription service: 800/525-0643, 303/447-9330. Back issues: send $7/copy ($8 outside U.S.) to Ziff-Davis Publishing, One Park Avenue, 4th floor, New York, NY 10016.

PC Tech Journal (ISSN 0738-0194) is published by Ziff-Davis Publishing Co., a division of Ziff Communications Co., One Park Ave., New York, NY 10016. Published monthly except semi-monthly in December. Subscription rate is $34.97 for one year (13 issues). Additional postage for Canada and Foreign is $6.50. Second-class postage paid at New York, NY, and at additional mailing offices. POSTMASTER: Send address changes to P.O. Box 2968, Boulder, CO 80321.

PC TECH JOURNAL is an independent journal, not affiliated in any way with International Business Machines Corporation. IBM is a registered trademark of International Business Machines Corp. Entire contents Copyright © 1986 Ziff-Davis Publishing Company, a division of Ziff Communications Company. All rights reserved; reproduction in whole or in part without permission is prohibited. Direct written requests to Jean Lamensdorf, Licensing Manager, Reprints/Rights & Permissions, One Park Avenue, New York, NY 10016.

BPA SELECTED MARKET AUDIT DIVISION

1985 AWARD FOR BEST COMPUTER MAGAZINE Computer Press Association

Here's why you should choose Periscope as your debugger...

You'll get your programs running fast.

"It works great! A problem we had for three weeks was solved in three hours," writes Wade Clark of MPPi, Ltd.

You'll make your programs solid.

David Nanian says, "I can't live without it!! BRIEF, a text editor my company wrote, would not be as stable as it is today without Periscope."

You'll protect your investment.

We won't forget you after the sale. You'll get regular software updates, including a FREE first update and notice of later updates. You'll get technical help from Periscope's author. And you'll be able to upgrade to more powerful models of Periscope if you need to. One Periscope user writes, ". . . your support has won over even the heart of this hardened programmer!"

PERISCOPE

You deserve the best.

Thousands of programmers rely on the only debugger that PC Tech Journal has ever selected as **Product of the Month** (1/86). You owe it to yourself to find out why, first hand.

You can try it at no risk.

You get an unconditional 30-Day, Money-Back Guarantee, so you can't lose.

Start saving time and money now — order toll-free, 800/722-7006.

Use MasterCard, Visa, COD, or a qualified company purchase order. As one user puts it, Periscope is "one of the rare products, worth every penny!"

Periscope I, software, manual, protected memory board and breakout switch	$295
Periscope II, software, manual, and breakout switch	$145
Periscope II-X, software and manual	$115

Add shipping - $3 US; $8 Canada; $24 elsewhere. Ask about air shipment if you can't wait to get your programs up and running!

The Periscope Company, Inc.

(Formerly Data Base Decisions)

14 Bonnie Lane, Atlanta, GA 30328, 404/256-3860

P.S. Watch for Periscope III, the new hardware-assisted debugger with real-time traceback and breakpoints!

CIRCLE NO. 215 ON READER SERVICE CARD

CODE BLUE

Hardware



LEADING EDGE MH-30

3 Speed 80286 • 1.2MB Floppy
30MB Seagate 4038 H.D.
Mono Monitor
1 Year Warranty **$2495**



PANASONIC 600

8086 CPU • TWO 360KB Floppies
Hercules Graphics Amdek 310A
6 Slots • 640K
20 MB Seagate H.D.
1 Year Warranty **$1695**



TOSHIBA T1100 PLUS

2 720KB Drives
8 hr. Battery • 640K **CALL**

Software

Aldebaran Labs
Source Print 57
Alpha Computer
ACS Time Series 419
For-Winds 75
Forlib-Plus 52
Scientific Subroutine Pkg. 254
Strings & Things 52
Arity
Expert System Dev. Pkg. 269
File Interchange Toolkit 45
Prolog Compiler/Interpreter 729
Prolog Interpreter 319
Screen Design Toolkit 45
SQL Development Package 269
Standard Prolog 84
Blaise
Asynch Manager–C 131
Asynch Manager–Pascal 131
C Tools 99
C Tools 2 81
C Tools Plus 134
EXEC Program Chainer 75
Pascal Tools 99
Pascal Tools 2 81
Pascal Tools & Tools 2 134
Runoff Text Formatter 45
Turbo Asynch Plus 81
Turbo Power Tools Plus 81
View Manager–C 199
View Manager–Pascal 199
Borland
Reflex 99
Reflex Workshop 49
Reflex & Reflex Workshop 149
Turbo Database Toolbox 49
Turbo Editor Toolbox 49
Turbo Gameworks Toolbox 49
Turbo Graphix Toolbox 49
Word Wizard 49
Turbo Lightning 75
Turbo Pascal w/8087 & BCD 68
Turbo Prolog 69
Turbo Tutor for Pascal 29
Word Wizard & Turbo Lightning 99
C Source
Basic C Library 133
Catspaw
SNOBOL4+ 81
Command Technology
SPF/PC 162
Computer Innovations
C-86 279
Introducing C 99
C to dBase 129
CI Probe 189
CI ROMPac 139
CompuView
Vedit 112
Vedit Plus 174
Creative Programming
Vitamin C 135
VC Screen Forms Designer 83
Custom Sftw Systems
PC/VI 125
DataLight
C Compiler 47
Developer Kit 77
Data Base Decisions
Periscope I 245
Periscope II w/NIM Breakout 112
Periscope II-X 91
Data Management Cons.
ZView 195
David Smith
Codesifter 95
DES Systems
The Hammer 172
DeskTop AI
dBx dBase–C Translator 319
dBx dBase/C Translator (XENIX) CALL
DeSmet
DeSmet C w/debugger 139
DeSmet C w/debugger & Lg Case 189
Digitalk
Methods 67
Smalltalk/V 85
DWB
The PROFILER 91
EcoSoft
Eco-C 84
Essential Software
C Essentials 82
C Utility Library 135
Essential Graphics 204
Fifth Generation
FastBack 139
Gimpel
PC Lint 105
Greenleaf
Greenleaf Functions 132
Greenleaf Comm Library 132
GSS
Graphics Development Toolkit 369
Kernel System (DOS) 369
Kernel System (IBM RT) 639
Metafile Interpreter 229
Plotting System 374
Solutions Chart 235
Solutions Plottalk 235
Solutions Terminal 235
Impulse Engineering
Fortran Addenda 86
Fortran Addendum 144
IMSI
TurboHalo 81
Laboratory Micro
PC/Forth 114
PC/Forth Plus 204
Adv. Color Graphics Support 75
Enhanced Graphics Support 154
8087 Support 75
Interactive Symbolic Debugger 75
Native Code Optimizer 154
PCTERM 75
Software Floating Point 75
Lattice
C Compiler 289
C Compiler w/Library S.C. 544
C XREF Generator 38
C XREF Generator w/S.C. 154
C-Food Smorgasbord 97
C-Food Smorgasbord w/S.C. 189
C-Sprite 135
Curses Screen Mgr. 95
Curses Screen Mgr. w/S.C. 189
dBC 189
dBC w/Source Code 379
LMK Make Facility 144
RPGII Compiler–No Royalty 631
Secret Disk 92
SideTalk 92
Text Management Utilities 92
TopView Toolbasket 189
TopView Toolbasket w/S.C. 385
Z-80 C Cross Compiler 385
Z-80 C X-Compiler w/S.C. 779
The Librarian
GrafLib CALL
PlotHi CALL
PlotHP CALL
LifeBoat
Run/C 98
Run/C Professional 179
LMI
CFORTH 235
Logitech
Logimouse C7 84
Logimouse C7 w/PLUS 99
Logimouse C7 w/PLUS & Paint 139
Logimouse w/PLUS & CAD 159
Modula-2/86 Compiler 63
Modula 2/86 w/8087 99
Modula 2/86 PLUS 144
Modula 2 Library Sources 84
Modula 2 Make Utility 26
Modula 2 ROM Package 177
Modula 2 RunTime Debugger 57
Turbo-Modula Translator 43
Modula 2 Utilities Pack. 43
Modula 2 Windows Pack. 43
Lugaru
Epsilon 162
Mansfield Software
KEDIT 104
Personal REXX 104
Mark Williams
Mark Williams MWC-86 296
Let's C 57
Let's C w/csd Source Debugger 115
MDS
HELP/Control 104
Media Cybernetics
Multi-Halo 215
MetaGraphics
MetaWindows 135
MetaWindows Plus 195
TurboWindows 65
MGlobal
CCS MUMPS Single User 52
CCS MUMPS Multi-User 369
MicroFocus
Cobol Workbench 3399
Level II Cobol CALL
COGraphics 215
COMath 165
Forms-2 265
Level II Animator CALL
Level II Sourcewriter CALL
Level II Cobol for Novell 1759
Micro/SPF 155
Professional Cobol 2355
Pro. Cobol Multi-user RunTime 439
MicroHelp
Peeks n Pokes 38
Inside Track 52
MACH 2 62


FREE
BLUE LABEL SHIPPING*

20-Day Money Back Guarantee! Call for Details



TOSHIBA 3100

80286 • Gas Plasma Screen
10MB H.D. • 640K
720KB Drive
CALL



MICROSOFT®

MACH 10™

Performance Enhancement Board with Windows & Mouse.
$399

MicroSoft
QuickBasic 2.0 69
Basic Interpreter (XENIX) 259
C Compiler 289
Cobol Compiler 479
Cobol Compiler (XENIX) 759
Cobol Tools 199
Cobol Tools (XENIX) 299
Fortran Compiler 209
Fortran Compiler (XENIX) 559
LISP 169
Macro Assembler 94
Bus Mouse 119
Serial Mouse 129
Sort 139
muMath & muSimp 189
Pascal Compiler 189
Pascal Compiler (XENIX) 499
Tech. Ref. Encyclopedia 99
Windows 68
Windows Development Kit 349

Morgan Computing
Advance Trace 86 135

Opt-Tech Data
On-Line Help 115

Peerless
Scientific Subroutine Library 135
50 MORE: Fortran 96

Phar Lap
386 Debug 135

Phoenix
Pasm86 Micro Assembler 143
Pdisk Hard Disk Utility 143
Pfantasy Pac 859
Pfinish Performance Anal. 244
Pfix-86 Program Debugger 138
Pfix-86 + Symbolic Debug 244
PforCe C Library 279
Plink-86 Overaly Linker 244
Plink-86+ Enhanced Linker 349
Pmaker Make Utility 79
Pmate Macro Text Editor 142
Pre-C Lint Utility 188
Ptel Binary File Transfer 143
PolyMake Make Facility 75
PolyOverlay 75
PolyREF Complete Utility 175
PloyREF Single Language 105
PVCS Version Control Sys. 319
PVMFM Virtual Mem Mgr. 144

R & R Software
Janus/ADA C Pack 85
Janus/ADA D Pack 779

Raima
dbQuery CALL
dbVista single-user 155
dbVista single-user w/S.C. 424
dbVista multi-user 424
dbVista multi-user w/S.C. 839
dbVista 1-user w/S.C. (XENIX) 419
dbVista multi-user (XENIX) 419
dbVista multi-user w/SC (XENIX) 839

RDS
C-ISAM 196
Informix (DOS) 669
Informix4GL (DOS) 829
InformixSQL (DOS) 669
Informix (XENIX) 829
Informix4GL (XENIX) 1259
InformixSQL (XENIX) 829

Relia
Cobol 829

Roundhill Computer
Panel 225

Ryan-McFarland
RM/Cobol (XENIX) 975
RM/Fortran (XENIX) 589
RM/Cobol 665
RM/Cobol 8X ANSI 85 975
RM/Fortran 389

Santa Cruz Operation
Complete XENIX System 1049
XENIX Development System 519
XENIX Operating System 519
XENIX Test Processing Package 149
Lyrix 479
Networks for XENIX 519
SCO Professional 685

Scientific Endeavors
GraphC Mono 215
GraphC Color 289

Shaw American Tech.
APT 335

Soft Advances
DSD86 62
DSD87 85

Softcraft
Btrieve ISAM Manager 189
Xtrieve Query Utility 162
Rtrieve Report Generator 73
Btrieve/N Networks 459
Xtrieve/N Networks 289
Rtrieve/N Networks 149

Software Bottling
Flash-Up Windows 65
Screen Sculptor 92

Software Channels
ALICE 67

Software Garden
Dan Brinklin's Demo Program 61

Solution Systems
Brief CALL

Spruce Technology
FirsTime for Turbo 65

StonyBrook
The WATCHER Profiler 52

STSC
APL PLUS/PC 439
APL PLUS/PC Spreadsheet 149
APL PLUS/PC Tools Vol. 1 229
APL PLUS/PC Tools Vol. 2 119
APL PLUS/UNX (XENIX) 750
Financial/Stat. Library 209
Pocker APL 75
StatGraphics 599

Summit Software
BetterBasic 159
BetterBasic 8087 Support 81
BetterBasic Btrieve Interface 81
BetterBasic C Interface CALL
BetterBasic RunTime Module 219

Sunny Hill
TurboProfessional 45
TaskView 57

True Basic
True Basic w/Converter 105
True Basic w/Converter/RunTime 189
Advanced String Library 42
Asynch Communication Support 42
BasicA Converter 42
Btrieve Interface 42
Developer's Toolkit 42
Formlib 42
Hercules Graphics Support 42
Sorting & Searching 42
RunTime Module 99

TurboPower Software
T-Debug 52
Turbo EXTENDER 65
TurboPower Utilities 79

Visual Age
Codesmith-86 105

Wendin
Operating System Toolbox 81
PCNX Operating System 81
PCVMS 81
XTC Text Editor with Source 81

Wizard Systems
C Compiler 365

Orders only:
(800) 232-6442
In California:
(800) 843-2842
Customer service:
(415) 322-0686

Send mail orders to:
Code Blue
508 Waverly Avenue
Palo Alto, CA 94301

Terms & Policies

1. *20-day money back guarantee* on most products. Merchandise must be returned in resalable condition. Call for details.
2. Shipping info: On orders over $100, we ship free UPS 2nd day air. On orders under $100, shipping is $5.
3. Prices subject to change without notice.
4. Delivery subject to product availability.
5. P.O.'s accepted from qualified institutions.
6. After 20 days, products can only be returned for repair or replacement. On products not covered by the money back guarantee, they can only be returned for repair or replacement.
7. VISA and MasterCard accepted. COD available at an additional cost.

MasterCard VISA

*On all orders over $100 to destinations east of the Rocky Mountains.



Programmer's Paradise Gives You Superb Selection, Personal Service and Unbeatable Prices!

Welcome to Paradise. The MS/PC-DOS software source that caters to your individual programming needs.

Discover the Many Advantages of Paradise...

- **Lowest price guaranteed.**
- Only the **latest versions** of all products.
- **Large inventory** of popular products ready for immediate shipment.
- Product evaluation **literature** available.
- **Special orders**—If you don't see your product listed, call.
- **30 day money-back guarantee**—We will refund your money for products returned in fully resalable condition within 30 days of purchase. Please ask for details when placing an order.

How much extra would you expect to pay for all this special service? At Paradise, it's yours for the asking. **Call our toll free number—1-800-445-7899.** Our software pros are ready and waiting to help you.

We'll Match Any Nationally Advertised Price.

	LIST	OURS
C++		
ADVANTAGE C++	$ 495	CALL
C COMPILERS		
C-86 COMPILER	395	279
C-86 PLUS COMPILER	497	CALL
DESMET C COMPILER		
W/SOURCE LEVEL DEBUGGER	159	145
LATTICE C COMPILER	500	294
W/LIBRARY SOURCE	900	545
LET'S C	75	58
W/CSD SOURCE		
LEVEL DEBUGGER	150	109
MICROSOFT C 4.0	450	288
MARK WILLIAMS C	495	289
SUPERSOFT-C	395	339
WIZARD C	450	359
C INTERPRETERS		
C-TERP	300	235
INSTANT C	495	379
INTRODUCING C	125	104
RUN/C	150	89
RUN/C PROFESSIONAL	250	169
C UTILITY LIBRARIES		
ASYNC MANAGER	175	135
BASIC_C	175	129
C ESSENTIALS	100	85
C-FOOD SMORGASBORD	150	98
W/SOURCE	300	188
C TOOLS PLUS	175	135
C UTILITY LIBRARY	185	135
DATA WINDOWS	225	159
ENTELEKON COMBO PACKAGE	200	169
C FUNCTION LIBRARY	130	109
C WINDOWS	130	109
SUPERFONTS FOR C	50	43
ESSENTIAL COMM LIBRARY	185	139
W/ BREAKOUT DEBUGGER	250	199
GREENLEAF FUNCTIONS	185	134
GREENLEAF COMM	185	134
THE HAMMER	195	149
MULTI C	149	135
PFORCE	395	239
WINDOWS, SCREEN DISPLAY, GRAPHICS		
CURSES	125	94
W/SOURCE CODE	250	184
ESSENTIAL GRAPHICS	250	205
FLASH UP WINDOWS	75	68
HALO	300	209
META WINDOWS	185	115
META WINDOWS PLUS	235	189
METAFONTS	80	59
METAFONTS PLUS	235	189
MICROSOFT WINDOWS	99	68
MICROSOFT WINDOW DEV. SYS.	500	329
ON-LINE HELP	149	109
PANEL	295	219
WINDOWS FOR DATA	295	250
SCREENPLAY (LATTICE C)	150	135
TOPVIEW TOOLBASKET	250	189
VIEW MANAGER	275	199
VITAMIN C	150	135
VC SCREEN	99	84
ZVIEW	245	189
ARTIFICIAL INTELLIGENCE		
LISP		
BYSO LISP	395	CALL
EXPER LISP	495	445
IQC LISP	300	269
GOLDEN COMMON LISP	495	CALL
GC LISP 286 DEVELOPER	1195	CALL
MULISP	250	175
WALTZ LISP	169	149
PROLOG		
ARITY PROLOG (STANDARD)	95	59
ARITY PROLOG INTERPRETER	350	329
ARITY PROLOG INTERPRETER		
AND COMPILER	795	739
ADDIT. ARITY PRODUCTS	CALL	CALL
CHALCEDONY PROLOG/i	100	CALL
PLA MICROPROLOG (INTRO)	99	89
W/APES 1.1	149	135
PLA PROFESSIONAL MICROPROLOG	395	345
W/APES 2.0	650	489
TURBO PROLOG	100	75
OTHER AI		
APES 2	395	339
EXPERT CHOICE	495	449
ESP ADVISOR	895	839

	LIST	OURS
EXSYS	395	319
INSIGHT 2+	485	379
EXPERTEACH II	475	379
LOGIC LINE SERIES	CALL	CALL
METHODS	79	69
SMALLTALK V	99	89
BASIC		
BETTER BASIC	199	139
8087 MATH MODULE	99	79
BTRIEVE INTERFACE	99	79
C INTERFACE	99	79
RUNTIME MODULE	250	219
BETTER TOOLS	95	89
FINALLY	99	89
MICROSOFT QUICKBASIC	99	75
PROFESSIONAL BASIC	99	75
8087 MATH SUPPORT	50	45
PANEL-BASIC	145	115
RM/BASIC	600	479
TRUE BASIC	150	105
OTHER PRODUCTS AVAILABLE TO THE BASIC PROGRAMMER INCLUDE MULTIHALO, BTRIEVE, GSS GRAPHICS, SCREEN SCULPTOR, STRUBAS, 87 BASIC.		
COBOL COMPILERS/UTILITIES		
MICROSOFT COBOL	700	445
MICROSOFT COBOL TOOLS	350	205
MICROSOFT SORT	195	139
OPT-TECH SORT	149	115
REALIA COBOL	995	785
SCREENPLAY	175	155
RM/COBOL	950	639
RM/COBOL 8X	1250	895

Featured Product of the Month

MICROSOFT C COMPILER v. 4.0—Latest version of the "... best MS-DOS C development environment value today."—Dr. Dobbs. Provides fast, optimized code. Version 4.0 includes Microsoft's new Codeview source-level windowing debugger.
List $450 Ours **$285**

	LIST	OURS
ASSEMBLERS/LINKERS		
ADVANTAGE LINK	495	CALL
MACRO 86	150	98
PASM 86	195	129
PLINK 86 PLUS	495	329
MAKE/PROFILE/LINT		
LMK	195	149
POLYMAKE	99	79
OTHER POLYTRON PRODUCTS	CALL	CALL
PMAKER	125	89
PFINISH	395	239
THE PROFILER	125	95
PC LINT	139	105
PRE C	295	159

Terms and Policies

- **We honor MC, Visa, American Express** No surcharge on credit card or C.O.D. Prepayment by check. New York State residents add applicable sales tax. Shipping and handling $3.00 per item, sent UPS ground. Rush service available, prevailing rates
- Programmer's Paradise will match any current nationally advertised price for the products listed in this ad.
- **Mention this ad when ordering**—some items are specially priced
- Prices and Policies subject to change without notice.
- Corporate and Dealer inquiries welcome.

CIRCLE NO. 173 ON READER SERVICE CARD

	LIST	OURS
DEBUGGERS		
ADVANCED TRACE-86	175	138
BREAKOUT	125	99
CODESMITH 86	145	108
C SPRITE	175	138
CI PROBE	75	59
CSD SOURCE DEBUGGER	75	59
PERISCOPE I	295	245
PERISCOPE II	145	109
PERISCOPE II-X	115	84
PFIX 86 PLUS	395	239
EDITORS		
BRIEF	195	CALL
CVUE	75	59
W/SOURCE	250	195
EMACS	295	265
EPSILON	195	159
FIRSTIME (C)	295	229
KEDIT	125	105
LSE	125	95
PMATE	195	119
PC/Vi	149	129
SPF/PC	195	149
VEDIT	150	109
VEDIT PLUS	225	139
FILE MANAGEMENT		
BTRIEVE	245	195
XTRIEVE	245	195
RTRIEVE	145	119
BTRIEVE/N	595	464
XTRIEVE/N	595	479
RTRIEVE/N	345	279
C TREE	395	329
DBC III	250	189
W/SOURCE	500	378
DB VISTA	195	155
W/SOURCE	495	425
INFORMIX	995	795
PHACT	295	265
QUERY	195	175
REPORT	165	149
PHACT W/SOURCE	995	845
OPT-TECH SORT (FOR BTRIEVE)	149	115
FORTRAN COMPILERS		
F77L LAHEY FORTRAN	477	CALL
MICROSOFT FORTRAN	350	208
PROSPERO FORTRAN	390	319
RM/FORTRAN	595	389

New Products

C-86 PLUS—All new proposed ANSI standard C compiler using artificial intelligence technology to produce really fast executable code.
List $497 Ours **CALL**

DATA WINDOWS—Greenleaf's latest offering includes integrated windows, transaction data entry, pop-up, pull-down, and Lotus style menu systems. And more! Data Windows is fast, writing directly to video memory. List $225 ($450 w/source)
Ours **$159** ($315 w/source)

ADVANTAGE LINK—The first overlay linker to take advantage of extended memory. It supports memory caching object file merging complex overlay structures and automatic overlay reloading. List $495
Ours **CALL**

TIMESLICER—Discovery!!! Linkable C library which provides Multi-tasking and Real-Time functionality at the application level.
Call for information and/or price.

	LIST	OURS
FORTRAN UTILITIES		
ACS TIMES SERIES	495	419
87 SFL	250	225
FOR-WINDS	90	78
FORLIB-PLUS	70	54
GRAFMATICS OR PLOTMATICS	135	119
GRAFMATICS AND PLOTMATICS	240	219
FORTRAN SCIENTIFIC SUBROUTINES	295	249
POLYFORTRAN TOOLS I	179	143
STRINGS AND THINGS	70	54
ALSO AVAILABLE TO THE FORTRAN PROGRAMMER: PANEL, MULTIHALO, BTRIEVE, ESSENTIAL GRAPHICS, FLASH UP WINDOWS, GSS GRAPHICS, OPT-TECH SORT.		
PASCAL COMPILERS		
MICROSOFT PASCAL	300	189
PROSPERO PASCAL	390	315
TURBO PASCAL	100	69
OTHER BORLAND PRODUCTS	CALL	CALL

December Holiday Bundles

When you buy **MICROSOFT C** or **LATTICE C** you also get any one of the following: **GREENLEAF FUNCTIONS, GREENLEAF COMM LIBRARY, C UTILITY LIBRARY, ESSENTIAL COMM LIBRARY** FOR ONLY **$399**

	LIST	OURS
TOOLS FOR MS PASCAL		
ASYNC MANAGER	175	135
ESSENTIAL GRAPHICS	250	205
EXEC	95	75
FIRSTIME	245	199
FLASH UP WINDOWS	75	68
GSS GRAPHICS DEV. TOOLKIT	495	395
HALO	300	209
PANEL	295	219
PASCAL TOOLS I	125	99
PASCAL TOOLS II	100	79
SCREEN SCULPTOR	125	95
VIEW MANAGER	275	199
TOOLS FOR TURBO PASCAL		
ALICE	95	68
FIRSTIME	75	59
FLASH UP WINDOWS	75	68
HALO	300	209
SCREENPLAY	100	89
SCREEN SCULPTOR	125	94
TURBO PASCAL ASYNC MGR	100	84
TURBO PROFESSIONAL	70	49
TURBO POWER TOOLS PLUS	100	83
TRANSLATORS BRIDGES		
BASTOC (MBASIC)	495	399
C TO DBASE	150	135
DBC III	250	189
W/SOURCE	500	378
D BX	350	329
FORTRIX	6000	CALL
ADDITIONAL PRODUCTS		
DAN BRICKLIN'S DEMO PROGRAM	75	59
FASTBACK	175	149
INTERACTIVE EASYFLOW	150	129
PDISK	195	129
TEXT MANAGEMENT UTILITIES	120	94



1-800-445-7899
In NY: 1-800-642-6471

Programmer's Paradise
487 E. Main Street, Mt. Kisco, NY 10549
914-332-4548

Programmer's Paradise

WHAT'S THE SECRET DEBUGGING WEAPON USED BY EVERYBODY FROM BORLAND TO ORACLE? FREE 44-PAGE ANSWER FROM ATRON.

"WE COULDN'T HAVE DONE IT WITHOUT ATRON'S HARDWARE-ASSISTED SOFTWARE BUGBUSTERS."

Philippe Kahn Borland Pres. **Larry Ellison** Oracle Pres.

This is the city saved by the Atron bugbusters. Your city. Full of wizards, with hundreds of millions of dollars invested in wringing every ounce of intelligence and performance out of your PC. It used to be plagued with the toughest software bugs known to mankind.

PLAGUES OF BIBLICAL PROPORTIONS

The first and most difficult plague was impossible to trap with software debuggers. These were carnivorous bugs which randomly overwrote programs, data, even the debugger. Nastiest were the ones that slipped in once every few hours, or changed their behavior after each new compile. Forty days and forty nights of recompiling, *trying something else*, caused many a would-be resident of the city to run screaming into the wilderness, never to be heard from again.

Second came the plague of not knowing where the program was, or where it had recently been. This compounded the first plague: How could anyone know *what* caused the random memory overwrites? Add to this random interrupts and timing dependencies, and you begin to understand *The Fear* that gripped the city.

Then came the last plague, which brought the wizards to their knees before they even started debugging. Their towering programs consumed so much memory, there wasn't enough room for their symbol table, let alone debugging software. Even if they could get past the first two plagues, this one killed their firstborn software.

ENTER THE HARDWARE-ASSISTED SOFTWARE BUGBUSTERS


The Atron solution came as a revelation: Monitor every memory reference and every instruction executed, by adding a hardware board to the AT or PC with an umbilical probe to the processor.

The result? Wham! The PC PROBE™ and the AT PROBE™ saved civilization as we know it. The first plague was cured with PROBE'S hardware-assisted breakpoint traps on reading, writing, executing, inputting and outputting. These could be done on single or ranges of addresses, and could include particular data values. All in real time. For a mere software debugger to attempt this, a 1-minute program would take 5 hours to execute.

The second plague, not knowing from whence you came, was cured with PROBE'S real-time trace memory. The history of program execution is saved on-board, in real time. Once a hardware trap has occurred, PROBE displays the program execution in detail, including symbols and source code for C, Pascal, or assembly language programs. Which shows how out-of-range pointers got that way.

The third plague, not enough room for the debugging symbol table to be co-resident in memory with a large program, was cured with 1-megabyte of on-board, hidden, write-protected memory. System memory was then free for the program, keeping the symbol table and debugger safe from destruction.

When the job of bugbusting was done, the wizards used their PROBEs as performance analyzers. So they could have both reliability *and* performance. So they could send only the best software into the field.



IF YOU AREN'T AN ATRON CUSTOMER, ODDS ARE YOU WON'T BE MAKING THE TOP-TEN LIST.

On any given week, at least nine of the top ten best-selling software packages on the Soft-Sel Hotlist come from Atron customers.

Ever heard of Borland? "Without Atron," says its president Philippe Kahn, "there wouldn't be a Side-Kick™, Turbo Lightning™ would be light-years away, and Turbo Prolog™ wouldn't be shipping today."

Ever use a spreadsheet? From Enable™ to Paradox™, their bugs were busted by Atron products.

Into DBMSs? Everyone from Ashton-Tate to Oracle owns at least one Atron bugbuster.

If you use a product from one of the companies in *The City*, you owe life as you know it to Atron. Our guess is that 99% of all PCs, XTs and ATs have at least one product debugged with Atron bugbusters.

FREE 44-PAGE BUGBUSTING BIBLE COULD MAKE YOU A PROPHET, AND YOUR COMPANY A PROFIT.

We've written a complete tutorial on state-of-the-art bugbusting. And it's yours, free for the asking. Full of examples and illustrations, it will show you how the wizards work their magic.

If you're tired of suffering the wrath of program bugs, call Atron today. You could be busting bugs, and sales records, tomorrow.

atron

THE BUGBUSTERS

20665 Fourth Street • Saratoga, CA 95070 • 408/741-5900

Copyright © 1986 by Atron Corp. PC PROBE™ and AT PROBE™ Atron. The other fine companies mentioned throughout this advertisement own numerous trademarks. Adv. by TRBA.

CIRCLE NO. 203 ON READER SERVICE CARD

The RT Mystery

Is it IBM's next architecture, or just another incidental machine?




ILLUSTRATION • MACIEK ALBRECHT

Most of us who observe IBM have spent the last 12 months pondering the future of the RT PC. We have wondered if it would be a success, whether it was a major machine or just something to fill a niche, whether IBM was serious about it, and whether its formidable competition in the UNIX and scientific and engineering markets would simply wipe it out. We have mulled over the expected miniaturization of the 370 family, now a fact in the form of the new 9370, and its effect on the midrange market. We have considered the possible merger of the System/36 and System/38 families into a single, more potent midrange architecture. And we have listened to each other not praising the RT, but burying it.

It may thus seem foolhardy for *PC Tech Journal* to devote so many pages in a single issue to a machine under such a cloud of suspicion, especially when it doesn't have a thing to do with Intel microprocessors or DOS. How could I allow this to happen? To be honest, I planned it that way.

Please don't get the idea that you are suddenly reading a magazine of workstations and UNIX. *PC Tech Journal* is what it always has been: a technically oriented magazine about IBM's small computers. The RT is very technical, and it is certainly small in comparison to every IBM computer except the PC family. Furthermore, we think it is a very interesting machine from many standpoints—and one in which many of you are probably interested, even if you don't plan to rush right out and buy one. I decided, therefore, that *PC Tech Journal* had to clear the air by providing an unbiased, objective view of the RT that is more trustworthy than the wailings of security analysts and IBM-authored reviews that have appeared in some other publications.

For this formidable task we turned to our two veteran consulting editors, Richard M. Foard and Thomas V. Hoffmann, whose previous writings in *PC Tech Journal* I know you have come to trust. We are grateful to IBM, which provided two of the then-scarce machines for our dissection and let us borrow them for an unprecedented length of time. Foard and Hoffmann pored over these boxes; Foard concentrated on the software while Hoffmann took a microscope to the hardware.

Their observations and conclusions are presented in a suite of five articles beginning on page 56 of this issue. I will not attempt to steal their thunder, but a number of important points can be made about the RT.

THOSE THREE LITTLE LETTERS

Senior technical editor Jim Shields, who edited the Foard/Hoffmann articles, just returned from UNIX Expo in New York City. There he found considerable interest in, and support for, the RT. The tip of the iceberg is an IBM-published software catalog listing about 100 major applications now or soon-to-be available for the RT. Most of these are, of course, applications ported from other UNIX environments, although a few came from DOS. The significance of this is not so much the number of applications but the clear indication that software vendors see value in the existence of a UNIX box sporting the letters *I-B-M.*

The rest of the iceberg is IBM itself. Here, for the first time, is a really safe UNIX buy. Those three little letters mean that some buyers might choose a UNIX environment in situations where they would not consider a VAX or a Sun or any of a myriad of UNIX computers. A paraphrase comes to mind: "You won't lose your job for buying IBM, even if it is running UNIX."

Although the price/performance ratio of the RT is questionable, a UNIX box from IBM is bound to stir interest from numerous quarters. The RT is much more useful than a low-end System/36; small businesses undoubtedly will take note. With a wide body of applications available for UNIX, corporate planners also will consider the machine, especially when departmental computing needs dictate a relatively small configuration. The scientific and engineering community will be particularly well-served because IBM has specifically targeted them with the RT. Finally, the university environment should take to the machine because of its architecture and superb memory management facilities.

THE ARCHITECTURE SHINES

The most compelling feature of the RT at the moment is its overall architecture. Foard praises the Advanced Inter-

active Executive (AIX) operating system; privately he says, "The system just feels good," even higher praise from one who has wrestled numerous UNIX implementations to the ground. The Virtual Resource Manager (VRM) is kind of a secret weapon that gives IBM great flexibility in operating system implementation. And whereas the reduced instruction set computer (RISC) architecture is interesting, the memory management unit (MMU) is what really sets the machine apart.

The heart of the RT is the VRM/MMU combination. VRM has been likened to VM on 370-architecture machines; while it bears some resemblance, it is not quite as powerful. However, VRM considerably facilitates the port of an operating system to the RT. For example, the System/36's SSP environment could be implemented over VRM with far less difficulty than it could be rewritten for the native RT architecture. VRM is powerful enough to allow dissimilar operating systems to execute simultaneously on the same machine and to support multiple RT processors in the same box. Whether IBM will exploit these potentials is unknown, but the possibilities are intriguing.

The MMU is perhaps the best memory manager available in a small machine. It allows an absolutely enormous linear program (256 *mega*bytes) which, of course, can be virtual. The virtual address space is 1 *tera*byte (240); a segmented program could access the entire virtual space. These large numbers seem to dwarf the allowable physical memory of 16MB (224).

The key to the MMU, however, is its great flexibility. The design of the MMU allows for relatively easy redesign, so that a new processor/MMU combination could do translation to even a peculiar bit width such as 28 bits, yielding 256MB of physical memory. The change in the MMU would be completely transparent to all existing software and perhaps even to AIX; VRM would require a few adjustments.

IS IT SOUP YET?

VRM and the MMU lead me to believe that there is more to the RT than IBM would have us believe. The marketing strategy so far has been to tout the machine as a wonderful system for the scientific and engineering market, an identified strategic market for IBM (see "AT vs RT," Directions, Will Fastie, April 1986, p. 7). To judge by reactions in the press, nobody believes the "wonderful" part. The problem is mostly the delivered performance. At about 2 million instructions per second (MIPS), most think the machine is underpowered and overpriced when compared to the typical Sun workstation. The question of graphics also must be considered; although the display resolution is acceptable, high-performance graphics require the addition of an expensive 5080 graphics workstation.

We know from sources close to IBM that the RT is designed for a processor rate four times as fast as the current models, or about 8 MIPS. I felt certain that the rate would have been quickly increased to at least 4 MIPS, if for no other reason than to quell the speed objections, but IBM's recent announcements for the RT offered no base improvement in CPU performance.

The question I keep asking myself is, "Does IBM care?" I think not, because I view the machine not as IBM's entrée into the technical market but as a new architectural generation. Consider this scenario: suppose YCC (Your Computer Company) has developed a new architecture that is different from all your previous architectures. How would you test it? How could you find out what the potential market acceptance might be? How could you get third-party developers to take it seriously and to develop much-needed applications and add-on hardware?

Suppose you introduced this machine in disguise, saying, "Here's our nifty new machine for this tiny niche market," then asking, "How do you like it?," all the time keeping the price high and the performance relatively low. What is the advantage to YCC? Simple: this strategy keeps the number of machines in the field low and at the same time limits the distribution in the early days to developers, exactly the folks you want to have wringing the thing out!

These technical types then feed back tons of helpful information (in the form of complaints and gripes, of course) that can be used to adjust the machine as needed. Once tuned, you can release the set of machines you *really* want to sell, including smaller, larger, cheaper, and more expensive versions. Maybe you can release ported versions of older operating systems. Maybe you even can release some of your better and more popular office system products, freshly ported to bigger-better-faster-cheaper computers than you could previously offer.

Is this what IBM is doing? Beats me. I just see two points. First, I agree that the RT makes little sense in its identified target market. Second, it is a superbly architected system.

It's hard for me to believe that IBM would leave such craftsmanship just lying around.

RT ENHANCEMENTS

Since we began preparing our review of the RT PC, IBM introduced a new model and reduced prices for existing models. The minimum configuration of the new desktop Model 15 provides twice the internal memory (2MB) and nearly double the disk storage capacity (70MB) of the current Model 10. The Model 15 has a single-unit price of $10,050. New prices and old prices (given in parentheses) for current models are as follows: Model 10, $7,900 ($11,700); Model 20, $11,900 ($14,945); Model 25, $14,050 ($17,940); and Model A25, $15,620 ($19,510). A 4MB memory card ($4,300) that provides a maximum of 8MB of system memory is also now available for every model.

In addition, IBM has announced an Advanced Floating-Point Accelerator card ($1,995), which will perform floating-point calculations nearly three times faster than is currently possible, and a Small Computer Systems Interface adapter card ($1,080), which can support up to seven 200MB or 400MB IBM 9332 external disk drives. These cards will be made available in the second quarter of 1987, along with the IBM RT PC Computer-integrated Electrical Design Series/Design Simulation, which are five circuit design programs, ranging in price from $10,000 to $20,000.

Products announced for March 1987 delivery include the IBM RT PC Host Interface Adapter ($1,795), Workstation Host Interface Program ($995), and four host communications packages ($995 to $1,195), as well as new versions of the AIX operating system (upgrade from 1.1 to 2.1, $395), VRM (upgrade from 1.1 to 2.1, $100), SQL/RT Data Base (upgrade for 1.1 to 2.1, $200), and the IBM RT PC VS Pascal Compiler Version 1 ($1,000). The one-time license charges for AIX and VRM were also decreased from $3,400 to $2,295 and from $1,000 to $895, respectively.

—JS

C Programmers! High-Speed Database tames complex C applications

"db_VISTA™ lets you easily build complex databases with many interconnected record types..."
Dave Schmitt, President, Lattice, Inc.

High-Speed data retrieval and access... just two benefits of using RAIMA's network model DBMS, db_VISTA. Combine these design benefits with those of C—speed, portability, efficiency, and you begin to understand db_VISTA's real measure... performance.

Independent Benchmark proves High-Speed model 2.76 times faster

An independent developer benchmarked db_VISTA against a leading competitor. Eleven key retrieval tests were executed with sequentially and randomly created key files.

*Result of 11 Key Retrieval Tests

db_VISTA	:671.24 seconds
Leading Competitor	:1,856.43 seconds

db_VISTA's high-speed network database model lets you precisely define relationships to minimize redundant data. Only those functions necessary for operation are incorporated into the run time program.

Portable DBMS Applications with db_VISTA

For maximum application portability, every line of db_VISTA's code is written in C and complete source code is available. db_VISTA operates on most popular computers with several operating systems supported. So whether you write applications for micros, minis, or mainframes...db_VISTA is for you.

How db_VISTA works...

Design your database and compile your schema file with the database definition language processor. Develop application programs, making calls to db_VISTA's C functions. Edit and review your database using the Interactive Database Access utility. Compile and link your C program with the db_VISTA runtime library, and your application is ready to run.

Multi-user and LAN capability

Information often needs to be shared. db_VISTA has multi-user capability and supports simultaneous users in either multi-tasking or local area networking environments, allowing the same C applications to run under UNIX, MS-DOS, and VAX VMS.

db_QUERY™ lets you ask more of your database

db_QUERY is a linkable, royalty-free, SQL-based ad hoc query and report writing facility. It provides a user-friendly relational view of a network-model database. Use it directly or design an interface for the inexperienced to generate powerful queries and reports.

Royalty-Free Run-Time

Whether you're developing applications for a few customers, or for thousands, the price of db_VISTA or db_QUERY is the same. If you are currently paying royalties for a competitor's database, consider switching to db_VISTA and say goodbye to royalties.

FREE Technical Support For 60 days

Raima's software includes free telephone support and software updates for 60 days. Technical support personnel are available to answer questions about our software or yours.

30-Day Money-Back Guarantee

Try db_VISTA for 30 days and if not fully satisfied, return it for a full refund.

Order Schedule

	db_VISTA	db_QUERY
☐ Single-user	$ 195	$ 195
☐ Single-user w/Source	$ 495	$ 495
☐ Multi-user	$ 495	$ 495
☐ Multi-user w/Source	$ 990	$ 990
☐ VAX Multi-user	$ 990	$ 990
☐ VAX Multi-user w/Source	$1980	$1980

Not Copy Protected

Call Toll-Free Today!

Order Line 1-800-327-2462
Information Line . 1-206-828-4636

MasterCard VISA

Read what others say...

"If you are looking for a sophisticated C programmer's database, db_VISTA is it. In either a single or multi-user environment, db_VISTA lets you easily build complex databases with many interconnected record types. The multi-user implementation handles data efficiently with a LAN, and Raima's customer support and documentation are excellent. Source code availability and a royalty-free run-time is a big plus."
Dave Schmitt, President Lattice, Inc.

"My team has developed a sophisticated PC-based electronic mail application for resale to HP customers. db_VISTA has proved to be an all-round high performer in terms of fast execution, flexibility and portability, and has undoubtedly saved us much time and development effort."
John Adelus, Hewlett-Packard Ltd. Office Productivity Division

"On the whole, I have found db_VISTA easy to use, very fast with a key find, and powerful enough for any DBMS use I can imagine on a microcomputer."
Michael Wilson, Computer Language

db_VISTA Version 2.2

Database Record and File Sizes
- Maximum record length limited only by accessible RAM
- Maximum records per file is 16,777,215
- No limit on number of records or set types
- Maximum file size limited only by available disk storage
- Maximum of 255 index and data files

Keys and Sets
- Key length maximum 246 bytes
- No limit on maximum number of key fields per record—any or all fields may be keys with the option of making each key unique or duplicate
- No limit on maximum number of fields per record, sets per database, or sort fields per set
- No limit on maximum number of member record types per set

Operating System & Compiler Support
- Operating systems MS-DOS, PC-DOS, UNIX, XENIX, SCO XENIX, UNOS, ULTRIX, VMS
- C compilers: Lattice, Microsoft, DeSmet, Aztec, Computer Innovations, XENIX and UNIX

Features
- Multi-user support allows flexibility to run on local area networks
- File structure is based on the B-tree indexing method and the network database model
- Run-time size, variable—will run in as little as 64K, recommended RAM size is 256K
- Transaction processing assures multi-user database consistency
- File locking support provides read and write locks on shared databases
- SQL-based db_QUERY is linkable
- File transfer utilities included for ASCII, dBASE optional

Utilities
- Database definition language processor
- Interactive database access utility
- Database consistency check utility
- Database initialization utility
- Multi-user file locks clear utility
- Key file build utility
- Data field alignment check utility
- Database dictionary print utility
- Key file dump utility
- ASCII file import and export utility

*The benchmark procedure was adapted from "Benchmarking Database Systems: A Systematic Approach" by Bitton, DeWitt and Turbyfill, December 1983.

RAIMA™ CORPORATION

High-Speed Programming Tools, Designed for Portability

3055-112th Avenue N.E.
Bellevue, WA 98004 USA
(206) 828-4636 Telex: 9103330300

Order Toll-Free
1 (800) 327-2462

CIRCLE NO. 166 ON READER SERVICE CARD

Now You Know Why BRIEF™ is BEST

"BRIEF is simple to learn and use and extremely sophisticated."
PC Magazine, July 1986

The Program Editor with the BEST Features

Since its introduction, BRIEF has been sweeping programmers off their feet. Why? Because BRIEF offers the features **MOST ASKED FOR** by professional programmers. In fact, BRIEF has just about every feature you've ever seen or imagined, including the ability to configure windows, keyboard assignments, and commands to **YOUR** preference. One reviewer (David Irwin, DATA BASED ADVISOR) put it most aptly, "(BRIEF)...is quite simply the best code editor I have seen."

"A bona fide Undo..."

Steve McMahon, BYTE 3/85

As Mark Edwards describes in DR. DOBB'S JOURNAL (11/85), "BRIEF has an outstanding undo facility. The default configuration allows the last 30 editing commands to be undone. This number can be raised to a maximum of 300 commands. Until you reach this maximum or run out of RAM, every command you issue can be undone. So if you make ten changes and then realize that the first one was an error, you can undo all the changes back to the mistake. Needless to emphasize, this facility can save endless grief."

No other editor has this capability.

Every Feature You Can Imagine

Compare these features with your editor (or any other for that matter).

- FAST
- Full UNDO (N Times)
- Edit Multiple Large Files
- Compiler-specific support, like auto indent, syntax check, compile within BRIEF, and template editing
- Exit to DOS inside BRIEF
- Uses all Available Memory
- Tutorial
- Repeat Keystroke Sequences
- 15 Minute Learning Time
- Windows (Tiled and Pop-up)
- Unlimited File Size –(even 2 Meg!)
- Reconfigurable Keyboard
- Context Sensitive Help
- Search for "regular expressions"
- Mnemonic Key Assignments
- Horizontal Scrolling
- Comprehensive Error Recovery
- A Complete Compiled Programmable and Readable Macro Language
- EGA and Large Display Support
- Adjustable line length up to 512

Program Editing YOUR Way

A typical program editor requires you to adjust your style of programming to its particular requirements – NOT SO WITH BRIEF. You can easily customize BRIEF to your way of doing things, making it a natural extension of your mind. For example, you can create ANY command and assign it to ANY key – even basic function keys such as cursor-control keys or the return key.

The Experts Agree

Reviewers at BYTE, INFOWORLD, DATA BASED ADVISOR, and DR. DOBB'S JOURNAL all came to the same conclusion – BRIEF IS BEST!

Further, of 20 top industry experts who were given BRIEF to test, 15 were so impressed they scrapped their existing editors!

NOT COPY PROTECTED


Solution Systems™


MONEY-BACK GUARANTEE
Try BRIEF ($195) for 30 days – If not satisfied get a full refund.
TO ORDER CALL (800-821-2492)

SOLUTION SYSTEMS, 335-P WASHINGTON ST., NORWELL, MA 02061, 617-659-1571

BRIEF is a trademark of UnderWare

CIRCLE NO. 130 ON READER SERVICE CARD





ANIMATED EXCHANGE

In their article "Animation Techniques" (July 1986, p. 46), Michael Abrash and Dan Illowsky dismiss C as too slow for realtime graphic drivers for microcomputers. My own experience in developing high-performance graphic drivers (in various languages) suggests that C is capable of performance that is far better than the authors claim. Although the authors do note that Microsoft C (version 3.0) can access display memory directly from small model programs, they fail to note other capabilities of this compiler that could be used to improve graphics performance.

If the width of an object is known at compile time, **structure assignment** statements could be used to generate in-line repeated **move string** instructions that are comparable to assembly language. This would require separate drivers for different object widths, not unreasonable, especially since the faster **move string word** instructions would be used automatically where appropriate. With separate drivers for different shapes (width and height), performance could be improved even more.

Although the authors claim that none of their more advanced techniques can be used in C, precalculation, table look-up, move string, and in-line coding all can be used to boost performance in C just as in assembly language. **Switch** statements can be used to implement jump tables. Surely a C program could be written that would be many times faster than the one shown in listing 2. It would have been instructive had the authors attempted it. Perhaps in their enthusiasm for assembly language they failed to question their own assumptions.

Of course, even the best C program can be outperformed by a carefully coded assembly language equivalent. Although for some application the difference may be crucial, for many others it will be insignificant. An optimal program is rarely necessary (and even more rarely achieved). Consequently, I normally code and debug a new application entirely in C. I rewrite critical routines in assembly language only if I first have failed to wring adequate performance from C. However, I find that by concentrating on overall program structure, I rarely need to.

John Navas II
Foster City, CA

"Animation Techniques" and "Software Sprites" (Michael Abrash and Dan Illowsky, August 1986, p. 125) remind me of similar articles I read back in 1979, although those were written with the Apple II in mind.

The authors make much of the fact that the PC is not a game machine and does not contain any specialized animation hardware. Neither does the Apple II, which has been ridiculed for years by the PC community as "only a game machine." In fact, the PC is easier to program for animation because the 8088 is a far more powerful processor than the 6502, and the memory-mapping scheme of the CGA is simpler than the scheme used by the Apple II. There is no excuse for the kind of poor animation that a lot of PC games exhibit. Commercial Apple games today do not contain XOR color interaction, byte fringing, heavy flickering, or non-overlapping objects common in PC games.

The authors also explain that structured programming, top-down design, and other high-level programming techniques must be ignored when it comes to animation. This is because they cannot provide the kind of intimate, cycle-counted code that is required to wring the last bit of performance out of unfriendly hardware.

Apple programmers have known for years how to write high-speed animation and sprite drivers without the assistance of hardware. The PC world is just now beginning to duplicate some of those techniques. As the cost of PC clones drops to below that of an Apple IIe, and thus enter the home computer market, games will be more viable for the PC. High-speed animation will become even more necessary for the PC to remain competitive game-wise, especially with Atari's 520ST and Commodore's Amiga out there.

Bruce Morgan
RM Software
Palo Alto, CA

No one approach to animation programming is the correct one. In general, a programmer should use the language and approach with which he is most productive, as long as it does the job. Our articles specifically addressed applications in which nothing less than the fastest possible code would perform adequately; they were not meant as part of a general debate about the relative worth of assembly language and high-level languages. Mr. Navas acknowledges that the best assembly language code outperforms the best C code, and we said in the article, "optimal realtime drivers must be written in assembly language." In less demanding applications, C (or any of several languages) could serve as well. We certainly agree that C provides a more productive environment for most programmers.

We would like to address a few technical points in Mr. Navas's letter. The code generated by Microsoft C 4.0 for a structure copy into a far segment is not nearly as compact as the assembly language code in our drivers, by a ratio of 19:6. This greater size, along with more frequent memory access, makes such C code bulkier and slower than our assembly language routines. In addition, C does not lend itself to in-line code, lacking the equivalent of the REPT pseudo-op. It is difficult to see how ***switch*** *could be implemented as a jump table, since case values are not required to form a consecutive set.*

This discussion misses a more fundamental point, however. The advantage to coding high-performance animation routines using machine-dependent, nonintuitive, slower C code rather than assembly language is unclear. Is it really easier to develop drivers in C using techniques such as using structures to force repeat string moves than it is to write code in assembly language using instructions such as REP MOVSW? Is the resulting code any more portable or understandable? We certainly agree that a C program could indeed be written that would be many times faster than our sample C driver. However, understanding the compiler's code generation and the use of C in unusual ways would be required, negating much of the benefit of using C. Moreover, the final code still would be significantly slower and bulkier than well-written assembly language drivers. We see no advantage to using C in such a case.

Currently our primary development language is Microsoft C 4.0, and we are quite impressed with the quality of code it generates. Nevertheless, when we need the fastest, smallest possible code—optimal code—assembly language is clearly the only choice.

Mr. Morgan's statement that superior animation techniques have been known in the Apple II world for years is quite true, but let's not forget that the Apple II market was and is a far more profitable arena for animation than the IBM PC market, so programmers have more incentive to develop excellent animation code. By the way, although an 8088 running at 5 MHz is generally much more powerful than an 6502 running at 1 MHz, animation performance is the product of many factors, including bit-map size, video wait states, instruction mix, prefetching, and available hardware tricks, as well as general processor power. Surprisingly, our extensive experience with both the Apple II and the PC indicates that the two perform at pretty much the same level with regard to animation.

—Michael Abrash
Dan Illowsky

THE SHADOW OF A DOUBT

I am writing regarding the introductory article on AT compatibles, "Out from the Shadow of IBM..." in the August 1986 issue (Steven Armbrust, Ted Forgeron, and Paul Pierce, p. 52).

Upon compiling (with Turbo Pascal version 3.0) and running the program ATBIOS.PAS (listing 1, p. 60) on an IBM PC/AT (with ROM BIOS dated 6/10/85), the field for the copyright statement printed ????? instead of giving the software copyright statement.

I also discovered another glitch in this program: although a game adapter is installed in my machine, the program reports that no game adapters are installed. I have been unable to figure this out since the advanced diagnostics shows that a game adapter is installed and programs that require this particular adapter—which is manufactured by IBM—function properly.

Richard H. Shores
Cumberland Museum and
Science Center
Nashville, TN

Thank you for pointing out these two weaknesses in ATBIOS. We have modified the program to correct both of the problems that you mentioned and to add a new feature. The revised version of ATBIOS (version 1.01) is now available on PCTECHLine.

First, the problem with ????? instead of the copyright statement on 30MB IBM PC/ATs has to do with control characters located in the range of addresses displayed starting at F000:E000. The fix to ATBIOS is to filter out nonalphanumeric characters and display them as periods, much the way DEBUG handles unprintable characters in hexadecimal or ASCII memory displays. To fix the problem in your copy of ATBIOS.PAS, replace these lines:

```
write('Copyright Statement is ') ;
window(40,6,80,7);
gotoxy(1,1);
write(copyright) ;
window(1,1,80,25) ;
gotoxy(1,8);
```

with the following code:

```
write('Copyright Statement is') ;
write('                ') ;
FOR i := 1 TO 80 DO
  BEGIN
    IF (copyright[i] < ' ')
    OR (copyright[i] > '~') THEN
      write('.')
    ELSE
      write(copyright[i]) ;
    IF i = 40 THEN
      BEGIN
        writeln ;
        write('                ') ;
        write('                    ') ;
      END ;
  END ;
writeln ;
```

Second, the problem with detecting the IBM Game Adapter has to do with an incompatibility of the AT itself. On the AT, the game adapter bit in the equipment flags word is never set. Because this bit is never set, ATBIOS is fooled into thinking that the game adapter is not present even if it is. To modify ATBIOS to interpret the game adapter bit for non-AT machines only, replace these lines:

```
write('Game Adapter Present') ;
write('                    ') ;
if (equip_flag and game_mask) <> 0
then writeln('YES')
else writeln('NO');
```

with the following code:

```
IF machine_id <> at_id THEN
  BEGIN
    write('Game Adapter Present') ;
    write('                    ') ;
   IF (equip_flag AND game_mask)
   <> 0 THEN writeln('YES')
    ELSE
      writeln('NO') ;
  END ;
```

Finally, we have added a new feature to ATBIOS. It now supports I/O redirection so that a user can redirect its output to a file or printer. To enable I/O redirection, add the line:

{$P512}

anywhere before the first line of source code in ATBIOS.PAS.

—Ted Forgeron


FAULTY CONNECTION

At first glance the product review in "Emulating the 3278" by Roger Addelson, (February 1986, p. 48) appeared to be something micro/mainframe users have long awaited. After reading the article, however, it is easy to understand why no other major trade publication has undertaken the task of evaluating 3270 emulation products. Apparently, very few authors, including Mr. Addelson, are sufficiently knowledgeable about IBM mainframes and data communications, as well as microcomputers, to conduct such a review.

Mr. Addelson's understanding of 3270 network configuration options, although somewhat correct, needs much refinement. He identifies three categories of connections: dial-in, leased line, and direct-channel connect. Dial-in is used to refer to connection over the telephone company's switched network. Leased line is the common term for a connection via a nonswitched or dedicated phone line. (Our local phone company uses the term "private line" to refer to a nonswitched line, insisting

YOU ARE ABOUT TO BE SEDUCED BY POWER AND MONEY.

Admit it. You're intrigued with the idea of C programming. You may be working in BASIC, Pascal or Assembler now. But you're drawn to the power, portability and flexibility of C. And if money is what motivates you, imagine having it all for just $75 with Mark Williams Let's C.®



EVERYTHING YOU COULD ASK FOR IN A C COMPILER.

Let's C is no mere training tool. It's a complete, high quality C compiler. With the speed and code density to run your programs fast and lean. It won't get you sidetracked on some quirky aberration of C; Let's C supports the complete Kernighan & Ritchie C language–to the letter. And it comes from the family of Mark Williams C compilers, the name chosen by DEC, Intel, Wang and thousands of professional programmers.

POWERFUL UTILITIES ARE A REAL BONUS

Let's C doesn't stop with being a high performance C compiler. It includes utilities you'd expect to pay extra for–like a linker and assembler plus the MicroEMACS full screen editor with source code included. Having the source code not only allows you to customize the editor, it offers a close up, fully commented view of C programming at its best.

REVIEWERS ARE SOLD ON LET'S C, TOO.

"Let's C is an inexpensive, high-quality programming package...with all the tools you will need to create applications."
–William G. Wong, *BYTE*, August 1986.

"Let's C is a thoroughly professional C environment loaded with tools and programming utilities...another fine Mark Williams product."
–Christopher Skelly, *COMPUTER LANGUAGE*, February 1986



"The performance and documentation of the $75 Let's C compiler rival those of C compilers for the PC currently being sold for $500... highly recommended..."
–Marty Franz, *PC TECH JOURNAL*, August 1986

Features


- For the IBM-PC and Compatibles
- Fast compact code plus register variables
- Full Kernighan & Ritchie C and extensions
- Full UNIX compatibility and complete libraries
- Small memory model
- Many powerful utilities including linker, assembler, archiver, cc one-step compiling, egrep, pr, tail, wc
- MicroEMACS full screen editor with source
- Supported by dozens of third party libraries
- Upgradeable to C Programming System for large scale applications development
- Not copy protected

Let's C Benchmark Done on an IBM-PC/XT, no 8087. Program: Floating Point from BYTE, August, 1983.

Exec Time in Seconds	
Let's C	134
MS 4.0	147

MARK WILLIAMS LET'S C
$75
60 DAY MONEY BACK GUARANTEE

ADD THE *csd* DEBUGGER AND CUT DEVELOPMENT TIME IN HALF.



Invest another $75 and you've got Mark Williams revolutionary source level debugger. *csd* lets you bypass clunky assembler and actually debug in C. That's a big help when you're learning C and indispensable when you're programming. *csd* combines the interactive advantages of an interpreter with the speed of a compiler, slicing development time in half. This is how Byte Magazine summed it up: "*csd* is close to the ideal debugging environment." William G. Wong, *BYTE*, August 1986

ARE YOU STILL RESISTING?

If there's any doubt that now's the time to get your hands on the power of C, consider Mark Williams 60-day money back guarantee. You can't lose. But with Let's C and *csd*, imagine what you could gain.

Ask for Let's C and *csd* at your software dealer's, in the software department of your favorite bookstore, through the Express Program at over 5500 Tandy stores or order now by calling **1-800-MWC-1700.***

*In Illinois call 312-472-6659

Mark Williams Company
1430 West Wrightwood, Chicago, Illinois 60614

© 1986, Mark Williams Company
Let's C is a registered trademark of the Mark Williams Company
UNIX is a trademark of Bell Labs.

MARK WILLIAMS LET'S C. ONLY $75.

CIRCLE NO. 205 ON READER SERVICE CARD

that all of their lines, switched or nonswitched, are leased lines.) From the discussion on connection options and figures 1 and 2, we are led to believe that 3276 emulation on a PC, whether a single display cluster or as a gateway in a LAN, works only with modems and the switched telephone network. Actually, connection also may be achieved via nonswitched lines with modems, and through direct connection to the 3704/05/25 communications controllers without modems.

Figure 3 shows a channel-attached 3276 control unit display station. There is no such thing. The figure also implies that remote attachment of a 3274/76 is possible only through a leased line or T1 carrier, when in fact a 3274/76 also can be connected through the switched telephone network (dial-up). Mr. Addelson states that dial-in 3276 emulation is limited to a maximum transfer speed of 2400 bits per second (bps), even with recently released modems. Today even protocol converters communicating over asynchronous links can operate at speeds of up to 9600 bps, and dial-in operation with 9600-bps synchronous modems is not uncommon.

Missing from the field of vendors evaluated is AST Research. Better known for its multifunction boards, AST has made significant inroads in the micro-to-mainframe arena. The explanation for the omission is that AST is not the original manufacturer of its coaxial board. (The board was originally designed and manufactured by CXI.) However, AST offers a choice of coaxial 3270 packages with one key feature not offered by any vendor in the survey, including CXI. Bundled with the AST-3270/COAX (and optional with AST-PCOX) is a file-transfer facility for MVS/TSO and VM/CMS that works. We have tested the file-transfer packages offered by IBM, Persyst, ITI, Forte, Attachmate, DCA, and CXI. Each suffers from one or more serious flaws, including the lack of data integrity, poor fault tolerance, poor performance, and difficulty of installation. The AST file-transfer package has none of these handicaps; it is exceptionally fast, reliable, and easy to install and use. The package is also available with AST's remote 3270 SNA and BSC products, including their LAN gateway.


Mr. Addelson has several misconceptions about PC-based, editor-oriented, file-transfer packages. One misconception is that all such packages are inherently slow, due to the technical limitations of using a host editor. The AST file-transfer package dispels this myth completely. Based on the TSO and CMS host editors, both versions deliver performance that rivals the best mainframe-based packages.

Another misconception is that file-transfer packages cannot guarantee data integrity without mainframe software that performs validity checking. This is also wrong. According to the ISO Open Systems Interconnection model, data transmission error detection and correction is a function of the Link layer. In all IBM synchronous communications, 3270 networks included, this function is provided by SDLC in SNA environments or BSC in non-SNA environments. Hence, this error detection is employed by these file-transfer products regardless of the utilization of any host software. Any data-integrity problems experienced with host editor-based, file-transfer software is most likely to be caused by an incorrect implementation of the Application layer of the protocol (the interface to TSO EDIT or CMS XEDIT) in the PC software. The AST file transfer does an excellent job of maintaining data integrity, whereas some host-based packages (such as those provided by IBM and DCA) are prone to adding bytes to the end of files.

COBOL on UNIX...

...including AT&T, NCR, ALTOS and the IBM RT PC! Micro Focus' UNIX products let you develop, test and run multi-user applications on these and many other machines.

GSA certified Level II COBOL/ET includes features like extended addressing for large applications and native code generation for extremely fast programs. The world famous ANIMATOR, a visual programming tool, helps debug your COBOL applications quickly and easily. Convert your R/M COBOL programs for faster, easier-to-maintain code with Micro Focus' Upgrade III. Call now to find out how to increase your programming productivity!



MICRO FOCUS

2465 East Bayshore Road, Suite 400
Palo Alto, CA 94303
Telephone: (415) 856-4161

Micro Focus development products are available direct and through many OEMs worldwide, including the few listed below. Call or write for more information about products for these OEM machines and many others not listed.

From Micro Focus:
☐ ALTOS 68000 Series
☐ AT&T 3B Series
☐ CT 68xxx Series
☐ IBM RT PC
☐ NCR Tower

From OEM:
☐ AT&T
☐ Burroughs
☐ Charles River Data Systems
☐ Computer Consoles Inc.
☐ Sequent
☐ Sperry
☐ Stride Micro
☐ Texas Instruments

Name_____
Title_____ Phone_____
Company_____
Address_____
City_____ State_____ Zip_____

Send to: Micro Focus, Inc., 2465 East Bayshore Road, Suite 400, Palo Alto, CA 94303

PCTJ12/86

Level II COBOL/ET, ANIMATOR and Upgrade III are trademarks of Micro Focus Limited. RM/COBOL is a trademark of Ryan-MacFarland Inc.

LOGITECH MODULA-2/86 HOLIDAY PACKAGE

$89 Price



$199 Special Holiday Offer

Step up to the power of LOGITECH MODULA-2/86 at a saving of nearly $100 off our usual low prices! We're offering a complete tool set including our compiler with 8087 support (for use with or without an 8087), our Turbo to Modula-2/86 Translator, Run Time Debugger, and Utilities in one holiday package at a special price!

- Separate Compilation
- Native Code Generation
- Large Memory Model Support
- Multitasking
- Powerful Debugging Tools
- Comprehensive Module Library
- Available for the PC and the VAX

Use LOGITECH MODULA-2/86 to decrease your overall development cycle and produce more reliable, more maintainable code.

LOGITECH MODULA-2/86 $89

Includes Editor, Run Time System, Linker, 8087 Software Emulation, Binary Coded Decimal (BCD) Module, Logitech's comprehensive library, Utility to generate standard .EXE files. AND more!

LOGITECH MODULA-2/86 with 8087 Support $129

LOGITECH MODULA-2/86 PLUS $189

For machines with 512K of RAM. Increases compilation speed by 50%.

RUN TIME DEBUGGER (Source level!) $69

The ultimate professional's tool! Display source, data, call chain and raw memory. Set break points, variables, pinpoint bugs in your source!

UTILITIES PACKAGE $49

Features a Post-Mortem Debugger (PMD). If your program crashes at run-time the PMD allows you to analyze the status of the program and locate the error. Also includes a Disassembler, Cross Reference Utility, and Version that allows conditional compilation.

LIBRARY SOURCES $99

Source code now available for customization or exemplification.

WINDOW PACKAGE $49

Build windows into your programs. Features virtual screens, color support, overlapping windows and a variety of borders.

MAKE UTILITY $29

Figures out dependencies and automatically selects modules affected by code changes to minimize recompilation and relinking.

CROSS RUN TIME Debugger and ROM Package $199

Still available at an introductory price!

TURBO PASCAL to MODULA-2 TRANSLATOR $49

"Turbo Pascal... is a very good system. But don't make the mistake of trying to use it for large programs."

*Niklaus Wirth**

Our Translator makes it even easier for Turbo users to step up to Modula-2/86. It changes your Turbo source code into Modula-2/86 source, solves all the incompatibilities, and translates the function calls of Turbo into Modula-2/86 procedures. Implements the complete Turbo libraries!

Call for information about our VAX/VMS version, Site License, University Discounts, Dealer & Distributor pricing.

30 Day Money Back Guarantee!

To place an order call our special toll free number:

800-231-7717
in California
800-552-8885

YES I want to step up to LOGITECH MODULA-2/86!

Here's the configuration I'd like:

☐ Special Holiday Package	$199
☐ Logitech Modula-2/86	$89
☐ with 8087 support	$129
☐ Plus Package	$189
☐ Turbo to Modula Translator	$49
☐ Run Time Debugger	$69
☐ Utilities Package	$49
☐ Library Sources	$99
☐ Window Package	$49
☐ Make Utility	$29
☐ ROM Package	$199

Add $6.50 for shipping and handling. Calif. residents add applicable sales tax. Prices valid in U.S. only.

Total Enclosed $_____

☐ Visa ☐ MasterCard ☐ Check Enclosed

Card Number _____ Expiration Date _____

Signature _____

Name _____

Address _____

City _____ State _____ Zip _____

Phone _____

LOGITECH

Logitech, Inc.
805 Veterans Blvd.
Redwood City, CA 94063
Tel: 415-365-9852

In Europe:
Logitech SA, Switzerland
Tel: 41-21-879656

In Italy: Tel: 39-2-215-5622

*as reported in Micro Cornucopia, August-September 1985. Turbo Pascal is a registered trademark of Borland International.

CIRCLE NO. 229 ON READER SERVICE CARD

Finally, Mr. Addelson discusses the limitations surrounding the micro-to-mainframe transfer of PC binary files. He states that the transmission problem is a result of the inability of the mainframe editors to handle 8-bit characters; they use 7 bits to represent the character and the high-order bit is usurped in a parity-checking scheme. This, however, is incorrect. Although mainframe editors and utilities have various restrictions, the data transparency limitation is a function of the 3270 data stream protocol and the 3270 I/O interface code that is used.

The lack of transparency of the 3270 data stream protocol limits the number of codes available to represent data. Because binary files contain codes in the complete range of the 256 possible values, conflicts exist where data values overlap with 3270 orders. In addition, code assignments not defined by the I/O interface code being employed (selected when ordering or installing the 3270 control unit) cannot be transmitted. A common method of allowing the exchange of binary data within a micro-to-mainframe environment is to encode the file, prior to transmission, to a format permitting data transparency. One efficient encoding scheme utilizes a 3:4 mapping, where three bytes of binary data are mapped to four bytes of character data for processing. This mapping is much more efficient than the 1:2 scheme employed by the packages that were evaluated.

Stan H. King, executive vice president
Warren A. Mackensen, president
Mackensen Corporation
Santa Monica, CA

The points regarding dial-in, leased lines, and direct connect are technically correct, but not critical to the points being discussed in the article. The point of the discussion of access options in the article was to give a brief review of the common methods to achieve 3270 communications. The use of 9600 asynchronous communications over dial-up lines is both uncommon for a single terminal 3276 (or PC emulating a 3276) and extremely expensive. It is more common for a 3274/76 with multiple terminals attached (a configuration not relevant to the discussion because the article dealt with options for single PCs, not LANs). The diagrams were meant to show the three types of 3270 communication schemes. Figure 3 shows the options with a cluster controller. We tried to show both channel connection and 3705/25 connection in one diagram. Because of this, the diagram (not the text of the article), implied 3276 channel connection. This is technically incorrect; only certain models of the 3274 can be channel-connected. The assertion in the letter that 3276s can be connected directly to a communications controller is correct, however null modems are necessary.

Because the AST board was not evaluated, I cannot comment at present on the assertions regarding the superiority of the product. Based upon an examination of the products evaluated, and my benchmark tests, I stand by my conclusions regarding editor-based file-transfer packages.

I do not agree with some of the statements in this letter regarding the SNA protocol. Messrs. King and Mackensen imply that SNA follows the ISO Open Systems Interconnection model. Although a number of layers in SNA parallel ISO—they are quite similar in many regards—SNA never proclaims to follow the ISO protocol; it is a protocol

SideTalk™

It minds the phone while you do your work

No more interruptions! Because now SideTalk can transfer your files or receive your mail while you're using your computer for other important matters. And SideTalk is programmable with its own BASIC-like language. What's more, you're never more than a keystroke away from all of the power of SideTalk.

When we say SideTalk is the best telecommunications program on the market, we're not just talking out of the side of our mouth.



Lattice

To place your order:
Lattice, Incorporated
Post Office Box 3072
Glen Ellyn, Illinois 60138
312-858-7950
TWX 910-291-2190

Only $119.95

VISA MasterCard AMERICAN EXPRESS

CIRCLE NO. 160 ON READER SERVICE CARD

FOR C AND UNIX

WINDOWS FOR DATA™

PC DOS/UNIX COMPATIBILITY

MENUS WINDOWS DATA ENTRY


PROFESSIONAL DEVELOPERS, here is the front end package you've been waiting for, the ONE that does the hard jobs that others can't — we **guarantee** it. Makes standard display and entry tasks easy. Reliable. Compact. Portable.

MENUS: Build multi-level menus in the format of your choosing: Lotus 1-2-3, Macintosh, or any style you might select. Items can call sub-menus, data-entry windows, or action functions. The menu system is completely flexible.

WINDOWS: WFD is built upon and includes **Windows for C,** the windowing system rated #1 in PC Tech Journal (William Hunt, July 1985). WFC now has more features than ever: unlimited windows and files, pop-ups, fast screen changes, window names, horizontal and vertical scrolling, logical video attributes, highlighting, support for the EGA, off-screen updating, formatted output, word-wrap and auto scroll, print windows, read and write functions, and keyboard input with subroutine execution during waits.

DATA ENTRY: The most complete and flexible data entry system on the market. Pop-up data-entry windows, field types for all C data types, plus special decimal, date, and time fields, full-featured field editing, auto conversion to and from strings for all field types, input masks or "pictures," protected text, system and user-supplied validation functions, range-checking, scrollable context-sensitive help, required and must-fill fields, passwords, programmer definable keys, field types, and mask functions, date and time utilities, and string utilities. Read field by field or auto-read all fields. Branch and nest window forms.

FLEXIBLE



As many possibilities as Vermont in June.

WINDOWS FOR DATA HAS UNPRECEDENTED FLEXIBILITY.

Virtually every capability and feature of WFD can be modified to meet special needs. All key-invoked data-entry functions can be assigned to keys of your choosing; and you can add your own functions to the key assignment table. This same flexibility exists for the input masks used to control data entry. Install your own validation functions. You can even define new field types and add them to the system. You do not need source code to take advantage of the flexibility of WFD, but **full source is available.**

MICROSOFT WINDOWS COMPATIBILITY

is automatic. **Windows for Data** detects the presence of MS Windows **(and IBM's TopView)** and follows the rules required for full compatibility. No need for special code, complex interfaces, or expensive toolkits.

EASE OF USE

Ease of use comes first and foremost from basic design and implementation. WFD is not just a library of functions, but an integrated system for menus, windows, and data entry.

We make the system easy to learn by explaining each major application in step-by-step detail. WFD is documented for the professional. Six hundred pages of documentation in a full-size, high-quality binder. Numerous tutorials and demonstration programs are provided. Nearly two hundred functions are documented individually, to UNIX standards.

RELIABLE



As free from bugs as Vermont in January.

For its basic input and output, WFD uses the library of **Windows for C,** a mature product that has earned a reputation for extreme reliability. WFD has been through its "shakedown", and the few bugs that turned up have been corrected. We promise to quickly respond to any further bug problems you may encounter.

THE MEMORY FILE FACILITY

of windows for C is more flexible and memory efficient than the "virtual screen" systems of other windowing packages. Memory usage adjusts to the amount of text in files. **No waste space!** Build files of any length and width from disk, code, or communications input. Retrieve, replace, add, and scroll file lines. Open windows at any point in a memory file. Scroll windows horizontally or vertically.

UNIX, DOS, OR BOTH

WFC and WFD provide source code compatibility between PCDOS and UNIX. Programs written for one operating system will compile and run on the other with only minor changes.

UNIX developers, now you can put advanced windows, menus, and data entry features common to the PC world in your UNIX programs.

PRAISE FROM USERS

"WFD is the best programming tool I've ever used. It's the most flexible I've seen. Whenever I've wanted to do something, I've been able to find a way."
*Steven Weiss, Stratford Systems (18 yrs; 1 yr)**

"WFC is the standard by which we judge all other C utilities. The most helpful tool we've ever acquired. Absolutely easy to use. Very tight code."
*James Baker, Mathew Bender (7 yrs; 4 yrs)**

"Especially compared to ***Panel,*** *I love* ***Windows for Data.*** *Your documentation is great."*
*Don Heinmeller, Law Software (10 yrs; 4 mo)**

"The documentation lets you get up and running fast. I integrated help routines into existing educational programs in a day and a half."
Richard Rovinelli, Educational Services (17 yrs; 1 yr)

**(programming experience; C experience)*

If you are tired of screen utilities that are hard to use and limited in capability, you owe it to yourself and your programs to try WINDOWS FOR DATA.

OUR CHALLENGE AND GUARANTEE

If you have an application where no other tool can do the job, try **Windows for Data.** If it doesn't help you solve your problem, RETURN FOR A FULL REFUND. YOU MUST BE SATISFIED.

	WINDOWS FOR DATA	WINDOWS FOR C
PC DOS*	$295	$195
XENIX-286	$595	$395
UNIX	CALL	CALL

*For all popular C compilers; No royalties for DOS

Vermont Creative Software
21 Elm Ave.
Richford, VT 05476
802-848-7738, ext. 21

MasterCard & Visa Accepted. Shipping $3.50
VT residents add 4% tax.

Trademarks: Panel, Roundhill Computer Systems; Microsoft, (registered) Microsoft Corp., TopView, IBM.

unto itself. The point they seem to be making, however, is that the application need not perform integrity checks because they are handled in the Link layer. This does not assure adequate data integrity for file transfer. Prudent application programmers commonly include check-digits, CRC, or other integrity checks in their software, especially if it involves file transfer.

Messrs. King and Mackensen assert that the discussion of the file-transfer's 7-bit limitation is incorrect. Their information on the lack of transparency in the 3270 protocol is certainly relevant; however, TSO EDIT and XEDIT's character-handling limitations are also a constraining factor. The assertion that 3:4 mapping is more efficient than 1:2 mapping may be correct, but none of the file-transfer packages reviewed in the article uses that scheme.

Even 3:4 mapping with an editor-based file-transfer package does not allow real data transparency. A mainframe-based program must remap the four bytes back to the original three, a function not performed by the mainframe editors. The mapped file on the mainframe is useless unless downloaded back to the PC and translated to the correct form. As stated in the article, this is only useful when using the mainframe to archive PC data. The data cannot be downloaded to the PC that is using other file-transfer packages because the other packages do not include the same remapping scheme.

—Roger Addelson

Regarding the AST 3278/79 package not being evaluated, PC Tech Journal *chose in this case to review equipment from original manufacturers in order to avoid duplication. AST was a VAR (value-added reseller), adding only its own file-transfer routines. In light of the information provided by Messrs. King and Mackensen, the AST package is being considered for review.*

—JS

ERRATA

Regarding "The EGA Spectrum" (John T. Cockerham, October 1986, p.48), please note the following corrections:

On page 50 in the first column, the phrase that reads "(or 3D4 and 3D5 at the alternate I/O address)" should say "(or 3D4 and 3D5 if the EGA is configured to be a Monochrome Display)". The implication is that the other I/O addresses are for the second EGA card. This is not so, as explained in the succeeding paragraph on that page.

In the caption for table 1 (p. 50), the first sentence should read, "The data register in all cases is 3x5."

In connection with the discussion that begins on page 61, the EGATEST program requires an auxiliary file, OTHRFONT.DAT, in order to run. This file contains a modified font so that the user of EGATEST will have the ability to see the font cycling. (OTHRFONT.DAT is available on PCTECHline.

On page 63, in the first paragraph at the top of column three, the sentence that begins, "These numbers..." should read, "These numbers will *not* be shared by the non-C&T boards to be reviewed next month. The C&T boards' BIOS call timings, however, varied widely from a reasonable 27.4 seconds to an agonizing 64.3 seconds."

Also note that the routine in LOWEGA (listing 2A) called WaitForVerticalRetrace actually waits for the Vertical Display End signal. The name was chosen because it implies what the adapter is really doing.



A Contradiction!

Running Under PC DOS

>750 million bytes formatted in two volumes for the "Eagle" (one volume/drive)...M2361A can hold 552MB/volume...data transfer rate up to 2.4MB/sec....data access time - 18ms/drive...variable interleave capability...partitioning possible...drives built to mainframe specifications with mainframe reliability...greater than 20,000 hours MTBF.

For further information contact:

Upper Bound Micro

18 Elizabeth Street, W. Conshohocken, PA 19428
(215) 825-0505 FAX (215) 828-8618

The "Eagle" is a trademark of Fujitsu America, Inc.

CIRCLE NO. 169 ON READER SERVICE CARD

PC BRAND™: CAREFULLY CHOSEN PROGRAMMER TOOLS

BRIEF *Is Anything But. A Whopper of an Editor*

With a name that belies its thoroughness, Brief™ has every feature you've ever contemplated for your editor-in-chief. Text, from keyboard or files, is housed in multiple buffers, and scrolled through one or more windows you open, close, resize. A text buffer may be called to different windows to view two areas at once. A change in one changes both. Text blocks may be marked for printing, writing to files, movement to scrap buffers for cut and paste into other buffers, or deletion, with as many "undo" levels as you want.

Brief has text search abilities rivaling "grep", with wildcards for matching, indifference to intervening characters, acceptance of character ranges.

If you use Lattice, C86™, or Wizard, and have 320k, you can compile your C program without ever leaving Brief. It finds the lines with errors, and marches you through the text for repairs.

Parts of Brief were written with its own Lisp-like macro language which has structure, 32-character variable names, conditional execution, loops, and you can actually read it! Nothing like the hieroglyphs we've seen elsewhere. Bulletin board and public domain disks with macros. "Simply the best text editor you can buy", Dvorak *Infoworld*. (Needs 192k.)

Ask for:	List:	PC Brand:
U0590	$195	Call

HALO GRAPHICS SYSTEM *Multi-Board Graphics Library*

The premier graphics library that got the ball rolling for PC-based graphics and has grown so omnipotent that it supports over 25 graphics boards — including IBM's EGA and Nr. 9 Revolution's hi-res series — and has a multitude of mouse and printer drivers. All that in each box. Separate C versions for Lattice, M'soft, Aztec, CI86. What does Multi-Halo do? A down to the last pixel graphics library plus functions to reset drivers so distributed program can run on anything. Wonderful value for single license. Flexible licensing available for redistribution. Specify: S0315 & Language. List: $300. We: $219. With Dr. Halo II, a free-standing "paint": List: $440, Us: $299.

WINDOWS for C/WINDOWS for DATA *Microsoft Windows™ and TopView™ Compatible*

CALL FOR FREE DEMO!

Windows for C™ is a library of over 80 functions to add the pizazz and practicality of window partitioning to your application. Unlimited windows, each defined in a C structure for easy reference throughout your program, can be made either to pop up or permanently overwrite the screen. Routines will scroll and highlight lists with arrow keys, will read and scroll ASCII files vertically and horizontally in windows, and even write to memory-loaded files off the screen.

Logical treatment of video attributes permits unchanged programs to run on color or monochrome. Colors of windows are set individually.

All functions are in separate modules; only those used are linked. Only buffers holding on-screen or temporarily obscured windows occupy RAM; others released dynamically. Best overall rating and fastest display in Bill Hunt's 7/85 *Tech Journal* review of five windowing products.

Windows for Data comprises all of Windows for C but takes in data through the windows as well. At the high level a single function lets you specify prompt string, field length, data type, screen location, picture, target variable, then sets lesser functions scurrying to get and process a user's input. There are utilities to get system date and time, mess with strings, create your own masks for fields.

Field options can require entry, prevent entry, permit insert or overtype, beeping on invalid or overflow keystrokes, and attachment of field-specific help messages and functions you want called to display messages or validate entries. And you decide which keys will clear a field, jump to the next or prior, quit, etc. Options diverse enough that a set of "fields" can be made to behave like a Lotus™ menu.

Specify Compiler:	List:	PC Brand:
T0100 Windows for C	$195	$149
T0150 Windows for Data	$295	$259

30-DAY MONEY-BACK GUARANTEE

We refund the purchase price of any product returned within 30 days in entirely resalable condition. ***You can even try out programs themselves*** *if product code begins with E, T, or L through N — even if it means breaking the disk seal. Some developers do pose limits, so for products beginning with other letters, opening sealed disks constitutes acceptance. But you can at least review the manual. There's just nothing stopping your buying from PC Brand.*

MICROSOFT C 4.0 *A Great C Battle Rages and You're Winning*

As the dreadnaughts pound each other with ever heavier ordnance, today's programmers reap the spoils of this war. Bundling a source debugger and a "make", and sporting a "huge" memory model permitting single data objects larger than 64k, the Microsoft C compiler has jumped a full version number to 4.0. But what's really impressive are the benchmarks reported in Dr. Dobb's (8/86) encyclopaedic survey of 17 C compilers. Microsoft's and IBM's C (licensed from Microsoft) run away with the contest winning 11 of 27 benchmarks.

The CodeView™ debugger, free for a limited time, uses windows to show everything on one screen: source alongside disassembled object, variables, stack and registers. Drop down windows—use a mouse if you like—obviate learning of commands. "A source-level debugger that puts the rest to shame" (Dobb's),

Microsoft C now has five memory models for code and data, plus non-library support for another thirteen, and boasts alternate math packages for speed versus accuracy, with or without 8087/80287 chips. A big plus in multi-language settings: call from this C any routine written in later versions of M'soft Pascal, FORTRAN, or Macro Assembler. Object code of all four may be intermixed come link time or commingled into libraries.

Both linker and library manager are part of the package, as is the "make", a UNIX™ name for a smart batch program which knows to expend minimum effort to rebuild any size of project by compiling and assembling only elements affected by new or changed modules.

It is reportedly used by Lotus, Ashton-Tate and, fittingly, Microsoft itself to develop Windows. Dobb's calls it "the best MS-DOS C development environment value today [for] virtually any kind of program conceivable." 320k suggested.

Ask for:	List:	PC Brand:
G0500	$450	$295

C-TREE *B-Tree File Manager, Source Code, No Royalties!*

C-tree is sturdy code that has weathered many seasons of prolonged and widespread use. It comes in C source, so you can modify it to fit a special case. No royalties provided you bind it into your binary application.

C-tree's design splits nodes to allow any number of users to access an index file simultaneously even when updates are in progress. So multi-user configurations and adaptation to networks are possible. Record-locking routines are provided for DOS 3.1/3.2, UNIX and XENIX.

Thanks to source code which does not deviate from the K&R standard, C-tree can travel. Tests in many environments prove that C-tree gives your application a ticket to anywhere.

C-tree permits any number of keys for a data file, supports duplicate keys, alphanumeric or numeric, supports files of variable record length; multiple keys in one index file, and keys of variable length. Both high level ISAM routines which handle details with minimum coding, and decomposed step-by-step functions you can access directly. It's comprehensive.

Ask for:	List:	PC Brand:
F0660	$395	$329

CURSES *Unix Style Screen Management*

Curses from Lattice™ manages the screen of the PC like Unix™ curses. Library of 84 functions and macros parallels Unix with matching parameter lists. So Unix programs are at home on the PC, and vice versa. Keeps any number of screens in memory, supports color, vast function set to get characters, wrap lines, scroll, blank lines, highlight, etc. Like Unix refreshes screen only on your command. Ask for: L0850. List: $125. Here: $99. With Source: L0860, $250/$199

dBC *Lattice Library Maintains dBASE Compatible Files With the Power and Speed of C*

dBC™ links C to dBASE. It creates and maintains files and their indexes which exactly replicate dBASE file design. So dBASE can read and update them. And the reverse. dBC can use any files created by dBASE. Now C and dBASE can operate on the same data bases interchangeably.

That opens up the widespread culture of dBASE installations to exploitation by C programmers. Tap that market, avoid the resident dBASE language, and gain the advantages of C with this single product.

dBC's functions parallel all dBASE's file handling commands, many decomposed to give closer control. Each backed by demo source files on disk.

Use dBC for custom work for clients, or on its own. It's a complete ISAM file manager for C whether or not dBASE will be used in tandem, supports all four memory models, and can have sixteen index and data files open. Big discount to buyers of both dBASE II and III versions. Specify Lattice, Microsoft 3.x, or DeSmet.

Versions:		List:	PC Brand:
L00II	For dBASE II	$250	$195
LCCII	With Source	$500	$390
L0III	For dBASE III	$250	$195
LCIII	With Source	$500	$390

PANEL *Feature-Laden Screen Design Tool*

Writing your own screenware can blow completion dates and profits. Panel™ works with you interactively to set up foolproof screen displays and data entry forms rapidly. Output is C source code.

Not just single plane: layer your screen designs with up to ten overlapping images: Background pop-up lists, help boxes, and alternate input fields.

Panel builds in a user interface for keystroke movement within and between fields, supplies validation routines for checking user field entries. Diverse attributes may be selected for any field — size, data type, color, conversion of input to upper case; clearance of existing data when new entry is started; masks for standard formats (eg, dates); phrases which fill in when their first letter is typed; multiple-choice lists from which to choose by cursoring a highlighted bar. Fields may be multi-lined and scrolled if larger than the screen space allotted them. Specify: S0400 & Compiler. List: $295, Us: $229

WHY US?

- Latest versions of all products
- Everything listed is in stock
- Shipped 24 hours or sooner
- No surcharge for credit card or COD purchase. **NEED TERMS?** On-the-spot credit to most public companies, government, educational, medical institutions. **LOOKING FOR SOMETHING?** We can get many more products — just ask! **NEED MORE INFO?** Our Catalog and literature cover just about everything.

For Orders, Literature, or Catalogs, Call Us at...

800 PC-BRAND

That's (800) 722-7263. In NY State call (212) 242-3600

PC Brand, 150 5th Ave., New York, N.Y. 10011-4311

Telex: 667962 (SOFT COMM NYK)

© 1986 PC BRAND

Prices, terms, and specifications subject to change without notice.

TODAY's TOP QUALITY AIDS TO PROGRAMMING PRODUCTIVITY

GREENLEAF FUNCTIONS *Bountiful Harvest*

C source, assembler source, and binary libraries of 225 functions for many compilers. Emphasizes tight functional groupings to minimize loading code which your application may never use. Manual helps select functions, bulletin board, too.

A sampling: *DOS* extensions for file and directory manipulation; *Screen:* to select mode, page, monochrome or color, palette; cursor shape, positioning; clearing and scrolling; pixel get and put; read light pen. *Strings:* Center, justify, etc.; efficient list operations which add, delete, sort string pointers for top speed. *Other:* graphics character primitives, keyboard status, function key assignment, time/date, read registers and memory size, peek and poke. Mature best-seller. Specify: S0770 & Compiler. List: **$185**, Here: **$139**

PFORCE *Phoenix Pfunction Pfestival*

Lotus® didn't do badly pulling it all together in one place. Phoenix has followed suit with the ultimate integrated C library, offering everything from low level functions for hardware access to complete b-tree database management. Along the way are prerequisites such as string manipulation, time/date, field and screen editing, but also four styles of menus (Lotus included), windowing, background tasking, DOS interfaces, directory management, even interrupt-driven communications. Design emphasizes objects, so characteristics of windows, databases, records and fields can be initiated and changed outside functions.

One large collection in place of bits and pieces means one set of instructions and PforCe™ has tutorials, extensive examples, quick reference, and on-line help.

Everything in source, no royalties, all memory models of Lattice, M'soft. Specify: S0220 & Compiler. List: **$475,** PCB: **$349**

GREENLEAF COMMUNICATIONS *Hello World*

Want your application to communicate with other users or remote date bases by asynchronous communications built right into your C programs! Even if you don't need it now, that's a skill to have at the ready!

120 functions *and demo programs in both C and assembler source code* set up separate transmit and receive ring buffers for up to 16 simultaneous channels. Interrupt driven so you can halt an incoming record, display it, file it, let the user edit it, then continue. Goodbye separate communications software.

Supports up to 9600 baud, ASCII or binary, any parity or word length, 8250 UARTs, Xon/Xoff and Xmodem, WideTrack receive. Specify: S0750 & Compiler. List:**$185**, Us: **$139**

PRE-C *Pick the Lint from Your Program* PRICE SLASHED!

Pre-C is like UNIXs lint. It finds problems your compiler won't. Problems that a debugger will have trouble figuring out. Even problems which will cause trouble with other compilers.

Compilers see one module at a time. Modules only meet at link time. Pre-C looks at *all modules at once* and reports conflicts in data type declarations; function call parameters which disagree with functions, machine-dependent expressions which inhibit portability. It spots obsolete usage (even C changes), casts with suspect conversions, variables never used, functions never called, unreachable code. Adheres to UNIX System III compile standard to ensure your portability. Ask for: P0590, List: **$295**, Ours: **$208**

DAN BRICKLIN'S DEMO PROGRAM

Storyboard Your Program

The Legendary One has created Metaphor Two when the rest of us are still on Zero. Dan's first was the original electronic spreadsheet (VisiCalc™). This one is for programmers.

Words don't express program ideas because programs are screens! Dan's Demo creates slide shows. Create a screen — a snapshot of your planned product as it runs. Anything goes: words, borders, box rules, inverse and underlining of monochrome, fore- and background color. Copy this "slide" to an empty screen. Change it a little, to show the next instant of run-time. Do it again. Presto, a whole slide show of your program in action.

All 250 characters and attributes are available from scrollable lists which pop to the screen. All commands are layered in Lotus-style pop-up menus. Frequent choices mapped to function keys as well. 80x25 character mode, not bit-mapped.

Screen areas can be blocked for cut and paste or filled with color or characters, even blink. Slides can overlay on others, can be shuffled, deleted. Slides can proceed at time intervals or branch anywhere in the slide sequence depending on user keyhits.

Invaluable to prototype the program you are about to write, to position the labels, choose the color decor, smoothe out the keystroke interface. Or load the "capture" utility and snapshot the screens of any running program for an instant slide show.

Each copy entitles you to redistribute fifty of the slide projector program that runs demos. Plain manual, no binder keeps price of big product small. "Might . . . become *the* essential tool in . . . user interface prototyping," *Tech Journal*. Ask for: N0100. List: **$75** US: **$69**

BASTOC OPTIMIZES!

Translates BASIC Into C

For a trifling price, BASTOC™ moves truckloads of BASIC code over to C. It's a translator which takes in Microsoft Extended BASIC and emits pure K&R C for Lattice 3.0. It will optionally convert your program into a single monolithic C function or decompose it into separate functions, one for each GOSUB label.

Version 2's optimization dramatically reduces execution time. Converts to integers those variables in BASIC programs which do not need floating point. Where BASIC uses full assignment statements to increment counters, BASTOC converts to C's compact form. Strings dynamically allocated ridding your application of BASIC's catatonic halts for garbage collection. Creates structure of even convoluted BASIC code. Huge worksaver.

Ask for:	List:	PC Brand:
S0375	**$495**	**$399**

Shopping List for the Power Workbench

	LIST	OURS
ASSEMBLERS & DEBUGGERS		
Advanced Trace-86 *Morgan, ASM Interpreter*	175	**149**
Codesmith-86 *Debugger by Visual Age*	145	**109**
Cdebugger *by Micro-Software Developers*	165	**139**
CSD Debugger *C source level by Mark Williams*	75	**75**
C-Sprite Debugger *by Lattice, source level*	175	**139**
Microsoft Macro Assembler *with Utilities*	150	**109**
PASM86 *by Phoenix, Macro Assembler*	195	**144**
Periscope I Debugger *Data Base Decisions*	295	**269**
Periscope II *Data Base Decisions*	129	**111**
Pfix86 Plus *by Phoenix, Symbolic Debugger*	395	**279**
BASIC LANGUAGE		
BetterBASIC *Summit Software*	195	**165**
BetterBASIC Utilities *8087 Math Support*	99	**85**
Btrieve Interface	99	**85**
Run-Time Module	250	**225**
Microsoft BASIC Interpreter *for XENIX*	350	**295**
Microsoft QuickBASIC Compiler *full BASICA*	99	**79**
Professional BASIC *by Morgan*	99	**79**
RM/BASIC *by Ryan-McFarland*	600	**480**
True BASIC *True BASIC Inc*	150	**119**
Run Time Module (Price slashed)	150	**119**
True BASIC Libraries *Btrieve, Asyn, Sort, etc.*	Var	**Call**
C COMPILERS		
C-86 Compiler *Computer Innovations*	395	**289**
Lattice C Compiler *from Lattice*	500	**299**
Let's C Compiler *by Mark Williams*	75	**69**
with CSD Source Level Debugger	150	**129**
MWC-86: Mark Williams C Development	495	**369**
Microsoft C Compiler *4.0*	450	**295**
C INTERPRETERS		
C-Terp *by Gimpel Software*	300	**249**
Instant C *by Rational Systems*	500	**395**
Interactive-C *by IMPACC with debugging*	249	**219**
RUN/C Professional *from Lifeboat*	250	**185**
RUN/C *without Loadable Libraries*	120	**109**
TEXT EDITORS		
Brief *from Solution Systems*	195	**Call**
Epsilon *by Lugaru Software, like EMACS*	195	**169**
FirsTime *by Spruce Technology, C syntax*	295	**229**
Kedit *by Mansfield, similar to Xedit*	125	**115**
LSE, the Lattice Screen Editor *Multi Window*	125	**100**
Pmate *by Phoenix, with Macros*	195	**149**
Text Management Utilities *Grep, splat, diff, etc.*	120	**100**
Vedit *by Compuview*	150	**119**
Vedit Plus *by Compuview*	225	**180**
FILE MANAGERS		
Btrieve *by Softcraft, no royalties*	250	**195**
Btrieve Network *by Softcraft*	595	**465**
c-tree *by FairCom — no royalties, source*	395	**329**
dBC *dBASE file manager from Lattice*	250	**195**
with source	500	**390**
dbVista *single user DBMS by Raima*	195	**159**
dbVista *multi-user DBMS*	495	**429**
Opt-Tech Sort *Can sort Btrieve files*	149	**119**
SCREEN MANAGEMENT & DESIGN		
Curses *by Lattice, UNIX screen designer*	125	**99**
with Source	250	**199**
Greenleaf DataWindows *New*	225	**169**
with Source simultaneously	395	**297**
Source purchased later	225	**169**
On-Line Help *from Opt-Tech Data*	149	**119**
Panel *by Roundhill, no royalties*	295	**229**
View Manager for C *by Blaise*	275	**209**
Vitamin C *by Creative Programming*	150	**139**
Windows for C *Vermont Creative Software*	195	**149**
Windows for Data *includes Windows for C*	295	**259**
ZView *Data Management Consultants*	245	**199**

	LIST	OURS
GRAPHICS		
Essential Graphics *by Essential, no royalties*	250	**210**
GSS Graphics Development Toolkit	495	**375**
GSS Kernel System *by Graphic Software*	495	**375**
GSS Kernel System *for IBM RT*	795	**645**
GSS Metafile Interpreter	295	**235**
GSS Plotting System	495	**375**
Halo Graphics Kernel System	300	**219**
with Dr. Halo II, by Media Cybernetics	440	**299**
COMMUNICATIONS		
Asynch Manager *by Blaise, for C or Pascal*	175	**149**
Greenleaf Communications *by Greenleaf*	185	**139**
PTel *by Phoenix, Binary File Communicator*	195	**149**
Software Horizons Pack 3	149	**119**
UTILITY LIBRARIES		
Blaise C Tools Plus	175	**149**
Blaise C Tools	125	**109**
Blaise C Tools 2	100	**89**
C Food Smorgasbord *by Lattice*	150	**109**
C Utility Library *by Essential, 300 functions*	185	**139**
Greenleaf Functions *by Greenleaf Software*	185	**139**
PforCe *by Phoenix, vast library*	475	**349**
Software Horizons *Packages*	Var	**Call**
TopView Tool Basket *by Lattice, source avail*	250	**199**
DEVELOPMENT TOOLS		
Code Sifter *by David Smith Software, Profiler*	119	**99**
C-Worthy *by Custom Design Software*	295	**269**
C-Worthy for Network *Menus, help, errors*	495	**449**
Dan Bricklin's Demo Program *Prototyper*	75	**69**
LMK from Lattice *by Lattice, "make" like UNIX*	195	**149**
Microsoft Window Development Toolkit	500	**365**
PC-Lint *by Gimpel Software, after UNIX's "lint"*	139	**125**
PFinish *by Phoenix, EXE performance analyzer*	395	**279**
Plink86 Plus *Utilizes memory for overlays*	495	**359**
Pmaker *by Phoenix, like UNIX "make"*	125	**105**
Pre-C *by Phoenix, UNIX "lint"-alike*	295	**208**
Pfantasy Pac *six Phoenix products*	1295	**895**
OTHER TOOLS		
BASTOC *by JMI, convert BASIC to C*	495	**399**
BASIC-C *BASIC's functions added to C*	175	**139**
The HAMMER *by OES Systems*	195	**179**
Report Option *by Softcraft, Btrieve Report Gen.*	145	**128**
Xtrieve *by Softcraft, Query Utility for Btrieve*	245	**220**
FORTRAN COMPILERS & UTILITIES		
ACS Time Series *by Alpha Computer Service*	495	**469**
Forlib- Plus *by Alpha Computer Service*	70	**59**
Microsoft FORTRAN *Links with Microsoft C*	350	**219**
Microsoft FORTRAN *for XENIX*	695	**546**
Pro FORTRAN *by Prospero*	390	**345**
RM/FORTRAN *by Ryan-McFarland*	595	**Call**
Scientific Subroutine Library *by Peerless*	175	**149**
Scientific Subroutine Package *by Alpha*	295	**269**
The Statistician *by Alpha Computer*	295	**269**
Strings & Things *by Alpha Computer*	70	**59**
OTHER LANGUAGES & UTILITIES		
Microsoft COBOL Compiler	700	**499**
Microsoft COBOL Compiler *for XENIX*	995	**795**
Microsoft COBOL Tools *with Source Debugger*	350	**259**
Microsoft COBOL Tools *for XENIX*	450	**333**
Microsoft Lisp *New Common Lisp*	250	**189**
Microsoft MuMath *Includes MuSimp*	300	**199**
Microsoft Pascal Compiler *Links with M'soft C*	300	**199**
Microsoft Pascal Compiler *for XENIX*	695	**546**
Pro Pascal *by Prospero, ISO Validated*	390	**345**
RM/COBOL *by Ryan-McFarland*	950	**675**
RM/COBOL 8X *ANSI 85 COBOL*	1250	**995**
Source Print *Aldebaran's diagrammer*	139	**109**

PRICED TO SAVE YOU MONEY, SHIPPED FAST ANYWHERE.

BEST PRICES YET!

RYAN-McFARLAND FORTRAN

NEW!

A Mighty Fortress Is Their FORTRAN

Picking over features of rival products is not necessary if FORTRAN is your need, still the citadel of scientific and engineering work. Ryan-McFarland has left the competition battering at the gates.

RM/FORTRAN™ is a complete implementation of FORTRAN-77 (ANSI X3.9-1978), the only PC FORTRAN certified by the General Services Administration at the highest test level. The reason: it's a big mainframe compiler moved to PCs, with the bonus that mainframe and mini applications can wander between environments.

Now, on your PC, you can develop large applications, with programs up to 640k (bigger using overlays), arrays over 64k, and using a long list of VS, VAX and FORTRAN-66 extensions you may have grown fond of — long symbolic names, "include", IRT bit functions — because R-M has left out nothing.

But what really sets RM/FORTRAN apart is optimization. The compiler reduces the number of instructions to the minimum which will actually execute, and even takes advantage of each processor's features to deliver lightning-fast object code. It runs 30%-40% faster than Microsoft 3.2, and could make your mainframe not worth the trouble.

Comes with an interactive symbolic debugger like that accompanying IBM VS FORTRAN, Plink86 subset, has a cross reference compile option, supports assembler and C subroutine calls, IEEE floating point, 8087 and 80287 chips.

"Compiler's documentation, ease of use, speed of execution, and debugger facilities place it first for recommendation" said the *Tech Journal* (10/85).

R-M has been writing FORTRAN compilers for IBM, DEC, etc. for 20 years. There is no greater expert.

Ask for:	List:	PC Brand:
I0300	$595	**Call**

RUN/C PRO

C Interpreter Links Binary Libraries

Run/C comes in an apprentice and pro version. The professional model dynamically loads and unloads multiple binary function libraries like C-Food Smorgasbord™ and Halo Graphics™ — potentially any library compiled with Lattice's large model. Inside this interpreter your C program can reach for functions in the best of commercial libraries.

This C interpreter behaves like PC BASIC meets WordStar® . Use fullscreen editing to create a program. RUN it. If it stumbles, LIST it, EDIT it, RUN it again, fix it again. Use familiar commands like LOAD, MERGE, SAVE, FILES, even TRON and TRACE.

Ideal for program development. Put up code at high speed, try out things devil-may care, let RUN/C find your malaprops. Blast away until tight little code segments are undyingly faithful.

Lots more features: system interrupts, a shell command to invoke any operating system command without leaving Run/C, debugging aids ingeniously installed as a Run/C function. Call for debugging conditionally from within your program, a specific function or a menu of aids including immediate mode, single-step tracing, changing of variable values.

Manual shows how to develop the interface to a commercial library, using the Lattice compiler (a must!). Link your own function archive the same way. (320k minimum; 512k recommended to fit libraries.)

Ask for: S0950 List: **$250** PCB: **$185**

PLINK86 PLUS

Cached Overlays Maximize Memory Use

Long the overlord of overlay linkers, Plink86 shoehorns large programs into small machines by swapping program segments in from disk to save memory. A 512k program could run in a 128k machine, for example. But Plink86 Plus is smarter still: if it finds itself in a larger machine, it moves program overlays into leftover memory. Overlays now swap at memory speed not disk speed. Can automatically restore a displaced overlay to which a subsequently called overlay must now return, and assign library modules to the root segment or overlay areas. Plink86-Plus: List: **$495.** Us: **$359**.

LATTICE C COMPILER

Major Upgrades to the Best Selling C Compiler

Lattice now embraces key UNIX™ enhancements which have entered the language since K&R: void functions returning no value, enumerated data types to assign stepped values to variables, data passing between structures by assignment.

The greatly expanded libraries (325 functions!) enable the file sharing and record locking provisions of DOS 3.1, provide a full complement of transcendentals, and a host of utilities to mimic the UNIX and XENIX™ environments.

Lattice 3.0 defaults to the ANSI proposed standard when you need strict adherence, but command line options restore leniency. And it adopts ANSI checking of external function arguments by data type to kill bug swarms when modules join up at link time.

Lattice now delivers smaller .EXE files, boasts very fast link times and a more efficient aliasing algorithm. New options generate code to use 80186 and 80286 features; 8087 of course sensed and utilized. Lattice has enjoyed pre-eminence so long that developers have created far more snap-on tools for Lattice C than any other compiler. William Hunt's *PC Tech Journal* review of 12 compilers awarded Lattice the only "very good" rating for add-on library availability.

Ask for:	List:	PC Brand:
S0100	$500	$299

FOREIGN POLICY

We ship anywhere. Phone or Telex your order. Credit cards: We need card number, expiry date, name and address of card. Or wire funds to PC BRAND, c/o Chemical Bank, 126 East 86th St., NY NY 10028, Account No: 034-016058. **We'll ship immediately** and confirm by Telex if you provide number.

BETTER BASIC

Convert Microsoft BASIC. Structured, Compilable.

Combines the familiarity of BASIC with the best features of C, Pascal, and Modula 2, yet BetterBASIC is 100% compatible with Microsoft's GW™ BASIC and IBM BASICA including graphics, sound, and assembly language calls. So load your old programs and RUN. SAVE and they are converted automatically to BetterBASIC!

It's big: Needs 192k; programs can go to the PC's full 640k. It's comfy: Behaves like M'soft BASIC at the interactive level, with a full-screen editor, direct statement execution, and always poised to RUN. It's fast: Each statement checked and compiled once, not every time encountered. Sieve runs *6 times faster* than with M'soft.

C-like structures house file records so goodbye to FIELD, MKI$, CVD, LSET, etc. Named "procedures" replace GOSUBs to linenumbers. Lots more features: built-in linker for compiled modules; trace; debugging breakpoints; cross-reference command; 32k strings; DOS and BIOS calls and interrupts; recursion. Run-time module stores object code for redistribution.

Ask for::	List:	Us:
S1200 BetterBASIC	$195	$165
S1201 Run-time Module	$250	$225
S1202 8087 Interface	$ 99	$ 85
S1205 Btrieve Interface	$ 99	$ 85

GSS GRAPHICS SYSTEM

ANSI CGI STANDARD! PRICES CUT!

Leave the Device Driving to GSS

GSS™ has reconfigured two components of its comprehensive graphics tools to conform with the ANSI Computer Graphics Interface (CGI) standard.

At the heart of the system is the Development Toolkit which contains all language interfaces and device drivers for keyboards, mice, joysticks, tablets, printers, plotters, cameras, and more. Drivers house management of vector graphics (plotters) and bitmaps used by raster input devices (scanners) to insulate the application program from concern for device idiosyncracy. No one else has implemented CGI that way. It means your programming remains generic; just switch drivers and the same program will drive a different device.

GSS Kernel™ conforms to level 2b of ANSI's Graphical Kernel System (GKS) and contains all its needed drivers and language bindings. Kernel has macro level tools to draw and color an object, store the sequential instructions, and recreate the object on its own, as well as segment it, transform it, etc. So powerful, a single command may represent several score lower level statements.

Plotting has the equivalent GKS tools for graph and chart generation and their captioning: hand it apples and oranges, say "pie", and it bakes the numbers into a digestible display for screen or plotters.

Kernel and Plotting have tools to convert images they create to ANSI Computer Graphics Metafiles (CGMs), a tokenized standard for storing every form of graphic image as data. The Metafile Interpreter reads the contents of a CGM and interprets it with full CGI capability for re-creation on various devices.

Quality software? IBM thinks so. They sell the GSS series under their own label.

Unit royalties and annual fees have been instituted for redistribution. Needs 256k.

Ask for:	List:	PC Brand:
GS010 CGI Dvlpmt Toolkit	$495	$375
GS020 Kernel System	$495	$375
GS025 Kernel for IBM RT	$795	$645
GS030 Plotting System	$495	$375
GS040 Metafile Interpreter	$295	$235

BTRIEVE

ASK ABOUT XTRIEVE & RTRIEVE

Queen B-tree File Manager Abdicates Royalties

There's no longer a tithe to incorporate Btrieve™ in applications, a welcome proclamation if royalties would ruin your profit margins. Btrieve takes complete charge of all file creation, indexing, reading, writing, insertion, deletion, space recapture, forward and backward searching. It builds function call "commands" right into the language you use: interfaces to C, Pascal, BASIC, and COBOL, with sample programs in all four, come with each copy.

Btrieve has mainframe specifications! Its balanced-tree indexing scheme finds any key in a million in four or less accesses. Files may have up to 24 indexes; fixed record length to 4090 characters; indexes up to 255 characters; files of 4 billion bytes. Can even extend a file across two drives — even two hard disks!

Version 4.x speeds DOS interaction for large multiply-keyed files; enables variable length records of virtually any length; verifies accuracy (optionally) with read after write, useful in gritty environments; offers password and data encryption.

There's also Xtrieve, for Btrieve file inquiry and data manipulation, and Rtrieve for report writing. All three in versions for any network that supports the MS-DOS 3.1 file sharing function.

Ask for:	List:	PC Brand:
S0650	$250	$195
S0652 Network Version	$595	$465

TERMS AND CONDITIONS OF SALE

Licenses: Each price is for a license to use a product on a single computer and does not constitute its ownership. We will inquire for you about site licenses. Except as otherwise indicated or where "#" follows the Product Code, products may be used to create programs for distribution without royalty payments or additional licenses, provided said programs do not substantially replicate the products themselves.

Compatibility: PC BRAND's standard products are designed to operate with the IBM® PC, XT or AT under PC-DOS and require no more than 128k of RAM unless indicated. Non IBM machines using MS-DOS: contact manufacturer about precise differences so we can advise.

Returns: See box page one. Defective parts will be replaced. Please call for authorization to return a product for refund.

Payment: We honor MasterCard, Visa, American Express (no surcharge), checks in advance, or funds wired to PC Brand, c/o Chemical Bank, 126 East 86 St., New York, Account 034-016058. COD (U.S. only) for cash, money order, certified check (no fee). NY State, add sales tax. Purchase orders accepted from larger corporations and institutions at our discretion if you agree to net 30 days plus 2% a month late penalty thereafter.

Shipping & Handling: U.S.: UPS Surface: 1st product $6, each add'l $3. UPS 2nd Day Air: 1st product $10, each add'l $4.50. UPS Next Day Air or Federal Express 1-2 Day Air: 1st product $18, each add'l $6. FedEx Next Day 10 AM: 1st product $28, each add'l $7. International: Charges vary by destination and carrier. $10 per shipping container for export forms. Air parcel post at your risk beyond collected insurable amount.

For Orders, Literature, or Catalogs, Call Us at...

800 PC-BRAND

That's (800) 722-7263. In NY State call (212) 242-3600

PC Brand, 150 5th Ave., New York, N.Y. 10011-4311

Telex: 667962 (SOFT COMM NYK)

© 1986 PC BRAND

Prices, terms, and specifications subject to change without notice.

THE PROGRAMMER'S SHOP

helps save time, money and cut frustrations. Compare, evaluate, and find products.

RECENT DISCOVERY

Tom Rettig's Library - adds 140 functions to dBASE III Plus for arrays, character and date control, screen, new logical expressions, number manipulations, and much more. Full source (in C, assembler, and dBASE), no royalties. Use with Clipper. PC $ 89

AI-Expert System Dev t

Arity System-incorporate w/C.	MS	$ 279
Experteach-Improved, samples	PC	$ 399
EXSYS - Improved. Debug, file & external program access.	PC	$ 339
Insight 2 + - dB2, language	MS	$ 389
LPA MicroProlog Intro w/ APES	MS	$ 149
LPA MicroProlog Prof. w/APES	MS	$ 595
Others: ESP ($839), Expert Choice ($449)		

AI-Lisp

BYSO - Common, MacLISP compatible 250+ functions, fast.	PC	$ 150
Microsoft MuLisp 85	MS	$ 199
PC Scheme LISP - by TI. SCHEME has simple, "orthogonal" syntax.	PC	$ 95
TLC LISP - classes, **compiler.**	MS	$ 225
TransLISP - Good for learning	MS	$ 85
Others: IQ LISP ($155), UNX LISP ($59), IQC LISP ($269), WALTZ LISP ($149)		

AI-Prolog

APT - Active Prolog Tutor - build applications interactively	PC	$ 65
ARITY Standard - full, 4 Meg		
Interpreter - debug, C, ASM	PC	$ 350
COMPILER/Interpreter-EXE	PC	$ 739
With Exp Sys, Screen - KIT	PC	$1250
LPA MacProlog - Complete incremental compiler and an interpreter	MAC	$ 295
LPA MicroProlog - intro	MS	$ 99
LPA MicroProlog Prof. - full memory	MS	$ 359
Prolog-86 - Learn Fast	MS	$ 89
Prolog-86 Plus - Develop	MS	$ 229
TURBO PROLOG by Borland	PC	$ 69
Others: Prolog-I ($95), Prolog-2 ($839)		

Editors for Programming

BRIEF Programmer's Editor - undo, windows, reconfigure	PC	Call
EMACS by UniPress - powerful, multifile, MLISP. Source: $929		$ 299
Epsilon - like EMACS	PC	$ 169
Kedit - like XEDIT	PC	$ 109
Lattice Screen Editor-multiwindow multi-tasking Amiga $100	MS	$ 109
PC/VI - Custom Software	PC	$ 129
PMATE - power, multitask	PC	$ 149
SPF/PC - fast, virtual memory	PC	$ 139

RECENT DISCOVERY

MKS Toolkit - Unix-type tools for PCDOS include popular **vi**, 'awk' report generation language, profiler, grep, diff, much more; over 70 utilities in all. PC $119

Note: All prices subject to change without notice. Mention this ad. Some prices are specials. Ask about COD and POs. Formats: 3" laptop now available, plus 200 others. UPS surface shipping add $3/item.

Compare Products Use Product Specialists

The Programmer's Shop is much more than the supplier of the largest selection of programmers' software. Trained programming consultants will answer your questions. Ask "product specialists" about Cross Assembler, Translators, Debuggers, or compilers.

Our Services:

- Programmer's Referral List
- *Compare Products*
- Help find a Publisher
- Evaluation Literature FREE
- Dealers Inquire
- Newsletter
- Rush Order
- Over 700 products
- BBS - 7 PM to 7 AM 617-826-4086 National Accounts Center

C Support-Systems

Basic-C Library by C Source	MS	$139
C Sharp - well supported, Source, **realtime,** tasks	PC	$600
C ToolSet - DIFF, xref, source	MS	$ 95
The HAMMER by OES Systems	PC	$179
Lattice Text Utilities	PC	$ 95
Multi-C - multitasking	PC	$149
PC LINT-checker. Amiga $89,	MS	$119
SECURITY LIB - add encrypt to MSC. C86 programs. Source $250	PC	$125

Fortran & Supporting

Forlib + by Alpha - graph, comm.	$ 59
MACFortran by Microsoft - full '77	$229
MS Fortran link to C	**$209**
No Limit - Fortran Scientific	$119
RM Fortran - enhanced "IBM Ftn"	$395
Scientific Subroutines - Matrix	$149

MultiLanguage Support

BTRIEVE ISAM	MS	$199
BTRIEVE/N - multiuser	MS	$469
CODESIFTER - Execution PROFILER. Spot bottlenecks.	MS	$ 99
Dan Bricklin's Demo Program	PC	$ 65
HALO Graphics - 115+ device interfaces, rich, printer. Specify language interface	PC	$219
Informix - by RDS	PC	$689
Informix-4GL-application builder	PC	$849
Microsoft Windows Software Development Kit	PC	$399
PANEL - data validation, no royalties Xenix $539,	MS	$229
Pfinish Performance Analyzer	MS	$249
PLINK-86 - a program-independent overlay linker to 32 levels.	MS	$249
PLINK-86 PLUS - incremental	MS	$369
PolyLibrarian by Polytron	MS	$ 85
PVCS Version Control	MS	$329
Screen Sculptor - slick, thorough	PC	$ 99
ZAP Communications - VT100, TEK 4010 emulation, file xfer.	PC	$ 95

Atari ST & Amiga

We carry full lines of Manx, Lattice, & Metacomco.

Amiga - LINT by Gimpel	Amiga	$ 79
Cambridge IISP	Amiga	$200
Lattice C	ST., Amiga	$139
Lattice Text Utilities	Amiga	$ 75
Megamax - tight, full	ST	$200

CIRCLE NO. 162 ON READER SERVICE CARD

RECENT DISCOVERY

Pascal-2 - Perhaps tightest compiler for MSDOS. Mainframe background & power. MS compatible. Complete environment. Turbo translator. Get detailed specs. PC $ 329

C Language-Compilers

AZTEC C86 - Commercial	PC	$ 499
C86 by CI - 8087, reliable	MS	$ 299
Datalight C - fast compile, good code, 4 models, Lattice compatible, Lib source. Dev'rs Kit	PC	$ 79
HOT C - new, intriguing	PC	$ 85
Lattice C - from Lattice	MS	$ 299
Mark Williams - w/debugger	MS	$ 399
Microsoft C 4.0 - CodeView	MS	$ 279
Wizard C - full, fast.	MS	$ 389

C Language-Interpreters

C-terp by Gimpel - full K & R	MS	$ 239
C Trainer by Catalytix	PC	$ 89
INSTANT C - Source debug, Edit to Run-3 seconds, .OBJs	MS	$ 389
Interactive C - interpreter, editor	PC	$ 225
Introducing C - learn C quickly	PC	$ 109
Run/C Professional -	MS	$ 189
Run/C Lite - improved	MS	$ 109

C Libraries-General

Blackstar C Function Library	PC	$ 79
C Essentials by Essential	PC	$ 85
C Food by Lattice-ask for source	MS	$ 109
C Scientific Subroutines-Peerless	MS	$ 139
C Tools Plus (1&2)	PC	$ 139
C Utilities by Essential - Comprehensive screen graphics, strings. Source.	PC	$ 139
C Worthy Library	MS	$ 269
Entelekon C Function Library	PC	$ 119
Greenleaf Functions-portable, ASM		$ 139
PforCe by Phoenix - objects	PC	$ 299

C Libraries-Files

FILES: C Index by Trio - full B + Tree, vary length field, multi compiler		
/File is object only	MS	$ 89
/Plus is full source	MS	$ 349
CBTREE - source, no royalties	MS	$ 99
CTree by Faircom - no royalties	MS	$ 339
dbQuery - ad loc, SQL based	MS	$ 159
dbVISTA - full indexing, plus optional record types, pointers, Network.		
Object only - MS C, LAT,	C86	$ 159
Source - Single user	MS	$ 429
Source - **Multiuser**	MS	$ 849
dBASE Tools for C	PC	$ 79
dbc Isam by Lattice	MS	$ 199

FEATURE

Baby 34.36 RPG II by California Software - complete mini RPG environments for PC include compiler, editor (SEU), OCL processor. Screen gen., sort, data exchange, workstation I/O. Separate products for compatibility w/IBM System /38, /36, /34. PC $1250

Unishell - Bourne UNIX shell script compiler translates to C and runs faster. Portable, hand optimizable code. Use as C program generator. PC $ 349

We support MSDOS (not just compatibles), PCDOS, Xenix-86, CPM-80, Macintosh, Atari ST, and Amiga.

THE PROGRAMMER'S SHOP

provides complete information, advice, guarantees and every product for Microcomputer Programming.

Special Features

Multi-Language Screen Management

Senior Programmers:
FAST, Flexible, Focused Screen Design Package
Screen-Ace Form Master

Use a complete screen manager that concentrates on all the essentials. Fast assembler code gives you the power for creative design. Assembler code writes directly to video RAM making Form Master much faster than packages that generate high-level language source.

Paint your screens with the screen builder, and save them to a DOS file accessible with a single call, or define screens within your program at runtime — even combine the techniques for still greater power (lets you modify screens on the fly). Form Master supports an unlimited number of screens (with 512K RAM, you can define up to 64 25-line virtual screens).

Each screen can have over 2000 fields, and can be up to 16.5 physical screens in length; and you can use the same screen with each language. Use the default attributes (like reverse video, underline, etc.) or choose from any of 256 possible attributes.

Permits flexible function key definition, forms larger than the physical screen, toggling field colors and attributes at runtime, and allows you to switch between screens without losing any data. Modify screens whether or not they are being displayed. With Form Master you can generate screen or field-specific help screens.

Get a cleaner, FASTER user interface with Form Master.

Form Master is DESQview, TopView, and MS Windows compatible. Lattice, MS C (2.xx+) (all models of C supported), APL*PLUS/PC, assembler — BASIC and Pascal soon. Call 818-989-5329 for a $3 demo with tutorial.

ace SOFTWARE PRODUCTS, INC.

PCDOS $195

Multitasking Technology

Multitasking, Windowing for C, Turbo Pascal, or dBASE or . . . in only 12K!
SYNERGY Development Toolkit

The highly efficient design of Synergy by Matrix gives you the benefits of powerful graphics, windows, pull-down menus, dialog boxes, sophisticated text and icon management, math support, multitasking, and SPEED, all for an incredibly small **12K RAM** requirement.

The Synergy Runtime provides character and graphics support for menus, windows, dialog boxes, and more, so you can write programs that work in either mode, with very reasonable, low runtime fees.

Functions include: window management with capabilities like tile and overlap, variable size and placement, process management, to support multitasking and sub-process generation, menus, dialog, and icon management, graphics, text (including a variety of fonts and sizes), and console management.

The Synergy Development Toolkit is a collection of sophisticated tools designed for software developers writing new applications using Synergy, or modifying existing applications to take full advantage of Synergy. Tools include: graphics resource editor for creating and modifying icons and text fonts, graphics resource compiler to construct and manage resource data files, font compiler and manager, debugging tools, sample library, and more.

Supports IBM or Microsoft Macro Assemblers, Turbo, IBM, and Microsoft Pascal, IBM and Microsoft BASIC, Lattice and Microsoft C, and dBASE II and III. CGA, EGA, and Hercules monochrome graphics support.

MATRIX **617-567-0037**

PCDOS $375

Expert System Development

Expert System Development: Practical, Complete, and Unlimited Features Help Smoothly Build Expert Systems with EXSYS

EXSYS, Inc. has built a stable and complete toolkit by listening to users and examining what they need. One of the first Expert System Shells for the PC, EXSYS provides the features of just about all of its combined competitors, plus the documentation and examples you will need to learn in this field.

UNLIMITED FEATURES? EXSYS supports backward chaining of IF/THEN/ELSE rules, full math support, probabilities, explanations, the ability to call external programs including spreadsheets, database managers, or custom-written front ends with data passed to and from the external program, plus the ability to handle substantial applications of up to 5,000 rules. All user input is either English text, menu selection, or algebraic expression.

The systems developed can explain why information is needed and how it will be used. The ability to "change and rerun" allows expert system modelling of problems. Written entirely in C, EXSYS provides very high speed execution and efficient memory utilization.

But if these features are not enough, use the interface to Lotus, dBASE, BASIC, C, or any other .EXE or .COM file. Already in use at over 1,000 sites with many complex and powerful expert systems developed. Several expert systems have been marketed with a low-cost runtime license. Single computer use is only $349. Unlimited runtime distribution is available for an additional $539. Call (505) 836-6676 for **$15 demo.**

EXSYS

PCDOS $349

Translator

dBASE Programmers: Translate to C with Less Effort. Use dBx Translator

Users say dBx:

— *"allowed me to concentrate on learning C."* -new C programmer

— *"takes grunt work out of conversion."*

-experienced C/dBASE programmer

If you need the portability, speed, and control of C, but all your code is written in dBASE, dBx is for you. Including a translator, C libraries and utilities, dBx produces a clean, maintainable translation of most of your programs. You complete translation then rewrite sections to take advantage of C power, flexibility.

Includes BTree, works with dB-C, CTree, C-Index, Phact, others. Supports C86, Microsoft, Desmet, and Lattice C. No royalties. Library source Unix portable, available separately.

Call our "translator specialist" for details.

PCDOS $319

Version Control

PROGRAMMING TEAMS: Manage and Control Source Versions Efficiently with POLYTRON Version Control System (PVCS)

Duplicated efforts and time wasted rebuilding and cataloging source can be avoided. Reliably delegate control for source & documentation to PVCS.

Save confusion and disk space by letting PVCS maintain the complete current version plus all of the increments, decrements, and related notes needed to rebuild any version. Maintains a complete history of changes. No experience with such a system is assumed. The documentation and examples will help you learn quickly. Privilege levels control access so the administrator knows who is working on each module. Ask about discounts for LAN and multi-keyboard access.

PCDOS $329

POLYTRON

Call for a catalog, literature, advice and service you can trust

HOURS
8:30 AM - 8:00 PM EST.

800-421-8006

THE PROGRAMMER'S SHOP™
128-P Rockland Street, Hanover, MA 02339
Mass: 800-442-8070 or 617-826-7531 10/86

"I have been pleased with your catalog selection, the knowledge of your telephone answering staff, and the promptness of your service. I have every wish to become a continuing customer of The Programmer's Shop."

Carl C. Rollo

CIRCLE NO. 151 ON READER SERVICE CARD

MICROSOFT LANGUAGES NEWSLETTER Vol. 1, No. 12

News about the Microsoft Language Family

Debugging with Two Monitors Simultaneously Using the Microsoft® CodeView™ Debugger.

The Microsoft CodeView, the revolutionary window-oriented symbolic debugger in Microsoft C Compiler Version 4.0, is a powerful tool. One of its numerous capabilities is the versatile way it enables programmers to view their code's output on the default monitor and video adapter while debugging on another monitor and video adapter. This is especially helpful for graphical applications. For example, if you have both a Color Graphics Adapter (CGA) and a Monochrome Adapter in the same system, you might want to set up the CGA as the default adapter. You could then debug a graphics program with the graphics display appearing on the graphics monitor and the debugging display appearing on the monochrome monitor. This feature is evoked by typing:

CV/2 ***program name***

If you only have one graphic adapter and monitor in your system, you may use the screen swapping (/S) or flipping (/F) options to view your output while debugging with CodeView.

Finding Null Pointer Assignments with Microsoft CodeView.

When a value is assigned to an uninitialized pointer in C, the Microsoft C runtime code displays:

error 2001: Null pointer assignment

This is because it is impossible to tell at runtime that such an operation has occurred (the runtime routine "_nullcheck()" checks the first 54 bytes of the data segment to see if they have been changed when the program terminates). With Microsoft CodeView, this problem can be easily discovered. Debug your program with Microsoft CodeView and execute the program up to "main()" to set the DS register to the program's data segment. Now set a tracepoint on the first byte of the data segment using the command "TPB 0" (the pull-down menu can also be used). Now execute the program using the "go" command. When the program attempts to use an uninitialized pointer, thus writing to location 0, Microsoft CodeView will halt execution of the program just after the offending instruction. This operation can be made even faster using debugging hardware compatible with the Microsoft CodeView debugger.

Debugging Assembly Language Programs with Microsoft CodeView.

Microsoft CodeView has special features for the assembly language programmer. The radix command allows the user to set the default input and output radix so that assembly language programmers can use hex numbers just like the popular Microsoft SYMDEB debugger and DEBUG. To switch to hex simply type:

n16


In addition, the assembly and register displays allow viewing of code at the machine level. If you're debugging Microsoft C code, the assembly display will also show local symbols in the disassembly listing, so "MOV SI, [BP-4]" might be displayed as "MOV i, [count]." A unique backward-scroll mechanism allows you to quickly scroll backward through disassembled code.

For more information on the products and features discussed in the Newsletter,
write to: Microsoft Languages Newsletter
16011 NE 36th Way, Box 97017, Redmond, WA 98073-9717.
Or phone:
(800) 426-9400. In Washington State and Alaska, call (206) 882-8088. In Canada, call (416) 673-7638.

Microsoft, is a registered trademark and CodeView is a trademark of Microsoft Corporation.

Latest DOS Versions:	
Microsoft C Compiler	4.00
Microsoft COBOL	2.10
Microsoft FORTRAN	3.31
Microsoft Macro Assembler	4.00
Microsoft Pascal	3.31
Microsoft QuickBASIC	2.00

Look for the Microsoft Languages Newsletter every month in this publication.



The JRAM Family

This series of add-on boards from Tall Tree Systems consistently incorporates a standard high-capacity memory with the latest functional capabilities.

There is more to memory than simply remembering. This is the principle upon which Tall Tree Systems was founded and continues to follow. While most vendors of PC add-on products have looked upon memory as simply one of four functions on a four-function board, Tall Tree has seen it as a foundation upon which to build entirely new functions. Since the introduction of the first JRAM in February 1982, this family of memory boards has been first or nearly first in providing the PC with RAM-disk function, print-spooler function, bank-switching, inboard laser printer buffering, and most recently, 8MB RAM support for the RT PC. In recognition of the engineering expertise and systems vision represented in these products, *PC Tech Journal* has named Tall Tree Systems' JRAM family of memory boards its collective Product of the Month for December 1986.

Tall Tree founder John Henderson knew from his long experience in the electronics industry that memory prices would drop severely as chip volume shot into the hundreds of millions, so all of his boards are designed for very high memory capacity, even if all sockets would not be filled immediately. The original JRAM's support of up to 2MB of RAM on the bus of a PC required one innovation—bank-switching—and suggested another—the high-capacity RAM disk. Tall Tree's JetDrive software was the first commercial RAM disk for the PC. In speeding up the edit/compile/link cycle by a factor of 10, it changed the way many software developers approached their work.

JRAM-2, released in March 1984, incorporated the basic design of JRAM, along with connectors for daughterboards containing serial and parallel ports and a clock/calendar. JRAM-AT, which was released in February 1985, provided a choice of JRAM bank-switched memory or 16-bit extended memory for the PC/AT.

The JRAM boards had been bank-switching for more than three years when the LIM EMS (Lotus/Intel/Microsoft expanded memory specification) was announced with fanfare in late April 1985. Not quite two months later, JRAM-3 was shipped, supporting both the original JRAM bank-switching specification and the new LIM EMS specifically. JRAM-3 was migrated to the AT as JRAM-3 AT at the end of 1985. It provided a choice of JRAM bank-switching, LIM EMS, or AT extended memory.

Earlier this year, Tall Tree began shipping a small daughterboard, called JLaser, for the JRAM-3 boards. JLaser provides an entirely new use for EMS RAM—as bit-mapped storage for laser printers. JLaser connects to the xerographic engine within popular laser printers (Canon and Ricoh currently; more are under development) and allows application programs to build a 300-dpi (dots per inch), bit-mapped page image within EMS RAM. On command, JLaser transfers the image to the xerographic engine as quickly as it can move paper past the photosensitive drum, without the speed bottleneck inherent in moving huge bit-mapped buffers over 9600-baud serial cables. The printer's OEM controller is neither removed nor disabled except when JLaser is printing. When not printing or storing images to be printed, the JRAM-3 expanded memory is available for use with RAM disks and EMS-knowledgeable applications such as Lotus 1-2-3.

In addition to providing 300-dpi, full-page graphics to low-end laser printers, a recent enhancement to JLaser takes control of the rate at which the laser scans the image onto the drum, allowing up to 600-dpi resolution in the horizontal dimension. (Vertical resolution is limited by the speed at which paper moves through the printer.) Aliasing in the horizontal dimension, particularly visible in line graphics output, is greatly reduced by this technique.


JLaser's third major feature is a port for the Canon scanner, allowing JRAM expanded memory to serve as a buffer for images scanned from paper documents. Software support for JLaser currently includes ZSoft's PC Paintbrush and PC Presentation, Media Cybernetics' Halo and Halo DPE desktop publishing editor, SoftCraft's Fancy Font, Personal T_EX's PC T_EX, Data Tranforms' Printrix and Fontrix, and Xerox's Ventura Publisher desktop publishing system.

The most recent addition to Tall Tree's JRAM family, JRAM-RT, is the first third-party memory product for IBM's RT PC, offering 8MB of RAM for $3,995—one-third the price for a similar memory system from IBM. JRAM-RT is one of the first PC products to incorporate 1-megabit DRAMs, permitting 8MB to fit uncrowded on a single board without daughterboards. JRAM-RT appeared quickly indeed, especially considering that Tall Tree had no advance information on the RT PC.


John Henderson has identified high-resolution image processing and printing as areas of future development for Tall Tree Systems. Because memory prices have fallen, his belief is that high-resolution laser printers can only follow. Other directions for the JRAM family are not as clear. It is a fair guess, however, that as new bus structures appear, such as the 32-bit PCET (Personal Computer Extended Technology) specification now emerging from committee, a JRAM board will quickly follow, bringing with it memory that remembers . . . and then some.

JRAM-2: $199; JRAM-AT: $269; JRAM-3: $269; JRAM-3 AT: $349; JLaser: price varies by configuration; JRAM-RT: $3,995
Tall Tree Systems
1120 San Antonio Road
Palo Alto, CA 94303
415/964-1980
CIRCLE 345 ON READER SERVICE CARD

Hardware, software, and other developments for the IBM PC family



386 HummingBoard by Gold Hill Computers and AI Architects



Compaq Deskpro 386

FROM IBM

A faster, more powerful PC/XT, featuring increased memory and a 6-MHz Intel 80286 microprocessor, has been introduced by **IBM Corporation**. The **IBM Personal Computer XT Model 286** (XT-286) comes with 640KB of zero-wait-state memory, with various expansion options to increase memory up to 12.6MB. Features include a half-height, 1.2MB, 5¼-inch, double-sided diskette drive; a 20MB fixed-disk drive with an average access time of 85 milliseconds; a serial/parallel adapter card; five 16-bit and three 8-bit I/O expansion slots; clock/calendar; and the IBM Enhanced Personal Computer Keyboard. XT-286, $3,995. Optional second diskette drive in three half-height, double-sided configurations: 3½-inch with 720KB internal, $190 (also available for PC/AT Models 319 and 339); 5¼-inch with 1.2MB, $275; 5¼-inch with 360KB, $225.

IBM also announced an enhancement to the two 20MB fixed-disk drive models of the PC/XT (Models 088 and 089), increasing the standard system board memory from 512KB to 640KB with no change in price.

A new software package, **SY-TOS**, facilitates tape backup for the PC. SY-TOS is designed to work with the IBM 6157 Streaming Tape Drive. The program supports file, partition, or entire disk backup, and restore. $70.
IBM Corporation, 100 Summit Avenue, Montvale, NJ 07645; contact the local IBM dealer, 800/426-2468

CIRCLE 301 ON READER SERVICE CARD

The **IBM 3162 display station** is a general-purpose terminal for computers using the ASCII communications protocol. The 3162 can attach to the IBM Series/1, IBM System/88, IBM PC, the IBM RT PC, and most non-IBM host computers. The 3162's 14-inch (diagonal) screen, available in green or amber, offers 24 or 28 lines per screen with 80 or 132 characters per line, for a display of as many as 3,696 characters. It is designed with tilt/swivel displays and etched screens. Features include definable function keys, extended menu setup, split screens, and smooth scrolling in two speeds. $645.

The **Realtime Interface Coprocessor** (ARTIC) is designed as a single-slot multiple device interface subsystem for IBM Industrial Computers and PCs. This coprocessor feature is based on the Intel 80186 microprocessor and includes the Realtime Control Program microcode. The microcode provides the user with a realtime, multitasking operation environment for supporting industrial applications running on the coprocessor. The coprocessor can be attached to industrial equipment and may be programmed to support a variety of protocols. 128KB version, $1,295; 512KB version, $1,695.

Also introduced are several software products for use with the Realtime Interface Coprocessor. The **Communications Subsystem 1.1** is a software communications facility for routing messages between a PC and Realtime Interface Coprocessors. $475.

The **Realtime Control Program DOS Support** is a set of DOS-compatible program modules that support the IBM Industrial Computer and PC applications for one or multiple Realtime Interface Coprocessors. $80.

The **Realtime Interface Coprocessor Developer's Kit** contains program support that allows the user to develop applications using a high-level language. It has a program debugger for programs executing on the Realtime Interface Coprocessor and a dump formatter for printing files. $1,850.
IBM Corporation, Information Systems Group, 900 King Street, Rye Brook, NY 10573; contact the local IBM dealer, 800/426-2468

CIRCLE 302 ON READER SERVICE CARD


HARDWARE

Compaq Computer Corporation has announced the **Compaq Deskpro 386**, based on Intel's 16-MHz, 32-bit 80386 microprocessor. Model 40 includes 1MB RAM, a 40MB fixed-disk drive with an average access time of 28 milliseconds (ms), 1.2MB diskette drive, Compaq Expanded Memory Manager (CEMM), realtime clock, security key lock, multipurpose controller board, 80287 coprocessor socket, standard interfaces for parallel printer and serial/asynchronous communications, and the Compaq Enhanced Keyboard. Three available expansion slots accept 8/16-bit boards and three others accept 8-bit boards. Model 70 includes everything offered by Model 40 except that it has a 70MB fixed-disk drive with an average access time of 35 ms; Model 130 has a 130MB fixed-disk drive with an average access time of 19 ms. Both of these models have two available slots for 8/16-bit boards and three for 8-bit boards.

Each model is expandable to 14MB of RAM with Compaq memory upgrade kits and expansion boards, and to 10MB of 32-bit RAM without occupying an expansion slot. Monitor options include the Compaq Color Monitor and Compaq Enhanced Color Graphics Board (compatible with the IBM EGA); or Compaq Dual-mode Monitor and Compaq Video Display Controller Board. Model 40, $6,499; Model 70, $7,299; Model 130, $8,799; Compaq Color Monitor, $799; Compaq Enhanced Color Graphics Board, $599; Dual-mode Monitor, $255; Video Display Controller, $199.
Compaq Computer Corporation, 20555 FM 149, Houston, TX 77070; 713/370-0670

CIRCLE 303 ON READER SERVICE CARD

Gold Hill Computers, Inc. and **AI Architects, Inc.** have announced an 80386-based, plug-in board with mem-



Sperry PC/IT (left) and a new smaller version, PC/microIT

ory for the PC, PC/XT, and PC/AT. The **386 HummingBoard** runs the Golden Common LISP (GCLISP) Developer. Based on the 32-bit Intel 80386 running at 16 MHz, it runs large LISP applications quickly. Directly addressable, on-board memory is expandable to 24MB with one-megabit DRAMs (up to 6MB with 256 DRAMs). With 6MB RAM and GCLISP 386 Developer, $7,000.
Gold Hill Computers, Inc., 163 Harvard Street, Cambridge, MA 02139; 617/492-2071

CIRCLE 307 ON READER SERVICE CARD

AI Architects, Inc., One Kendall Square, Suite 2200, Cambridge, MA 02139; 617/577-8052

CIRCLE 308 ON READER SERVICE CARD

Advanced Logic Research, Inc. has announced a line of 80386-based microcomputers. The **ALR Access 386** is available in three configurations. The basic system offers a 16-MHz clock speed, 512KB interleaved 32-bit RAM, one serial port, one parallel port, and a 1.2MB diskette drive. The enhanced monochrome system features 1,024KB RAM, 16-MHz clock speed, two serial ports, two parallel ports, 1.2MB diskette drive, 30MB hard-disk drive with an average access time of 40 milliseconds, hard-disk/diskette controller, Hercules-compatible monographics video card, and a high-resolution TTL tilt/swivel monitor. The enhanced color system contains 512KB interleaved 32-bit RAM, 16-MHz clock speed, ALR Challenger Multifunction Card with 2MB RAM expandable to 4MB, two serial ports, two parallel ports, 1.2MB diskette drive, hard-disk/diskette controller, ALR EGA Adapter Card with printer port, and 14-inch EGA/CGA monitor with tilt/swivel base. Basic system, $3,990; enhanced monochrome system, $5,890; enhanced color system, $6,949.
Advanced Logic Research, Inc., 10 Chrysler, Irvine, CA 92718; 714/581-6770

CIRCLE 304 ON READER SERVICE CARD

An 80286-based machine from **Sperry Corporation**, the **Sperry PC/microIT** has a footprint of 15 inches by 15 inches and selectable speeds of 6.0, 7.16, or 8.0 MHz. The 8.0-MHz speed can be configured with a zero- or one-wait state. Its standard 512KB memory can be increased to 1.5MB without using an expansion slot or to 3.5MB with a single card. Features include an 8-MHz Intel 80287 socket, clock/calendar with battery backup, front-mounted configuration DIP switches, parallel and serial port, dual-drive disk controller, two 8-bit and three 8/16-bit expansion slots, security key-lock switch, and switchable 135-watt power supply. Users optionally can install a 1.2MB or 360KB diskette drive plus a nonremovable 20MB hard-disk drive. Other options include a 20MB on-card hard-disk drive to allow a 20MB storage configuration with two diskettes. With 512KB, $2,345; with 512KB and a 20MB hard-disk $3,590.
Sperry Corporation, World Headquarters, P.O. Box 500, Blue Bell, PA 19424-0031; 215/542-2240

CIRCLE 310 ON READER SERVICE CARD

Intel Corporation's Personal Computer Enhancement Operation has announced the **Inboard 386/AT**, an add-in board with a 16-MHz Intel 80386 microprocessor for the PC/AT and compatibles. When control software programs become available (scheduled for mid-1987), the board will provide true multitasking and concurrent processing abilities. Inboard 386/AT is compatible with AT motherboards operating at 6, 8, and 10 MHz, and it is compatible with Intel's Above Board products. The 386/AT includes a 64KB high-speed memory cache that enhances application program performance. Extended memory to 1MB can be added to Inboard 386/AT (plus an additional 2MB with a piggyback board). The board is equipped with a socket for the 80387 numeric coprocessor. 0KB, $1,995.

Intel also has announced a bubble memory expansion board that provides up to 1MB of nonvolatile storage. The **iPCB-76 PC-Bubble Card** emulates the storage functions of a hard-disk drive. The board can withstand harsh environmental conditions, such as extreme temperatures, shock, vibration, moisture, and dust. An evaluation version of the PC-Bubble Card, the **iPCB-75,** features the company's proprietary 4-SITE software. 4-SITE enables designers to learn to program a bubble memory controller and build a prototype bubble-based system. iPCB-76 (quantities of 100) for 1MB, $1,445 each; for .5MB, $795. iPCB-75 evaluation version (single orders only) for 1MB, $945; for .5MB, $495.
Intel Corporation, Literature Dept., Suite W-316, 3065 Bowers Avenue, P.O. Box 58065, Santa Clara, CA 95052-8065; 800/548-4725


CIRCLE 306 ON READER SERVICE CARD

Okidata has entered the laser printer arena with its **Laserline 6**, which prints six pages per minute. A standard 15 resident typeset-quality fonts are included,



Laserline 6 from Okidata

and additional font modules are available. The Laserline 6 has a 128KB page-image buffer with an optional memory expansion cartridge of 384KB. The optional plug-in, multiuser module enables three users to share the printer. The Laserline 6 provides face-down, correct-order stacking of paper. $1,995;



VAXmate from Digital Equipment Corporation



Okidata's first modem, the Okitel 1200

memory expansion cartridge, $399; four optional font cartridges, $149 each; multiuser module, $600. Optional personality module that provides compatibility with the HP LaserJet, $200; with the HP LaserJet Plus, $400.

Okidata's **Okitel 1200**, a 300/1200-bps (bits per second) external modem, features Automatic Adaptive Equalization (AAE), which enables the modem to look at line characteristics and automatically adjust its filters to bypass line interference. The Okitel 1200 automatically configures itself to the transmission speed of incoming calls. $499.
Okidata, 532 Fellowship Road, Mount Laurel, NJ 08054; 609/235-2600
CIRCLE 311 ON READER SERVICE CARD

Digital Equipment Corporation has introduced three major products. The **PC ALL-IN-1** is an easy-to-use MicroVAX II-based system that allows as many as 30 PCs to be part of an integrated office configuration. The **VAX/VMS Services for MS-DOS** is a software product that combines the resources of VAX/VMS and DOS into one fully networked environment by allowing VAX and MicroVAX computers to act as information servers.

PC/AT-compatible **VAXmate** is a networked personal computer specifically designed to support network group systems. VAXmate consists of a one-piece monitor/system unit with a 1.2MB 5¼-inch diskette drive, keyboard, and mouse. The VAXmate system software includes DOS 3.1 and Microsoft Windows applications interface, Microsoft Network client software, as well as Digital VT220 and VT240 terminal emulators. In addition to a built-in EtherNet transceiver, video controller, 1MB memory, communications ports, and printer ports, the base VAXmate system can accommodate an additional 2MB memory, a 300/1200/2400-bps (bits per second) modem, and a numeric coprocessor. PC-ALL-IN-1, $81,160; VAX/VMS Services for MS-DOS, $650 to $19,500 depending upon configuration; VAXmate, $4,045; software license, $250.
Digital Equipment Corporation, Maynard, MA 01754-2571; 617/897-5111
CIRCLE 309 ON READER SERVICE CARD

Ramtek Corporation has released the **RAMTEK OWL**, a system that provides high-resolution color graphics display capabilities for the PC/AT and the RT PC. The OWL features a 1,280-by-1,024 pixel, 19-inch color monitor; 60-Hz screen refresh; 4,096 colors with the ability to display 256 simultaneously; compatibility with third-party application software; single-slot connection to a host PC; an integrated display generator/monitor package; and high-performance, local graphic display list processing. $5,595.
Ramtek Corporation, 2211 Lawson Lane, Santa Clara, CA 95052-8024; 408/988-2211
CIRCLE 319 ON READER SERVICE CARD

A 19-inch, high-resolution monochrome monitor for the RT PC, designed for multiple windowing applications and desktop publishing, has been introduced by **Moniterm Corporation**. With a 1,024-by-768 display format, refreshed at 60 Hz, the **Model RT-6155** is a plug-to-plug replacement for the 15-inch IBM 6155 Extended Monochrome Graphics Display; it plugs into the IBM 4768 Display Adapter. $1,350.
Moniterm Corporation, 5740 Green Circle Drive, Minnetonka, MN 55343; 612/935-4151
CIRCLE 313 ON READER SERVICE CARD


Tall Tree Systems has taken aim at the desktop publishing industry with **JLASER PLUS**, a memory board with an interface to the Canon LBP-CX laser printer and the Canon IX-12 scanner. JLASER PLUS can triple scanning speed and increase printing speed by a factor of 50, while providing 300-dpi (dots per inch) resolution. The 2MB memory can be used as system memory, LIM EMS (Lotus/Intel/Microsoft expanded memory specification) memory in a PC/AT-type machine, RAM disk, or print spooler. For PC/XT, $599; for PC/AT, $699.
Tall Tree Systems, 1120 San Antonio Road, Palo Alto, CA 94303; 415/964-1980
CIRCLE 314 ON READER SERVICE CARD

AID/88 from **Vu-Data Corporation** provides automatic intelligent diagnostics for the PC and PC/XT system boards using the 8088 microprocessor. It is preprogrammed with 10KB of software to monitor IBM's resident diagnostics in the PC-1 (both versions), PC-2, XT and Portable PC. The firmware internal to AID/88 performs complete bus-shorted and bus-stuck (forced) testing. The **AID/PI Expansion Unit** accepts a library of plug-in assembly language programs called **PI Program Modules**. These expand the automatic intelligent diagnostics capabilities to include adapter cards and compatibles. AID/88, $2,995; AID/PI, $1,000; PI Program Modules, $250 each; eight-module set, $1,000.
Vu-Data Corporation, 9180 Brown Deer Road, San Diego, CA 92121; 619/452-7670
CIRCLE 320 ON READER SERVICE CARD

A synchronous DMA serial controller for the PC, PC/AT, and RT PC running XENIX or UNIX has been introduced by **Adax, Inc.** The **PC-SDMA** features multiple protocol control and operates on RS-232 or RS-449 standard interfaces. The PC-SDMA with RS-422 drivers and receivers can transmit as fast as 1 megabit per second. It supports multiple low-level communications protocols on XENIX, such as X.25/HDLC, IBM/SDLC, and ASYNC. Adax provides software for the X.25 protocol and for basic and standard DDN high-level protocols. $790; software, $1,500 to $2,000.
Adax, Inc., 737 Dwight Way, Berkeley, CA 94710; 415/548-7047
CIRCLE 315 ON READER SERVICE CARD


JLASER PLUS


COMBINES SCANNING AND PRINTING IN A SINGLE BOARD!











It makes desktop publishing a piece of cake!

Tall Tree Systems introduces another breakthrough in desktop publishing with JLASER PLUS. We've combined a 2 MB EMS memory board and an interface to both a Canon®-based laser printer and scanner. JLASER PLUS increases the performance of both devices and gives you a low-cost solution to the limitations you've been experiencing with them.

Furthermore, the same memory that is made available to your printer and scanner is also available for all your other conventional applications. You get system memory, expanded LIM memory, extended memory in an AT-type machine, RAM Disk and print spooler — all in a single slot!

Supporting JLASER PLUS is a host of software packages, such as PC Paintbrush + from ZSoft, Dr. Halo D.P.E. from Media Cybernetics, LaserGL from Software Express, Ventura Publisher from Xerox, Page Builder from White Sciences, Le Print from Le Baugh Software, Fancy Font and Fancy Word from SoftCraft, Inc., and many more to be announced.

It takes a technological innovator like Tall Tree Systems to provide a major advancement like JLASER PLUS. And we don't stop at performance. We also deliver value, which is truly icing on the cake.


TALL TREE SYSTEMS
1120 San Antonio Road
Palo Alto, CA 94303
(415) 964-1980

CIRCLE NO. 194 ON READER SERVICE CARD


TALL TREE SYSTEMS

Canon is a registered trademark of Canon, Inc. All software packages listed are trademarks of their respective companies.

©1986 by Tall Tree Systems. All rights reserved.



Dream Board from Univation



AST TurboScan, an optical page scanner

Trade Ventures International, Inc. has announced two expansion boards that address up to 15MB of RAM on a PC/AT or compatible. The **MEM-AT+** provides as much as 3MB per board; the **Multi-3 AT** provides up to 2MB in addition to two serial ports and one parallel port. These zero-wait-state memory boards can be used in combination in the same computer, filling out the base memory to 640KB and providing expanded memory or an addressable capacity of 15MB of extended memory when up to five boards are used together. These PC/XT-sized, 16-bit memory boards are produced by Elektronik Infosys of West Germany. MEM-AT+ for 0KB to 3MB, $500 to $1,495; Multi-3 AT for 0KB to 2MB, $695 to $1,395.
Trade Ventures International, Inc., 512-A Herndon Parkway, Herndon, VA 22070; 703/435-3800. European office, Blaufahnenstr. 14, CH-8001, Zurich, Switzerland; 41/1/251-7475
CIRCLE 312 ON READER SERVICE CARD

Univation's **Dream Board** offers the capabilities of a standard multifunction board, an LIM EMS board, and a system accelerator board all in one for the PC and PC/XT. The Dream Board provides two I/O ports (one serial and one parallel, or two serial), clock/calendar, system accelerator capabilities consisting of a 10-MHz Intel 8086-1 microprocessor, and expanded RAM capacity of 2MB. The board consists of three main components, a full-length primary circuit board, and two one-third-length piggyback boards; it fits into a single XT slot. A socket is provided for an optional 10-MHz Intel 8087-1 numeric coprocessor. With 512KB RAM, $795.
Univation, 1231 California Circle, Milpitas, CA 95035; 408/263-1200
CIRCLE 318 ON READER SERVICE CARD

TurboScan, an optical page scanner from **AST Research, Inc.**, can convert color or black-and-white text, handwriting, artwork, and photographs into binary code for computer processing. TurboScan digitizes images at resolutions as high as 300 dpi (dots per inch). Data compression and direct memory access (DMA) transfer of scanned data are supported to reduce scanning time. TurboScan provides two basic scanning modes: line-art mode for black-and-white materials and halftone mode for documents with continuous shading. With 12 built-in screening options for halftones, TurboScan incorporates 14 levels of adjustments for both contrast and brightness. $2,395.
AST Research, Inc., 2121 Alton Avenue, Irvine, CA 92714; 714/863-1333
CIRCLE 317 ON READER SERVICE CARD

A high-speed SMD/SCSI disk controller for the PC/AT and RT PC has been released by **National Memory Systems Corporation**. The **NMS HS8000A** supports disk drives with data rates as high as 2.45MB per second. It is compatible with many networks including those from IBM, Novell, Orchid, 3Com, and Ungermann-Bass. The HS8000A supports the RT under AIX and DOS. It supports the AT under XENIX and DOS, permitting high-speed disk drives of up to 900MB to be formatted up to a single 1,024MB volume. $950.



National Memory Systems' disk controller


National Memory Systems Corporation, 355 Earhart Way, Livermore, CA 94550; 415/443-1669
CIRCLE 316 ON READER SERVICE CARD


SOFTWARE

XENIX System V/386 and the **XENIX System V/386 Toolkit** have been announced by **Microsoft Corporation**. The Toolkit provides software development tools and an execution environment that will allow software developers to begin creating new XENIX 386 applications before the release of XENIX System V/386 (scheduled for early 1987). All 80386 applications developed using the Toolkit will execute without recompilation under XENIX System/386, and all applications created under the 80286 release will run under XENIX System V/386. XENIX 386 provides access to the large linear address space of the 80386 and a 32-bit data type. The Toolkit includes a Microsoft C compiler for the 80386, a new version of the Microsoft Macro Assembler—extended to support the 80386 instruction set and addressing modes, and a debugger for 80386 programs. Toolkit, $395.

Microsoft also announced the shipment of retail **version 1.03** of its **Windows** operating environment. The new version includes additional device drivers for high-resolution printers and displays, support for AT&T computers, and DOS 3.2 support. Windows 1.03 also supports the Post-Script page description language from Adobe Systems. $99.
Microsoft Corporation, 16011 N.E. 36th Way, P.O. Box 97017, Redmond, WA 98073-9717; 800/426-9400
CIRCLE 324 ON READER SERVICE CARD

The Software Link, Inc. is developing a multiuser operating system for Intel's 80386 microprocessor. **PC-MOS/386** (PC-MultiLink Operating System/386) is a complete native architecture operating system that is fully DOS-compatible. Standard multiuser/multitasking features of PC-MOS/386 include support for record and file locking, intertask communication through the NETBIOS protocol,





TALL TREE SYSTEMS.
A Technological Innovator.
Always a Step Ahead!

For true industry leadership, look no further than Tall Tree Systems.

We have a history of being first.

We were the first to introduce bankswitching. The first with two megabyte memory boards. The first with I/O modularity in a single slot. The first with 8 MHz speed capabilities. The only maker of single command EMS boards. The first with a laser printer solution — JLASER — that allows you to do full-page graphics and multiple type fonts on any Canon® or Ricoh® laser engine.

Now, we're first again with memory expansion for the IBM®RT.

Innovation is our tradition.

Our trademark is superior technology at the lowest possible price.

TALL TREE SYSTEMS


1120 San Antonio Road • Palo Alto, CA 94303 • (415) 964-1980

CIRCLE NO. 197 ON READER SERVICE CARD

©1986 by Tall Tree Systems. All rights reserved. IBM, RT are registered trademarks of International Business Machines Corp. Canon and Ricoh are registered trademarks of Canon Corp. and Ricoh Corp., respectively.

Unlock your desktop with Publisher's Paintbrush.™


Finally, a paint package designed for desktop publishing! When you create or scan a 300 dpi page, you'll get a 64-screen computer image. That's why Publisher's Paintbrush lets you zoom out and work on the big picture. So you get ultra-sharp resolution without ultra-tedious labor.



One screen of a 64-screen image.



Shrink down to a manageable size.




Next, cut-and-paste . . .




A few edits later . . . VOILA!


New typography frontiers: continuously adjustable point sizes, text slope, line and character spacing, extended and condensed type, and letter slant.




Easy-to-use menus.



Slant and angle text 1° – 359°.




4- to 250-point type.




Adjustable everything!


Publisher's Paintbrush adapts to most scanners with absolute simplicity. Scan in existing art, logos and diagrams to save many hours of work!



Full use of scanner features.



Scan all or part of a page.



Combine art and type . . .



. . . from several sources!

Publisher's Paintbrush is a quantum leap in power beyond our top-selling PC Paintbrush®. In fact, it's the dawn of a new era for desktop publishing. With it, you can produce pictures of super-high resolution (many times sharper than your screen!) and marry them into text pages. With it, you can take full advantage of desktop publishing packages, laser printers and image scanners. Without it, you're stuck with ragged edges and tedious multi-screen editing.

Publisher's Paintbrush supports major-brand image scanners and hundreds of printers and video display boards. And most desktop publishing packages have built-in links to Publisher's Paintbrush.

Say goodbye to the old boundaries. Say "Show me" to your ZSOFT dealer. Or call our corporate offices for more information.

Publisher's Paintbrush is a trademark and PC Paintbrush is a registered trademark of ZSoft Corporation. Dover Clip-Art Series is a registered trademark of Dover Publications, Inc.

Z·SOFT

1950 Spectrum Circle, Suite A495, Marietta, Georgia 30067, (404) 980-1950

CIRCLE NO. 184 ON READER SERVICE CARD



Lattice C Compiler version 3.1



PageMaker from Aldus Corporation

print spooling, remote modem access, usage statistics, nested batch files, and security at the user, file, and directory levels. PC-MOS/386 is scheduled for release in February 1987.
The Software Link, Inc., 8601 Dunwoody Place NE, Suite 632, Atlanta, GA 30338; 404/998-0700

CIRCLE 326 ON READER SERVICE CARD

Lattice, Inc. has released **version 3.1** of its **C Compiler**. Case sensitivity with external symbols, enhanced capabilites for generating detailed debugging information, minor fixes to the library and header files are some of the new features. The library contains more than 325 functions compatible with UNIX, XENIX, and ANSI, and has extensive support for DOS versions 2.x and 3.x. Version 3.1 includes a new two-volume *Programmer's Reference Manual*, an object module librarian and disassembler, and a set of libraries. $500.
Lattice, Inc., P.O. Box 3072, Glen Ellyn, IL 60138; 312/858-7950

CIRCLE 335 ON READER SERVICE CARD

SCO XENIX-NET, the version of Microsoft Networks for XENIX, has been announced by **The Santa Cruz Operation**. SCO XENIX-NET is a LAN for computers running XENIX System V; it permits the integration of multiple XENIX systems, or mixed DOS and XENIX systems. SCO XENIX-NET uses an extended file-naming syntax that allows any XENIX application to transparently access any file on any DOS or other XENIX system on the network. SCO XENIX-NET is available for the PC/AT and compatibles using the IBM PC Network interface card and will soon be compatible with EtherNet and Token-Ring. Single-server license format, $595; three-server license format, $1,295.
The Santa Cruz Operation, 400 Encinal Street, Santa Cruz, CA 95060; 408/425-7222

CIRCLE 329 ON READER SERVICE CARD

An assembler/linker for Intel's 80386 microprocessor has been released by **Phar Lap Software, Inc.** The **386/ASM** software package runs on IBM PC, DEC VAX, and other UNIX host computer systems. The 386/ASM is upward compatible with Microsoft 8086 MASM; it supports the same instruction mnemonics, assembler directives, macro language, and expression formats. The 386/ASM also can assemble 8086/286 protected mode programs. PC version, $495; VAX/VMS version, $4,995.
Phar Lap Software, Inc., 60 Aberdeen Avenue, Cambridge, MA 02138; 617/661-1510

CIRCLE 327 ON READER SERVICE CARD

Softguard Systems, Inc. announced it is developing a virtual machine operating system for Intel 80386-based microcomputers. Called **VM/386**, it will allow one 80386-based computer to be several virtual computers. The virtual computers can run concurrently, each with its own operating system. VM/386 also can be used with 80386-based network file servers and 80386 accelerator boards that plug into a PC/AT. VM/386 is modeled after the VM/370 operating system that runs on IBM/370 and 4300 mainframes. Priced under $300.
Softguard System, Inc., 2840 San Tomas Expressway, Suite 201, Santa Clara, CA 95051; 408/970-9240

CIRCLE 328 ON READER SERVICE CARD

Xerox Corporation has introduced **Ventura Publisher Edition**, the first software product from the Xerox Desktop Publishing Series. The package allows the PC to merge text and graphics to create publishing-quality documents. It runs on the PC/XT, PC/AT, Xerox 6065 PC, and supports laser printers such as the Xerox 4045 Laser CP, the Apple LaserWriter, and the Hewlett-Packard LaserJet. It also supports phototypesetters. The interface is such that what the user sees on the screen is exactly what will be printed. Users can enlarge, reduce, or move images within a document; the software will automatically reformat the text around the repositioned or resized image. As text or images are added, the pages are reformatted and numbered automatically. $895.
Xerox Corporation, Xerox Centre, 101 Continental Blvd., El Segundo, CA 90245; contact the local Xerox dealer; 800/492-4707

CIRCLE 339 ON READER SERVICE CARD

PageMaker, a desktop publishing software package from **Aldus Corporation**, runs on the PC/AT. Under Microsoft Windows, it can directly import preformatted text files created in popular word processing programs; it also can import unformatted ASCII text files and IBM DCA RFT-format (Document Content Architecture Revisable-form Text) files. PageMaker can directly import bitmapped graphics from Microsoft Windows Paint and PC Paintbrush, and Mouse Systems' PC Paint; it imports object-oriented graphics from such programs as Lotus' 1-2-3 and Symphony, and Micrografx Windows Draw! and In*a*Vision. Other types of graphics can be brought into PageMaker through the Windows Clipboard. Documents can be printed on any printer or typesetter supported by Microsoft Windows.

New features include dictionary-based hyphenation for automatic justification, greater control over typographic quality (including kerning), the ability to work with longer publications (up to 128 pages in length and 17 inches by 22 inches in size), the ability to work on facing pages as two-page spreads, multiple type faces and styles, variable type sizes, and line spacing. It has a library of graphic elements, including lines, borders, screens, and patterns. $695.
Aldus Corporation, 411 First Avenue S, Suite 200, Seattle, WA 98104; 206/622-5500

CIRCLE 325 ON READER SERVICE CARD



Network Innovations' Multiplex on Digital's VAXmate



Screen image by Numerical Design's RENDITION

A software accelerator called **PolyBoost** has been introduced by **POLYTRON Corporation**. Without any extra hardware, or modifications of application programs, PolyBoost speeds up the operation of software. PolyBoost is a set of three independent memory-resident programs that speed up the three areas of I/O: disk access, screen display, and keyboard input. A special memory buffer in user RAM, expanded memory, or extended memory reduces the number of times the program has to access a disk or diskette for data. Screen display is accelerated by routing data directly to the screen instead of through DOS or BIOS routines. Keyboard enhancements include a faster repeat rate and a 128-character buffer. $79.95.
POLYTRON Corporation, 1815 N.W. 169th Place, Suite 2110, Beaverton, OR 97006; 503/645-1150
CIRCLE 331 ON READER SERVICE CARD

Informix Software, Inc. (formerly Relational Database Systems, Inc.) has announced enhanced versions of **INFORMIX-SQL**, **INFORMIX-ESQL/C**, and **C-ISAM**, the first available database management software packages based on SQL (structured query language) for DOS-based LANs. The packages are available for licensing in configurations ranging from 4- to 32-node networks and support the IBM Token-Ring Network, IBM PC Net, AT&T STARLAN, Novell Advanced NetWare, 3Com 3Plus, and Ungermann-Bass NET/ONE. INFORMIX-SQL 4-node system, $1,995; up to 32-node system, $14,000; INFORMIX-ESQL/C for 4-node system, $1,495; up to 32-node system, $10,500; C-ISAM for a 4-node system, $450.
Informix Software, Inc., 4100 Bohannon Drive, Menlo Park, CA 94025; 415/322-4100
CIRCLE 332 ON READER SERVICE CARD

TSCOB is a full level-2, FIPS (Federal Information Processing Standard) high-level COBOL compiler from **Taneco Systems, Inc.** Conforming to the highest level of ANSI 1985 and 1974 standards, TSCOB covers all modules plus two extended features: symbolic debugging and screen handling. Also included is an indexed file-management system called **TSIAM** that creates and maintains indexed files on disk or diskette. TSCOB-85, TSCOB-74, and TSIAM, $145: after December 31, 1986, $295.
Taneco Systems, Inc., 17461 Irvine Blvd., Suite K, Tustin, CA 92680; 714/832-3922
CIRCLE 336 ON READER SERVICE CARD

From **Larson Computing** comes an expanded memory simulator for the PC/AT. **LIMSIM** is a software driver that supports ordinary extended memory according to the LIM EMS. Aimed at the AT user who has an add-on memory board that does not support EMS, LIMSIM provides the required interface. LIMSIM also manages the memory on multiple boards. $50; with source code, $75.
Larson Computing, 1556 Halford Avenue, Suite 142, Santa Clara, CA 95051; 408/737-0627
CIRCLE 334 ON READER SERVICE CARD

A compiler for dBASE III PLUS, **Quicksilver**, has been announced by **WordTech Systems, Inc.** Quicksilver offers full support for the programming commands and functions of dBASE III PLUS. Features include memo fields, a superset of Ashton-Tate's networking commands, and fully compatible data and index files. Users have access to enhancements such as user-defined functions, windowing, the ability to link compiled C language routines into dBASE applications, support for dBASE Tools for C, and a maximum of 4,000 memory variables. Compiled code does not need dBASE III PLUS and may be distributed without license fees. $599.
WordTech Systems, Inc., P.O. Box 1747, Orinda, CA 94563; 415/254-0900
CIRCLE 338 ON READER SERVICE CARD

Network Innovations Corporation has announced a version of its **Multiplex** networking package that provides the first link between PC applications and applications for Digital Equipment Corporation's VAXmate databases and data files on VAX minicomputers (see the HARDWARE section). Multiplex automatically handles all database inquiry, data reformatting and data communications tasks. Multiplex has a Lotus-style user interface and a Lotus-style macro facility. Multiplex can bring selected data across the network from the VAX host into a VAXmate file and automatically reformat it into standard PC formats. PC configuration, $695.
Network Innovations Corporation, 20863 Stevens Creek Blvd., Cupertino, CA 95014; 408/257-6800
CIRCLE 333 ON READER SERVICE CARD

RENDITION, an ultra-high-quality rendering software package developed by **Numerical Design, Ltd.** has been enhanced with several features. RENDITION consists of a set of programs that generate high-quality images from polygonal object and appearance data that is supplied by the user; transparent objects are supported in this enhanced version. The texture mapping feature permits mapping a two-dimensional image onto the surface of an object in three-dimensional space. RENDITION is compatible with the LIM EMS, enabling users to produce complex images more easily. The addition of a shadow-generation feature enhances the three-dimensional feel of an illustrated scene. Package available in OEM quantities, $2500.
Numerical Design, Ltd., 133 E. Franklin Street, P.O. Box 1316, Chapel Hill, NC 27514; 919/929-2917
CIRCLE 340 ON READER SERVICE CARD

The material that appears in Tech Releases is based on vendor-supplied information. These products have not been reviewed by the PC Tech Journal *editorial staff.*



Announcing AST Premium/286.

Discover AST Premium/286. The First AST Quality, Uncompromising AT® C

More than two million people have made us the first choice in PC Enhancement. For over five years, you've known AST as the leading PC enhancement company. Now, we're introducing the ultimate enhancement: AST Premium/286. The first AT-compatible personal computer with AST performance and reliability. More flexible and upgradeable. Skillfully combining lightning fast processing speed and uncompromising compatibility.

AST FASTslots:™ Processing speedways. Forming the foundation of the AST Premium/286's increased speed are our FASTslots. This advanced architecture improves overall performance so there's enough built-in power to satisfy even the most demanding user.

The AST Premium/286 operates 50% faster than an 8MHz PC AT® as measured by the Norton Utilities™ Version 3.0 SysInfo. And maintains full compatibility with standard PC and AT-based enhancement cards. It also provides for a powerful, easily upgradeable and expandable future, accommodating the next generation of accelerator and high-performance enhancement cards.

A Heritage Of Software Compatibility. Software compatibility has always been one of our strong points. Shipped with the industry-standard MS-DOS® 3.1, AST Premium/286 is compatible with widely accepted operating systems such as IBM® PC-DOS,™ Concurrent DOS™ and XENIX.™ It's also designed to get the most out of multitasking software packages like Microsoft® Windows, DESQview™ and TopView.™

Applications-oriented. Keyboard-selectable operation at 10, 8 or 6MHz means virtually all popular off-the-shelf IBM PC and PC AT application software is immediately compatible. All your favorites, including Microsoft Word, Lotus® 1-2-3,® Framework,™ Symphony,® dBASE® III and AutoCAD.™

Attain your fullest software potential. AST's advanced architecture also provides faster and more flexible memory addressing. While built-in Enhanced expanded memory capabilities – AST FASTRAM,™ expandable to 2MB in a single slot – let you break the 640K DOS barrier. Create bigger spreadsheets and sort larger databases. And enjoy the uninterrupted workflow benefits of multitasking using current DOS versions, with full support for protected mode software built-in.

Fast access disk storage. Complementing AST Premium/286's speedy operation is a full line of disk systems. There's a 20MB, 40MB and a 70MB hard disk. Both the 40MB and the 70MB offer more storage and faster access times – below 30msec – than the PC AT's fixed disk. And our external disk/tape systems, featuring advanced SCSI architecture, allow easy expandability.

Prices Start At $1995.00*



Personal Computer With Legendary ompatibility and Lightning Speed.

More standards are standard. We build-in our AST FASTRAM™ memory card. And most models include our own multimode enhanced graphics adapter, supporting IBM EGA, CGA and Monochrome, and Hercules Graphics Card™ display modes.

Compatible with AST and IBM Products. AST Premium/286 is designed to remain your productivity partner for years to come. Choose it with confidence for single and multitasking applications, individual and shared environments alike. Use it as an engine with other AST products to form powerful application workstations for desktop publishing, CAD/CAE and more. Or to increase connectivity use it as a network file server, to communicate with IBM mainframes and minicomputers, or to manage multiuser environments.

Solutions that are ready to go. We also offer a number of pre-configured workstation solutions tailored for maximum performance in your application. Combining our proven products, from local area networking and data communications to extra memory and I/O to laser printers and disk systems, our solutions are all designed to increase your business productivity.

Quality across the board, around the world. When you buy AST products, you're also purchasing a worldwide reputation for service, support and product dependability. AST Premium/286 is backed by a one year limited warranty, and our worldwide network of certified dealers and service centers.

AST Premium/286—The system and the solutions. For more information call our Product Information Center at **(714) 863-0181** or send the coupon to: AST Research, Inc., 2121 Alton Avenue, Irvine, CA 92714-4992.

Yes, I want to know more about AST Premium/286 Solutions. Send me more information today.

Name:_____

Title:_____

Company:_____

Address:_____

City:_____ State:_____


Zip:_____ Telephone:()_____

My applications:


____ Desktop Publishing ____ Multiuser
____ Mainframe/Minicomputer Connection
____ Multitasking ____ General Business

Send to:
AST Research, Inc., 2121 Alton Avenue,
Irvine, CA 92714-4992 Attn: M.C. PCTJ 12/86
01PCTH000B01PM

AST RESEARCH INC.




Seven industry-standard expansion slots; 1 PC-compatible slot, 6 PC AT-compatible slots, including two AST FASTslots. FASTslots provide no wait state *operation with a high-speed direct interface to the 10MHz 80286 processor. Advanced architecture accommodates the next generation of accelerator and high-performance enhancement cards. It's also an open architecture for easy development and system integration.*




Two AT-compatible expansion slots with a plus: a third bus connector featuring lightning-quick CPU access time, for use with specially-designed cards like the AST FASTRAM Enhanced memory card. Expandable to 2MB in single slot, FASTRAM supports a variety of addressing capabilities—Enhanced EMS, EMS, extended (protected mode) and conventional memory addressing.

Enhanced, low-profile 101/102-key keyboard with separate numeric keypad, dedicated cursor control and extra function keys. International versions available.


AST Premium/286 is shipped with MS-DOS and GW BASIC,® and it's fully compatible with a wide variety of operating systems, operating environment and utility packages, and application software.



Based on industry-standard native 80286 technology, complemented by AST advanced architecture.



Coprocessor socket accepts 8MHz 80287 devices to execute math- and floating point-intensive programs faster.



Compare the increased speed of the AST Premium/286 against the top competitors for yourself. (Basis: Norton Utilities SysInfo Version 3.0)


Indicators let you check your clock-speed—user-selectable at 10, 8 or 6MHz. Reset button allows easy cold-booting. Security lock prevents unauthorized keyboard access.



"The Perfect 10"

10MHz, 0 wait-state operation, faster than the 8MHz PC AT, with IBM PC AT hardware and software compatibility.

Supports standard PC, PC AT and AST FASTslot cards. With AST, you start with a lot, like our included FASTRAM Enhanced memory card and multimode Enhanced Graphics Adapter, but you've also got a lot of options. We offer the widest range of compatible enhancement products and peripherals to suit your needs—a true one-stop solution allowing you to expand and upgrade your system with the assurance of future service and support.



AST markets products worldwide—in Europe call: 44 1 568 4350; in the Far East call: 852 0499 9113; in Canada call: (416) 826-7514.

AST Premium/286, FASTslot and FASTRAM trademarks of AST Research, Inc. IBM, Personal Computer AT and PC AT registered trademarks and PC-DOS and TopView trademarks of International Business Machines Corporation. Lotus, 1-2-3 and Symphony registered trademarks of Lotus Development Corporation. dBASE registered and Framework trademark of Ashton-Tate. AutoCAD trademark of AUTODESK, Inc. Microsoft, MS-DOS, XENIX, and GW BASIC registered trademarks of Microsoft Corporation. DESQview trademark of Quarterdeck Office Systems. Hercules Graphics Card trademark of Hercules Computer Technology. Norton Utilities trademark of Peter Norton Computing, Inc. UNIX trademark of AT&T Bell Laboratories, Concurrent DOS trademark Digital Research. Copyright © 1986 AST Research, Inc. All rights reserved.

To Over 30,000 Installations, MultiLink® MEANS Multi-User.

At over 30,000 sites, as many as one-quarter of a million users tap into the power of MultiLink® Advanced everyday.

Since 1983, they've come to rely on our multi-tasking, multi-user system for compatibility with their favorite software, and the ability to share disks, files, printers, and programs in a *true* PC-DOS environment.

From the largest of the Fortune 500 to the smallest in small business, MultiLink® has provided a cost-effective multi-user solution that's available from no one else.

MultiLink® Means Cost-Effective Timesharing on a PC. MultiLink® Advanced utilizes the principle of timesharing by sharing a central PC's peripherals, files, and processor time among nine users. Up to eight inexpensive terminals can be connected to a single non-dedicated IBM PC, XT, AT or 100% compatible using standard RS-232 ports. Each terminal effectively emulates a PC having up to 512K RAM.

PC-Shadow™ Workstations, shown below, even have an AT look-alike, as well as work-alike, keyboard, display, and serial port. In addition, password-protected remote access via modem can be made with either dumb terminals or PCs running our terminal emulation software.

MultiLink® Means PC-DOS Compatibility with a *Software-Driven* System. Lotus 1-2-3, Symphony, WordStar, dBASE III, & Multimate are just a sampling of the wide variety of PC-DOS software that's fully compatible.

Our software-driven system is also IBM NETBIOS compatible, so programs that are written for IBM's Token Ring will run on our multi-user system, as well.

MultiLink® Means Multi-User to Leading Computer Publications. Whether you read *PC Magazine*, "MultiLink® Advanced delivers on...convenience, speed, and flexibility," or *InfoWorld*, "If you want a low-cost multiuser system with up to eight terminals, MultiLink® Advanced is worth a serious look," it becomes clear that MultiLink® Advanced is a formidable contender in the multi-user marketplace.

See What MultiLink® Can Mean to You. Learn, firsthand, how our multi-user system can benefit your company. Call The Software Link TODAY for complete information and the authorized dealer nearest you. MultiLink® Advanced is $595 and comes with a money-back guarantee.

MultiLink® is a registered trademark of The Software Link, Inc. MultiLink® Advanced & PC-Shadow™ are trademarks of The Software Link, Inc. IBM PC, XT, AT, PC-DOS, Token Ring, & NETBIOS are trademarks of IBM Corp. WordStar, dBASE III, Multimate, Lotus 1-2-3 & Symphony are trademarks of MicroPro, Ashton-Tate, Multimate International, & Lotus Development Corp., respectively.

MultiLink®
ADVANCED



THE SOFTWARE LINK, INC.
8601 Dunwoody Place, Suite 632, Atlanta, GA 30338 Telex 4996147 SWLINK
CALL: 404/998-0700

Dealer Inquiries Invited

THE SOFTWARE LINK, INC./CANADA
250 Cochrane Drive, Suite 12 Markham, Ontario L3R 6B7
CALL: 416/477-5480

CIRCLE NO. 196 ON READER SERVICE CARD



In celebration of the season...

We'd like to wish everyone a warm Season's Greetings and thank our customers for their valued support.

We're celebrating the holiday season by offering some great products at fantastic savings through the end of this year – our holiday gift to you.

As a Programmer's Connection customer, you'll be treated to the finest service possible. We understand the importance of the personal touch and we'll make your buying experience a pleasant and rewarding one.

It's our dedication to quality service and low prices that sets us apart from the other dealers in this industry. So make the connection today and discover the difference for yourself. You'll be glad you did.

Please refer to our product list on the next two pages for price information.

Buy any supported C, FORTRAN or Pascal compiler at our regular price and get **MetaWINDOWS** or **MetaWINDOWS/Plus** by MetaGraphics for **50% off** the retail price.

Buy **Turbo PASCAL** at our regular price of **$65** and get **MetaWINDOWS** or **TurboWINDOW** by MetaGraphics for **50% off** the retail price.

Buy **Microsoft FORTRAN** or **RM/FORTRAN** at our regular price and get any **Alpha Computer Service product(s)** for **50% off** the retail price.

Special Introduction

TurboSmith by Visual Age

Feature-packed, multi-window debugging power "animates" your Turbo PASCAL source programs!

List $58 **Ours $45**

Buy **Turbo PASCAL** at our regular price of **$65** and get **TurboSmith** by Visual Age at **50% off** the retail price for only **$29.**

MICROSOFT SALE

	List	Ours	Sale
Microsoft BASIC Interpreter *for XENIX*	350	239	219
Microsoft C *with CodeView*	450	288	268
Microsoft COBOL Compiler	700	445	419
for XENIX	995	639	599
Microsoft COBOL Tools *with Debugger*	350	208	199
for XENIX	450	319	289
Microsoft FORTRAN Compiler	350	208	199
for XENIX	695	445	429
Microsoft Learning DOS	50	39	35
Microsoft LISP *Common LISP*	250	175	159
Microsoft MACH 10 *Bundled Package New*	549	389	379
Microsoft MACH 10 *Board New*	399	289	279
Microsoft Macro Assembler	150	98	89
Microsoft Mouse *Bus Version*	175	139	119
Microsoft Mouse *Serial Version*	195	149	129
Microsoft muMath *Includes muSIMP*	300	189	179
Microsoft Pascal Compiler	300	189	179
for XENIX	695	445	429
Microsoft QuickBASIC	99	75	59
Microsoft Sort	195	139	129
Microsoft Windows	99	68	59
Microsoft Windows Development Kit	500	329	299

PHOENIX SALE

Pasm86 *Macro Assembler*	195	129	109
Pdisk *Hard Disk & Backup Utility*	195	129	109
Pfantasy Pac *Phoenix Combo*	1295	879	829
Pfinish *Performance Analyzer*	395	239	219
Pfix-86 Plus *Symbolic Debugger*	395	239	219
PforCe *Comprehensive C Library*	395	239	219
Plink-86 Plus *Overlay Linker*	495	329	299
Pmaker *Make Utility*	125	89	79
Pmate *Macro Text Editor*	195	119	109
Pre-C *Lint Utility*	295	159	149
Ptel *Binary File Transfer Program*	195	119	109

Sale prices and special offers are available until 12/31/86.

CIRCLE NO. 175 ON READER SERVICE CARD

Programmer's Connection Advantages

- IBM personal computer specialists since 1984.
- Low Prices.
- No membership fees.
- Most products in stock for fast delivery.
- FREE UPS Shipping to U.S. customers.
- No rush fees for express shipping.
- No extra charges for credit cards, CODs and POs.
- Credit card is charged when the order is shipped.
- Knowledgeable, non-commissioned salespeople.
- Sound, unbiased advice.
- FREE product literature.
- 30-day guarantees and evaluation periods.

PROGRAMMER'S CONNECTION — QUALITY INTEGRITY Service SUPPORT PRICE

Happy Holidays

apl language

APL*PLUS/PC *by STSC*	New Version	595	449
APL*PLUS/PC Spreadsheet Mgr *by STSC*		195	139
APL*PLUS/PC Tools Vol 1 *by STSC*		295	199
APL*PLUS/PC Tools Vol 2 *by STSC*		85	59
APL*PLUS/UNX *For AT XENIX by STSC*		995	695
Btrieve *ISAM File Mgr by SoftCraft*		250	194
Financial/Statistical Library *by STSC*		275	195
Pocket APL *by STSC*		95	69
STATGRAPHICS *by STSC*		795	599

arity products

Arity Combination Package	New	1225	1139
Expert System Development Pkg		295	259
File Interchange Toolkit		50	45
PROLOG Compiler & Interpreter		795	699
Screen Design Toolkit		50	45
SQL Development Package		295	259
Arity PROLOG Interpreter		350	309
Arity Standard Prolog		95	79

artificial intelligence

APES *by Prog Logic Sys*		395	339
APT *from Solution Systems*	New	65	CALL
AutoIntelligence *by IntelligenceWare*	New	990	CALL
ESP ADVISOR *by Expert Systems Intl*		895	839
PROLOG-2 Interface		395	369
ExpertEDGE Advanced *by Human Edge*	New	2500	CALL
ExpertEDGE Professional *by Human Edge*	New	5000	CALL
Experteach II *by IntelligenceWare*		475	379
EXSYS *Development Software by EXSYS*		395	319
First Class *by Human Edge*		495	399
GCLISP *Golden Common LISP by Gold Hill*		495	CALL
GCLISP 286 Developer *by Gold Hill*		1190	CALL
Insight 1 *by Level Five Research*		95	75
Insight 2+ *by Level Five Research*		485	379
Intelligence/Compiler *IntelligenceWare*		990	749
Logic-Line Series 1 *by Thunderstone*		90	85
Logic-Line Series 2 *by Thunderstone*		125	115
Logic-Line Series 3 *by Thunderstone*		150	139
LPA microPROLOG *by Prog Logic Sys*		99	89
with APES		149	129
LPA Professional microPROLOG		395	339
with APES		650	569
Compiler / Interpreter	New	495	CALL
◆Microsoft LISP *Common LISP*	Sale	250	159
PC Scheme *by Texas Instruments*	New	95	85
Personal Consultant Easy *by TI*	New	495	439
Personal Consultant Plus *by TI*	New	2950	2599
Personal Consultant Runtime	New	CALL	CALL
PROLOG-2 Interpreter *by ESI*		450	419
PROLOG-2 Interpreter and Compiler		895	839
QNIAL *by NIAL Systems*		375	349
TransLISP *from Solution Systems*	New	95	CALL
Turbo PROLOG Compiler *by Borland Intl*		100	75

assembly language

386 ASM/LINK *Cross Asm by Phar Lap*		495	CALL
8088 Assembler *by 2500 AD*		100	89
ASMLIB *Function Library by BC Assoc*		149	129
asmTREE *B-Tree Dev System by BC Assoc*	New	395	339
Cross Assemblers *Various 2500 AD*		CALL	CALL
◆Microsoft Macro Assembler	Sale	150	89
Norton Utilities *by Peter Norton*		100	69
Turbo EDITASM *by Speedware*		99	84
UniWare Cross Assemblers *Various*	New	295	CALL
Visible Computer: 8088 *Software Masters*		80	65

basic language

BetterBASIC *by Summit Software*		200	129
8087 Math Support		99	75
Btrieve Interface		99	75
C Interface		99	75
Run-time Module		250	169
EXIM Services Toolkit *by EXIM*	New	CALL	CALL
Finally *by Komputerwerks*	New	99	85
Inside Track *from Micro Help*		65	55
MACH 2 *by Micro Help*		75	65
◆Microsoft QuickBASIC	Sale	99	59
Peeks 'n Pokes *from MicroHelp*		45	39
Professional BASIC *by Morgan*		99	75
8087 Math Support		50	42
Stay-Res *by MicroHelp*	New	95	85
True Basic *w/BASICA Converter*	New Version	200	105
True Basic *w/Converter & Run-time*		295	199
Advanced String Library		50	45
Asynch Communication Support		50	45
BASICA Converter		50	45
Btrieve Interface		50	45
Developer's Toolkit		50	45
Formlib		50	45
Hercules Graphic Support		50	45
Run-time Module		150	109
Sorting & Searching		50	45

blaise products

ASYNCH MANAGER *Specify C or Pascal*		175	135
C TOOLS		125	99
C TOOLS 2		100	79
C TOOLS PLUS		175	135
EXEC *Program Chainer*		95	75
PASCAL TOOLS		125	99
PASCAL TOOLS 2		100	79
PASCAL TOOLS & PASCAL TOOLS 2		175	135
RUNOFF *Text Formatter*		50	45
TURBO ASYNCH PLUS		100	83
TURBO POWER TOOLS PLUS		100	83
VIEW MANAGER *Specify C or Pascal*		275	199

borland products

REFLEX *Data Base System*		150	99
REFLEX Workshop		70	48
REFLEX & REFLEX Workshop		200	129
Turbo DATABASE TOOLBOX		70	48
Turbo EDITOR TOOLBOX		70	48
Turbo GAMEWORKS TOOLBOX		70	48
Turbo GRAPHIX TOOLBOX		70	48
Turbo LIGHTNING		100	65
◆Turbo PASCAL *with 8087 and BCD*		100	65
Turbo Prolog Compiler		100	65
Turbo TUTOR *for Turbo PASCAL*		40	28
Word Wizard		70	48
Word Wizard and Turbo Lightning		150	99



c++

C++ *from Guidelines*	New	195	179

c compilers

C-86 *by Computer Innovations*		395	279
Datalight C Compiler *Small Model*		60	49
Datalight Developer Kit *w/Large Model*		99	79
DeSmet C *w/Debugger*		159	145
DeSmet C *w/Debugger & Large Case*		209	193
Eco-C *Development System by Ecosoft*		125	89
Lattice C Compiler *from Lattice*		500	294
Mark Williams Let's C		75	58
with csd *Source Debugger*		150	109
Mark Williams MWC-86		495	289
◆Microsoft C *with CodeView*	Sale	450	268
UniWare 68000/10/20 Cross Compiler	New	595	CALL
Wizard C Combo *by Wizard Systems*	New	750	599
Wizard C Compiler		450	359
ROM Development Pkg	New	350	299

c interpreters

C-terp *by Gimpel, Specify compiler*		300	235
C Trainer *with Software by Catalytix*		122	CALL
Instant C *by Rational Systems*		500	CALL
Introducing C *by Computer Innovations*		125	104
Run/C *from Lifeboat*		150	89
Run/C Professional *from Lifeboat*		250	169

c utilities

APT *by Shaw American Technology*		395	299
Basic C Library *by C Source*		175	129
C Essentials *by Essential Software*		100	CALL
C-ISAM *by Informix*		225	195
C to dBase *by Computer Innovations*		150	135
c-tree *ISAM File Manager by FairCom*		395	329
r-tree *Report Generator*	New	295	249
c-tree & r-tree Combo Package	New	650	529
C Utility Library *Essential*	New Version	185	135
C Windows *by Syscom*		100	89
C Wings *by Syscom*		50	45
CI ROMPac *by Computer Innovations*		195	139
dbQUERY *by Raima*		195	155
dbVISTA *Single-User DBMS by Raima*		195	155
with Source Code		495	425
dbVISTA *Multi-User DBMS by Raima*		495	425
with Source Code		990	845
dBx *dBase/C Translator by Desktop AI*		350	325
Entelekon Combo Package		200	169
C Function Library		130	109
C Windows		130	109
Superfonts for C		50	43
Essential Comm Library *with Debugger*	New	250	195
Breakout Debugger *Any language*	New	125	99
Essential Comm Library	New	185	135
Essential Graphics *by Essential Software*		250	195
Flash-up Windows *by Software Bottling*		90	79
GraphiC *Mono v2.2 by Sci Endeavors*		280	209
GraphiC *Color v3.0 by Sci Endeavors*		350	289
GRAFLIB *by The Librarian*		175	CALL
Greenleaf Comm Library *by Greenleaf*		185	134
Greenleaf Data Windows *by Greenleaf*	New	225	189
with Source Code	New	395	329
Greenleaf Functions *by Greenleaf*		185	134
The HAMMER *by OES Systems*		195	149
HALO *by Media Cybernetics*		300	209
HELP/Control *by MDS*		125	109
◆MetaWINDOWS *No Royalties*		185	115
MetaFONTS		80	58
◆MetaWINDOWS/Plus *by Metagraphics*		235	189
MetaFONTS/Plus		235	189
On-line Help *from Opt-Tech Data Proc*		149	109
PANEL *by Roundhill Computer Systems*		295	224
PC Lint *by Gimpel Software*		139	105
PLOTHI *by The Librarian*		175	CALL
PLOTHP *by The Librarian*		175	CALL
Sci Subroutine Library *by Peerless*		175	139
Vector87 *by Vectorplex Data Systems*	New	120	109
Vitamin C *by Creative Programming*		150	135
VC Screen *Forms Designer*		100	84
Zview *by Data Management Consultants*		245	189

cobol language

Micro Focus COBOL Workbench		4000	3379
Micro Focus Level II COBOL		1500	549
COGRAPHICS		250	199
COMATH		200	159
FORMS-2		300	259
Level II Animator		900	349
Level II SOURCEWRITER		2000	CALL
Micro Focus Level II COBOL *for Novell*		2000	1699
Micro Focus Micro/SPF		175	149
Micro Focus Professional COBOL		3000	2295
Multi-user Runtime *for PC Network*		500	429
◆Microsoft COBOL	Sale	700	419
◆Microsoft COBOL Tools *w/Debugger*	Sale	350	199
Realia COBOL	New Version	995	785
RM/COBOL *by Ryan-McFarland*		950	639
RM/COBOL 8X *ANSI 85 by Ryan-McFarland*		1250	895

debuggers & profilers

386 DEBUG *Cross Debugger by Phar Lap*		175	139
Advanced Trace-86 *by Morgan Computing*		175	125
CI Probe *by Computer Innovations*		225	189
Codesifter *Profiler by David Smith*		119	98
Codesmith-86 *by Visual Age*		145	108
DSD86 *by Soft Advances*		70	65
DSD87 *by Soft Advances*		100	89
Periscope I *by Data Base Decisions*		295	245
Periscope II *w/NMI Breakout Switch*		145	109
Periscope II-X *Software only*		115	84
The PROFILER *with Source Code by DWB*		125	94
The WATCHER *Profiler by Stony Brook*		60	55

forth language

CFORTH *Native Code Compiler by LMI*		300	239
Forth/83 Metacompiler *Specify Target*		750	599
PC/Forth *by Laboratory Microsystems*		150	119
PC/Forth+ *by Laboratory Microsystems*		250	209
Advanced Color Graphics Support		100	79
Enhanced Graphics Support		200	159
Intel 8087 Support		100	79
Interactive Symbolic Debugger		100	79
Native Code Optimizer		200	159
PCTERM *Modem Pgm for Smartmodem*		100	79
Software Floating Point		100	79
UR/Forth *by Laboratory Microsystems*	New	350	279
Object Module Libraries	New	500	395
Source Code License	New	1500	995

fortran language

50 MORE: FORTRAN *by Peerless Engr*		125	99
◆ACS Time Series *Alpha Computer Service*		495	419
Btrieve *ISAM File Mgr by SoftCraft*		250	194
Essential Graphics *by Essential Software*		250	195
◆For-Winds *Alpha Computer Service*		90	78
◆Forlib-Plus *Alpha Computer Service*		70	54
FORTLIB *by The Librarian*		95	CALL
FORTRAN Addenda *by Impulse Engr*		95	89
FORTRAN Addendum *by Impulse Engr*		165	149
GRAFLIB *by The Librarian*		175	CALL
HALO *by Media Cybernetics*		300	209
I/O PRO *w/No Limit Library by MEF*		390	349
Microcompatibles Combo Package		240	219
Grafmatic		135	119
Plotmatic		135	119
◆Microsoft FORTRAN	Sale	350	199
No Limit *by MEF Environmental*		129	115
PANEL *Screen Designer by Roundhill*		295	224
PLOTHI *by The Librarian*		175	CALL
PLOTHP *by The Librarian*		175	CALL
◆RM/FORTRAN *Ryan-McFarland*		595	389
Sci Subroutine Library *by Peerless*		175	138
◆Statistician *Alpha Computer Service*		295	249
◆Strings & Things *Alpha Computer Service*		70	54
Vector87 *by Vectorplex Data Systems*	New	120	109

gss products

GSS Graphics Development Toolkit		495	375
GSS Kernel System *for DOS*		495	375
GSS Kernel System *for IBM RT*		795	649
GSS Metafile Interpreter		295	239
GSS Plotting System		495	375
GSS SOLUTIONS Chart		295	239
GSS SOLUTIONS Plottalk		295	239
GSS SOLUTIONS Terminal		295	239

lattice products

Lattice C Compiler *from Lattice*		500	294
with Library Source Code		900	545
C Cross Reference Generator		50	39
with Source Code		200	149
C-Food Smorgasbord *Function Library*		150	98
with Source Code		300	188

◆◆◆◆◆◆◆◆ **These products have sale prices or special offers that are available until 12/31/86. Turn to the first page of this ad for more information.**

C-Sprite *Source Level Debugger*		175	138
Curses *Screen Manager*		125	94
with Source Code		250	184
dBC *dBase File Manager for C*		250	189
with Source Code		500	378
LMK *Make Facility*		195	145
RPG II Compiler *No Royalties*		750	635
RPG II Combo *with SEU & Sort/Merge*	*New*	1100	939
SecretDisk *File Encryption Utility*		120	94
SideTalk *Resident Communications*		120	94
Text Management Utilities		120	94
TopView Toolbasket *Function Library*		250	189
with Source Code		500	378
Z-80 C Cross Compiler		500	378
with Library Source Code		1000	749

logitech products

LOGIMOUSE C7 *Mouse Hardware*		99	85
with PLUS Pkg		119	99
with PLUS Pkg & PC Paintbrush		169	145
with PLUS Pkg & CAD Software		189	159
with PLUS Pkg & CAD & Paint	*New*	219	189
MODULA-2/86 Holiday Package	*New*	199	159
MODULA-2/86 Compiler		89	63
MODULA-2/86 with 8087 Support		129	103
MODULA-2/86 with PLUS Pkg		189	147
Library Sources		99	89
Make Utility		29	27
ROM Package		199	179
Run Time Debugger		69	59
Turbo to Modula Translator		49	45
Utilities Package		49	45
Window Package		49	45
REPERTOIRE *for MODULA-2/86 by PMI*	*New*	89	79

microport products

System V/AT *by Microport Systems*	*New*	440	395
RUNTIME SYSTEM *(Operating Sys)*	*New*	160	145
SOFTWARE DEVELOPMENT SYSTEM	*New*	170	155
TEXT PREPARATION SYSTEM	*New*	170	155
USER UPGRADE *3 to 8 Users*	*New*	100	85

microsoft products

◆**Microsoft BASIC** *for XENIX*	*Sale*	350	219
◆**Microsoft C** *with CodeView*	*Sale*	450	268
◆**Microsoft COBOL Compiler**	*Sale*	700	419
◆ *for XENIX*	*Sale*	995	599
◆**Microsoft COBOL Tools** *with Debugger*	*Sale*	350	199
◆ *for XENIX*	*Sale*	450	289
◆**Microsoft FORTRAN Compiler**	*Sale*	350	199
◆ *for XENIX*	*Sale*	695	429
◆**Microsoft Learning DOS**	*Sale*	50	35
◆**Microsoft LISP** *Common LISP*	*Sale*	250	159
◆**Microsoft MACH 10** *Bundled Pkg*	*Sale*	549	379
◆**Microsoft MACH 10** *Board*	*Sale*	399	279
◆**Microsoft Macro Assembler**	*Sale*	150	89
◆**Microsoft Mouse** *Bus Version*	*Sale*	175	119
◆**Microsoft Mouse** *Serial Version*	*Sale*	195	129
◆**Microsoft muMath** *Includes muSIMP*	*Sale*	300	179
◆**Microsoft Pascal Compiler**	*Sale*	300	179
◆ *for XENIX*	*Sale*	695	429
◆**Microsoft QuickBASIC**	*Sale*	99	59
◆**Microsoft Sort**	*Sale*	195	129
◆**Microsoft Windows**	*Sale*	99	59
◆**Microsoft Windows Development Kit**	*Sale*	500	299

other languages

CCS MUMPS *Single-User by MGlobal*		60	55
CCS MUMPS *Multi-User by MGlobal*		450	379
Janus/ADA C Pack *by R&R Software*		95	89
Janus/ADA D Pack *by R&R Software*		900	795
Methods *Smalltalk by Digitalk*		79	68
Personal REXX *by Mansfield Software*		125	109
Smalltalk/V *by Digitalk*		99	88
Smalltalk/Comm	*New*	49	45
SNOBOL4+ *by Catspaw*		95	84

other products

Dan Bricklin's Demo Pgm *Software Garden*		75	59
FASTBACK *by 5th Generation Systems*		179	149
Informix *for DOS by Informix*		795	639
Informix4GL *for DOS by Informix*		995	799
InformixSQL *for DOS by Informix*		795	639
Instant Replay *by Nostradamus*	*New*	90	79
Interactive EASYFLOW *by Haventree*		150	129
MKS Toolkit *with vi by MKS*		139	119
Norton Commander *by Peter Norton*	*New*	75	55
OPT-Tech Sort *by Opt-Tech Data Proc*		149	115
PrintQ *by Software Directions*		89	84
Quilt Computing Combo Package		199	169
QMake *Program Rebuild Utility*		99	84
SRMS *Software Revision Mgmt Sys*		125	109
screenplay *all varieties by Flexus*	*New*	CALL	CALL
SoftScreen/HELP *by Dialectic Systems*	*New*	195	149
Source Print *by Aldebaran Labs*		139	115

LOWEST PRICES

Since this ad is prepared in advance of publication, some of our current prices may be lower than what's advertised here. Call for latest pricing.

FREE SHIPPING

Orders within the USA (including Alaska Hawaii) are shipped FREE via UPS. Express shipping is available at the shipping carrier's standard rate with no rush fees or handling charges. To avoid delays when ordering by mail, please call first to determine the exact cost of express shipping.

CREDIT CARDS

VISA and MasterCard are accepted at no extra cost. Your card is charged when your order is shipped. Mail orders please include credit card expiration date and telephone number.

CODs AND POs

CODs and Purchase Orders are accepted at no extra cost. POs with net 30-day terms are available to qualified US accounts only.

FOREIGN ORDERS

Shipping charges for foreign and Canadian orders are based on the shipping carrier's standard rate. Since rates vary between carriers, please call or write for the exact cost. Foreign orders (except Canada), please include an additional $10 for customs form preparation. All payments must be made with US funds drawn on a US bank. Please include your telephone number when ordering by mail. Due to government regulations, we cannot ship to all countries.

VOLUME ORDERS

Call for special pricing.

SOUND ADVICE

Our knowledgeable technical staff can compare products, answer technical questions and send you detailed product information tailored to your needs.

30-DAY GUARANTEE

Most of our products come with a 30-day return guarantee or a 30-day evaluation period. Please note that some products are restricted by their manufacturers from this guarantee. Call for more information.

CALL TOLL FREE

US	800-336-1166
CANADA	800-225-1166
OHIO	216-877-3781
CUSTOMER SERVICE	216-877-1110

Hours: Weekdays 8:30 AM to 8:00 PM EST.
Ohio customers please add 5% state sales tax.
Call or write for our FREE comprehensive price guide.
Prices are subject to change without notice.

136 SUNNYSIDE ST. HARTVILLE, OHIO 44632

Taskview *by Sunny Hill Software*		80	65
TLIB *by Burton Systems Software*	*New*	100	89
VTEK *Term Emulator by Sci Endeavors*	*New*	150	129

phoenix products

◆**Pasm86** *Macro Assembler*	*Sale*	195	109
◆**Pdisk** *Hard Disk & Backup Utility*	*Sale*	195	109
◆**Pfantasy Pac** *Phoenix Combo*	*Sale*	1295	829
◆**Pfinish** *Performance Analyzer*	*Sale*	395	219
◆**Pfix-86 Plus** *Symbolic Debugger*	*Sale*	395	219
◆**PforCe** *Comprehensive C Library*	*Sale*	395	219
◆**Plink-86 Plus** *Overlay Linker*	*Sale*	495	299
◆**Pmaker** *Make Utility*	*Sale*	125	79
◆**Pmate** *Macro Text Editor*	*Sale*	195	109
◆**Pre-C** *Lint Utility*	*Sale*	295	149
◆**Ptel** *Binary File Transfer Program*	*Sale*	195	109

polytron products

PolyBoost *The Software Accelerator*	*New*	80	69
Polytron C Beautifier		49	45
Polytron C Library I		99	78
Polytron PowerCom *Communications*		179	139
PolyLibrarian *Library Manager*		99	78
PolyLibrarian II *Library Manager*		149	115
PolyMake *UNIX-like Make Facility*		99	78
PolyWindows Products *All Varieties*		CALL	CALL
PolyXREF *Complete Cross Ref Utility*		219	179
PolyXREF *One language only*		129	109
PVCS *Version Control System*		395	325

softcraft products

Btrieve *ISAM Mgr with No Royalties*		250	194
Xtrieve *Query Utility*	*New Version*	245	CALL
Rtrieve Report Option	*New Version*	145	CALL
Btrieve/N *for Networks*		595	464
Xtrieve/N	*New Version*	595	CALL
Rtrieve/N Report Option	*New Version*	345	CALL

text editors

Brief *from Solution Systems*		195	CALL
Epsilon *Emacs-like editor by Lugaru*		195	159
KEDIT *by Mansfield Software*		125	105
PC/VI *by Custom Software Systems*		149	129
SPF/PC *by Command Technology Corp*		195	149
Vedit *by CompuView*		150	109
Vedit Plus *by CompuView*		185	139

turbo pascal utilities

ALICE *Interpreter by Software Channels*		95	68
Btrieve *ISAM File Mgr*	*See SoftCraft*	250	194
FirsTime for Turbo *by Spruce Tech*		75	59
Flash-up Windows *by Software Bottling*		90	79
HELP/Control *by MDS*		125	109
On-line Help *from Opt-Tech Data Proc*		149	109
Report Builder *by Royal American*	*New*	75	CALL
Screen Sculptor *by Software Bottling*		125	94
System Builder *by Royal American*	*New*	100	CALL
TDebugPLUS *by TurboPower Software*		60	53
Turbo EXTENDER *by TurboPower Software*		85	68
Turbo Professional *by Sunny Hill*		70	49
TurboHALO *from IMSI*		129	99
TurboPower Utilities *by TurboPower*		95	84
TurboRef *by Gracon Services*		50	45
◆**TurboSmith** *Visual Age Debugger*		58	45
◆**TurboWINDOW** *by MetaGraphics*		80	65

wendin products

Operating System Toolbox		99	84
PCUNIX *Operating system*		99	84
PCVMS *Similar to VAX/VMS*		99	79
XTC *Text editor with Pascal source*		99	79

xenix system v

See also Microport System V/AT section.

XENIX System V Complete System *by SCO*		1295	999
XENIX Development System		595	499
XENIX Operating Sys *Specify XT/AT*		595	499
XENIX Text Processing Package		195	149

xenix products

APL*PLUS/UNX *For AT XENIX by STSC*		995	695
Btrieve *ISAM File Mgr by SoftCraft*		595	464
C-ISAM *by Informix*		319	285
c-tree *ISAM Mgr w/Source by FairCom*		395	329
dBx *dBase/C Translator by Desktop AI*		550	499
dbVISTA *Single or Multi User by Raima*		CALL	CALL
Informix *by Informix*		995	795
Informix4GL *by Informix*		1500	1199
InformixSQL *by Informix*		995	795
Lyrix *by Informix*		595	449
Micro Focus Level II Compact COBOL		1000	795
Forms-2		400	319
Level II ANIMATOR		600	479
◆**Microsoft Languages**		CALL	CALL
Networks for XENIX *by SCO*		595	495
PANEL *Screen Designer by Roundhill*		750	549
RM/COBOL *by Ryan-McFarland*		1250	949
◆**RM/FORTRAN** *by Ryan-McFarland*		750	549
SCO Professional *Lotus clone by SCO*		795	595

programmer's connection

CIRCLE NO. 175 ON READER SERVICE CARD

IBM's new 2,400 bps PC Modems give you an easy choice:

Either

Stand-alone.
The IBM 5842
2,400 bps Modem.



Either way, you can't go wrong.


With IBM's new modems and a personal computer you can tap into information at a very impressive 2,400 bits per second (bps).

That translates into a binary file transfer speed of nearly 13 K characters per minute—or over six pages worth. Now imagine the impact that can have on your long distance telephone bill.

But these new modems aren't just fast, they're also versatile. They can both send and receive data asynchronously at speeds ranging from 2,400 bps down to 75 bps.

Both modems are compatible with the popular "AT" command set, as well as the IBM command set. And they have been tested for compatibility with leading PC communications software such as Crosstalk™ XVI, Microsoft® Access, Kermit, Smartcom® and Smartcom II®.

or




The Automatic Modems

These modems feature Automatic Adaptive Equalization at 2,400 and 1,200 bps—which means they will continuously fine-tune themselves to compensate for changes and noises on the telephone line. The result is, you can receive data over a wider range of telephone line conditions.

Both modems also feature automatic or manual answering and dialing. They'll automatically switch to pulse dialing if tone dialing doesn't work. They have automatic redialing. And once a connection is made, automatic speed detection. They also have automatic detection of a voice or a failed call.

A Modem with a Memory of Its Own

The stand-alone IBM 5842 2,400 bps Modem offers some additional features. It can also send and receive data synchronously at speeds of 2,400 bps or 1,200 bps. You'll find extensive "Help" menus. A dial directory for 20 phone numbers. A log-on directory for five log-on sequences. A built-in pattern generator for self testing. Diagnostics implemented from the front panel as well as from the computer keyboard. And a complete array of LED Status Indicators to give you a quick visual check on what's happening.



Internal. The IBM Personal Computer 2,400 bps Modem.

Which One Is for You?

The internal IBM Personal Computer 2,400 bps Modem is designed to occupy a half slot in the IBM PC, XT, AT and 3270 PC.

The stand-alone IBM 5842 2,400 bps Modem is compatible with all models of IBM Personal Computers. And, in addition to the features mentioned above and its internal power supply, the significant difference is that a stand-alone modem can be moved from PC to PC more easily than an internal modem.

If you feel that 2,400 bps is more modem than you need, we also offer the stand-alone IBM 5841 1,200 bps Modem, and the internal IBM Personal Computer 1,200 bps Modem.

For the Authorized IBM PC Dealer nearest you—or for free literature on the IBM family of PC Modems—call 1 800 IBM-2468, Ext. 936/EM. Or you can contact your IBM marketing representative.

IBM®

Crosstalk is a trademark of Microstuff, Inc. Microsoft is a registered trademark of Microsoft Corp. Smartcom and Smartcom II are registered trademarks of Hayes Microcomputer Products, Inc.

CIRCLE NO. 172 ON READER SERVICE CARD

THE PROGRAMMER'S SHOP™

31 Day RISK-FREE TRIAL on any product in this ad.

C Programmers: 7 Ways to Increase Productivity

Flexible Screen Development with SECURITY CHECKING and HELP SCREENS:
ZVIEW Screen Library

Use this field-sensitive tool to develop data entry screens and windows and provide run-time flexibility. Security level settings restrict inquiry or update of fields; multiple screen help display is available at screen and field level. You can also customize ZVIEW's operation and make any field characteristic change during execution.

ZVIEW gives you full control of attributes, colors, boxes, protected fields, scrolling, and more. Load screens from memory for fast response. Field support includes alpha, numeric, or alphanumeric data types, case conversion, range checking, and field comparison, and ZVIEW provides automatic data conversion to and from ASCII screen format. For Microsoft C, Lattice 3.0, and Aztec 3.2e. Supports EGA, color, and monochrome displays.

PCDOS $219

C DYNAMO! WINDOWING: Full C Source, No Royalties
POWER WINDOWS AND C FUNCTION LIBRARY

Power Windows covers all the bases: overlays, borders, 1-2-3 style or pop-up menus/help windows, zap instantly on/off screen, status lines, horizontal/vertical scrolling, color control or highlighting, word-wrap, files to windows, keyboard to windows. Powerful, easy to use, integrated error messages, thorough documentation. Supports IBM monochrome or color.

MSDOS Only $119

C Function Library - includes 325 fundamental functions with readable source and thorough documentation.

MSDOS Only $119

No matter what you have, you need these. Best value available. Highly recommended!

Fast, Full Compiler: Only $85
Datalight C Developer's Kit

In a broad series of benchmarks Datalight C compile times were 2-2½ times faster than Microsoft C. Code speed was the fastest in some cases and very good overall.

Datalight C is an impressive, low-cost K & R compiler with UNIX and ANSII extensions and UNIX-like tools. Generates fast compact code, features compatibility with Lattice C and fully supports the 8087 and software floating point.

Includes tools (like diff, fgrep, cat, etc.) and full MAKE program. Supports small, compact (64K total), and large models, offers excellent diagnostics and fast I/O. A very full package for the price!

"Datalight not only stole the compile time show completely, but had the fastest Fibonacci executable time and excellent object file sizes to boot."
— Christopher Skelly
COMPUTER LANGUAGE

Datalight **PCDOS $85**

Fast Source Debugger/Interpreter Plus 100% Compiler Compatibility
Interactive C™

Full K&R standard interpreter with integrated full-screen editor and source debugger speeds execute-edit-resume cycle and features 100% compatibility with Lattice and Microsoft compilers (even header files). Link in external libraries; no source code modifications are necessary.

Why get only a limited debugger when you can get full source debugging with an interactive interpreter? Unlimited breakpoints, variety of stepping modes, direct execution mode (evaluate expressions, modify variables, invoke functions), run-time error reporting by line and column, continue from error without re-executing from start. 8087/287 support, and even allows display of program and debugger output on separate monitors. Lattice 2.x and 3.0, Microsoft 3.0 and 4.0.

PCDOS $225

NEW Blaise Tools Are Better Than Ever
C Tools Plus

Free yourself for more creative programming; stop worrying about hardware dependence. Handle everything from co-resident software requirements to multiple display pages and monitors with C Tools Plus. Filter interrupts so that other resident programs still work. 200+ well-documented functions control screen handling (direct to video adapter or BIOS calls, EGA text mode support including 43 line and multiple display pages — even handle multiple monitors), an unlimited number of pop-up, stackable windows with word-wrap, interrupt service routines, DOS directory and file handling, memory management and program control, string functions, and more. Source, no royalties. Lattice 3.0, MS C.

◆ BLAISE COMPUTING INC. **PCDOS $149**

Quickly Prototype User Interface and Incorporate Screens
with Skylights

Use Skylights to quickly design interactive prototypes, then include screens you develop in your finished application code; design demos or tutorials; even use with other languages (BASIC, Pascal, Assembly) through related DOS-resident interface utility.

Skylights combines an intuitive screen/window/menu editor, run-time windowing, menu handling, and front-end support routines, and "Demo/Tutorial Maker" program plus detailed low-level primitives. Supports a variety of pointing devices (mice, tablets, lightpens) and allows more than one to be active at a time. Support for Lattice, Microsoft, Datalight, CI C86, MWC, Desmet, Aztec, and Wizard. Bit-mapped graphics upgrade available. No royalties.

Skylight Software, Inc. **PCDOS $359**

FORTRAN -- >C
Keep Your FORTRAN Investment and Gain Hand-Coded Quality with FORTRIX-C+

Rapitech's translation package is a shining example of translation technology at its best. Programmers on VAX, Fortune, Sun and other systems already know that FORTRIX-C+ produces standard K&R C from Fortran-77 code. It handles IMPLICIT, COMMON, and EQUIVALENCE statements, typically (for I/O-bound programs) runs 15-30% faster and produces 35% smaller load modules. Benchmarks show that FORTRIX-C+ code and hand-coded FORTRAN source run at equivalent speeds overall.

Now PC users are finding out that Ryan-McFarland, IBM, or any other FORTRAN-77 standard implementation can be used with equal success. Generate Lattice 3.0-compatible code that preserves internal documentation including variable names, statement labels, and comments. Code can easily be modified to work woth other compilers. Not only that, but all necessary run-time routines are supplied in object and source form, so the resulting code is portable!

In a typical translation, 98% of the lines are problem-free; modification is usually only necessary to handle non-standard FORTRAN input or special I/O features. Keeps data file compatibility. FORTRIX-C+ even allows setting of compiler parameters like case sensitivity, forcing the first pass of DO loops, and many more.

MSDOS. Call our translation specialist for a $1 sample.

Call for a catalog, literature, advice and service you can trust

HOURS
8:30 AM - 8:00 PM EST.

800-421-8006

THE PROGRAMMER'S SHOP™
128-P Rockland Street, Hanover, MA 02339
Mass: 800-442-8070 or 617-826-7531 8/86

"I would like to mention that I appreciate the way that the Programmer's Shop does business. It is indeed refreshing to be able to call and get answers that you can trust in, to questions on various products."

Donald E. Winters
MIS Software Development Inc.

CIRCLE NO. 220 ON READER SERVICE CARD

TECH NOTEBOOK 70

WILLIAM F. POLIK

Large Turbo Pascal Arrays

Using the heap, Turbo Pascal can overcome its 64KB limitation in implementing two-dimensional arrays.

Although Borland's Turbo Pascal is recognized as being one of the most versatile languages for the IBM PC, its major limitation is that it produces .COM files with data segments no larger than 64KB. One standard way of increasing data space is to use the *heap*, which is free memory between the top of the declared data space and the bottom of the stack (and can easily be as large as 400KB on a 640KB system). Data are dynamically allocated onto the heap with the standard procedure **new** and are accessed with pointers, which in Turbo Pascal are addresses pointing to variables on the heap. Using the heap dramatically increases the amount of data space available to a Turbo Pascal program because each pointer requires only four bytes in the data segment to point to a variable that may be as large as 64KB.

Many standard calculations, such as solving a system of linear equations, performing a statistical analysis on a data set, or determining eigenvectors and eigenvalues, are best formulated using two-dimensional arrays. A 64KB data segment limits the size of such matrices to 90-by-90 for 8-byte Turbo-87 Reals, assuming no other variables are required. Using a 400KB heap for data storage would allow the creation of a 223-by-223 matrix without exhausting the 64KB of the data segment available for storing all other variables.


The trick to using the heap for storing a two-dimensional array is to create a one-dimensional array of pointers, each of which points to a row of the matrix (figure 1). Each element of the array is referenced by its row pointer and its column position—that is, A[row,column] becomes A[row]^[column]. The similarity in expression of a static array element to a heap array element results in very readable source code and allows easy recoding of existing routines for larger matrices.

The code implementation of a large two-dimensional array is illustrated in figure 2. The type RowArray is declared to represent each row of the matrix. The variable *A* is an array of pointers, each pointing to a RowArray. Before any array element can be accessed, space must be allocated on the heap at runtime for the matrix. This is conveniently done with a FOR loop. Note that the array elements are not initialized (neither are the usual static array elements declared in the data segment). Array elements stored on the heap may be used in any place where static array elements are allowed.

Using the heap to store arrays allows for the creation of matrices that are limited only by the amount of memory in the computer. The resulting Turbo Pascal code remains quite readable, and existing applications can be easily recoded to handle larger arrays.

William F. Polik is a National Science Foundation predoctoral fellow in the department of Chemistry, University of California, Berkeley. His interests include the use of computers for education in chemistry.

FIGURE 1: *A Matrix on the Heap*



Each pointer points to a one-dimensional array of real numbers, which results in a two-dimensional matrix.

FIGURE 2: *Pascal Implementation*


```
CONST
  MaxCols = 200;            { For a 200x200 matrix }
  MaxRows = 200;

TYPE
  RowArray = Array[1..MaxCols] of Real;

VAR
  A : ARRAY[1..MaxRows] of ^RowArray;
  i : Integer;

BEGIN
..
..
FOR i := 1 TO MaxRows DO    { Must allocate space on heap! }
  New(A[i]);
..
..
A[113]^[42] := 5.38;        { Use matrix elements as usual }
A[75]^[187] := 10.76/A[113]^[42];
WriteLn(A[75]^[187]);
..
..
END.
```

This fragment of a Turbo Pascal program implements a 200-by-200 matrix of real numbers on the heap.



"Before I chose Microsoft C, I spent 6 months evaluating C compilers for my company. Now you can do the same in 2 hours."

Bill Davidsen
Software Engineer
Real Time and Operating Systems

"Call us. You can get Microsoft C or our comprehensive report on C by the day after tomorrow."

Bruce Lynch, President
The Programmer's Shop


The security of thorough research. It took Bill Davidsen six months to thoroughly evaluate all C products before he selected Microsoft C. For him, its tight code and UNIX System V™ compatibility were exactly what he needed. And now Version 4.00 includes CodeView,™ a source-level windowing debugger.

Thanks to expert users like Bill, and The Programmer's Shop, you can enjoy that satisfied feeling of thorough product evaluation in just a few hours.

We recommend evaluating software by also getting detailed information from several different sources, including unbiased reports and reviews. Bill agrees completely.

In fact, he helped us compile the objective opinions of 4 magazines, 14 users and 3 industry analysts in a 16-page report on C: *The C Test*. It can help you be absolutely sure of making the choice that's best for you. And it's absolutely free.

C for yourself. As an objective evaluation by users and professionals alike, *The C Test* is one of the most comprehensive and informative reports currently available on C development tools. *It's only available from The Programmer's Shop. And it's yours free for the asking.* Here's what you'll find in it:



The C Test ▪ Detailed Tech Specs ▪ Benchmark Source Code ▪ Magazine Reviews ▪ Users' Feedback ▪ Performance Benchmarks ▪ User Study and Profiles ▪ Test Drive Survey Results ▪ 37 Compatible Products

And if you're looking for even more C support, Microsoft-compatible libraries for file management, graphics, screen control, object-oriented programming and other tools are ready to ship.

The best programs for less. We think the only way to serve you is to give you the best programming alternatives. The best recommendations for your needs. To deliver immediately. And this is how we do it.

We start by giving you a choice of over 62 programming language implementations and 174 support programs. All from the same source. All competitively priced.

Our informed programmers offer free advice whenever you call with any questions about any product.

And when you place an order, we can rush it to you in 48 hours or less. That's the kind of service and support our 10,000 customers have come to expect.

Because we've become a success by giving the best advice for free and selling the best software for less.

To order Microsoft C ($319) or for your free copy of *The C Test*, simply call the toll-free number below:

1-800-421-8006. In Massachusetts, call 1-800-442-8070.

MICROSOFT® C Compiler Version 4.00

MICROSOFT C COMPILER

- Produces fast executables and optimized code including elimination of common sub-expressions. NEW!
- Implements register variables.
- Small, Medium and Large Memory model libraries.
- Compact and HUGE memory model libraries. NEW!
- Can mix models with NEAR, FAR and the new HUGE pointers.
- Library routines implement most of UNIX System V C library.
- Start-up source code to help create ROMable code. NEW!
- Full proposed ANSI C library support (except clock). NEW!
- Link your C routines with Microsoft FORTRAN (version 3.3 or higher), Microsoft Pascal (version 3.3 or higher) or Microsoft Macro Assembler.
- Microsoft Windows support and MS-DOS 3.1 networking support.

MICROSOFT PROGRAM MAINTENANCE UTILITY. NEW!

- Rebuilds your applications after your source files have changed.
- Supports macro definitions and inference rules.

OTHER UTILITIES.

- Library Manager.
- Overlay Linker.
- EXE File Compression Utility.
- EXE File Header Utility.

MICROSOFT CodeView
WINDOW-ORIENTED SOURCE-LEVEL DEBUGGER. NEW!

- Watch the values of your local and global variables and expressions as you debug.
- Set conditional breakpoints on variables, expressions or memory; trace and single step.
- Watch CPU registers and flags as you execute.
- Debug using your original source code, the resulting disassembly or both intermingled.

Microsoft C comes with a 30-day money-back guarantee from The Programmer's Shop.

UNIX System V is a trademark of AT&T Bell Laboratories.
Microsoft is a registered trademark and CodeView is a trademark of Microsoft Corporation.

THE PROGRAMMER'S SHOP

The programmer's complete source for software, services and answers.

128 Rockland Street, Hanover, MA 02339

CIRCLE NO. 122 ON READER SERVICE CARD

TECH NOTEBOOK 71

ARSEN DARNAY

Reading Locked Files

Two routines allow the user to overcome a Turbo Pascal bug and read locked files.

To lock a file as read-only under DOS, the DOS ATTRIB command can be used:

```
C>attrib +r myfile.txt
```

Using **-r** would unlock the file and using ATTRIB alone would display the attribute of the file on screen.

In Turbo Pascal, a serious bug in the compiled code prevents *reading* of locked files as well as writing to them. Attempting to open a locked file generates I/O Error 01, "File does not exist," even though it does exist.

ROREADER.PAS provides two routines to unlock files and restore the write protection after reading them. DOS function 43H (change file mode) can obtain or set the current attribute. The call is made with AH holding 43H and DS:DX pointing to an ASCII path name terminated by 0H. To *read* the attribute, set AL to 0H, and CX returns the attribute byte. To *write* the attribute, set AL to 1H; CX must hold the desired attribute. For both, the carry flag will be set on error (no file found). AX holds the error code.

Clear_Attribute reads and changes the attribute from within Turbo Pascal. The low bit of the attribute byte, obtained with function call 43H and placed into CX, controls read only status. If the bit is 1, then the file is locked. Clear_Attribute also checks the attribute; if the file is unlocked, it returns after saving the attribute. If the file is locked, the attribute is changed by clearing its low bit and writing it back again. This routine is called before opening the file to avoid an error on trying to open a locked file.

Restore_Attribute is called after file close, restoring the attribute, so that a file that was locked on entry is locked on exit. Clear_Attribute and Restore_Attribute are for *reading* files and should not be used for writing to a file.

Arsen Darnay is a computer consultant and author.

LISTING: ROREADER.PAS

```
PROGRAM ROReader;

Type Regpack = Record Case Integer of
                 1:  (AX,BX,CX,DX,BP,SI,DI,DS,ES,FLAGS:  Integer);
                 2:  (AL,AH,BL,BH,CL,CH,DL,DH         :  Byte);
               End;
String40 = String[40];

Var Target:   Text;
    Fname:    String40;
    F_Attr:   Integer;
    Myfault:  Integer;
    Regs:     Regpack;
    Textline: String40;

{This procedure checks the attribute of a file.  If file is write-
protected, it saves the current attribute of the file and unlocks it.}
procedure clear_attr(Fname : String40);
Var TempName: String40;
BEGIN
     TempName := Fname + Chr(0);        {User's pathname in Fname}
     WITH Regs DO                       {  Cap with 0H for DOS   }
        Begin
           AL := $00; AH := $43;  DS := Seg(TempName);
           DX     := Ofs(TempName) + 1; {Go 1 beyond Length byte}
           F_Attr := 0;                 {Clear our attribute}
           CX     := 0;                 {Clear CX for good measure}
           MsDOS(Regs);
          If (Flags AND $1 <> 0) then Exit;
          F_Attr := CX;                 {Save attribute}
          If Odd(CX) then               {If locked CX will be odd}
             Begin
                AL := $01;              {Set for writing}
                AH := $43;
                CX := CX AND $FE;       {Turn off low bit}
                DS := Seg(TempName); DX := Ofs(TempName)+1;
               MsDOS(Regs);
             End;
        End;
END;

{ This procedure restores a file attribute.  The attribute is stored
in F_Attrib.  The user has stored the file name in variable Fname.}
procedure restore_attr(Fname : String40);
Var TempName: String40;
BEGIN
     TempName := Fname + Chr(0);        {Cap name with 0 for DOS}
     With Regs Do
        Begin
           AL := $01;                   {Set write mode}
           AH := $43;
           DS  := Seg(TempName); DX  := Ofs(TempName) + 1;
           CX  := F_Attr;               {Write old attribute out}
           MsDOS(Regs);
        End;
     F_Attr := 0;                       {Clear our attribute var}
END;
BEGIN
     Fname := 'LOCKTEST.TXT'; Assign(Target,Fname);
     Clear_Attr(Fname);
     {$I-}  Reset(Target)  {$I+};
     MyFault := IOResult; If MyFault <> 0 then
        Begin
           Writeln('Error #',MyFault,' on file open.');
           Exit;
        End;
     While NOT EOF(Target) DO
       BEGIN
         Readln(Target,Textline);
         Writeln(Textline)
       END;
     {$I-}  Close(Target)  {$I+};
     MyFault := IOResult;
     If MyFault <> 0 then Writeln('Error on file close');
     Restore_Attr(Fname);
END.
```

Before you consider the new Hercules Graphics Card Plus, consider the technology behind it.

A short while ago, Hercules™ introduced a product that will forever change the way information is displayed on a PC.

The product is called the Hercules Graphics Card Plus.

We gave it that name because it gives you the same hi-resolution text and 720x348 graphics that made the original Hercules Graphics Card famous.

Plus it gives you RamFont.™

RamFont is a radical new hardware mode that combines the speed of text mode with the flexibility of graphics mode.


And opens up a whole new world for software.

The world according to RamFont.

In the old days (before the Graphics Card Plus), programs like Lotus®1-2-3,® Symphony,™ Framework™ and Microsoft® Word had to use graphics mode to display multiple fonts and variable text sizes, or to mix text with graphics.

But graphics mode is a whole lot slower than text mode. Up to eight times slower.

Enter RamFont.



The heart of the Graphics Card Plus: the V112 microchip, Hercules' next generation video processor that makes the RamFont mode possible.

It lets all the programs we just mentioned (and plenty more in the future) do all the things we just described, all on one screen.

At precisely the same speed as text mode.


How RamFont works.

Like text mode, RamFont uses a 16-bit word to represent a character on the display.

Unlike text mode, however, the 48K RamFont mode uses a 12-bit character code instead of an 8-bit code.

Which allows you to choose from an astonishing 3072 different characters.

While setting the size of your screen cells from eight to nine pixels wide and from four to 16 scan lines tall.



The new RamFont mode displays 3072 programmable characters at the speed of text mode, or replaces the standard character set with one of your choice in 4K RamFont mode.

To help you design your own RamFont characters and symbols, we've included a font editor called FontMan.™

Along with a set of 25 sample fonts to start your library.

And since the 4K RamFont mode can accept 8-bit character codes, running your text mode software with your favorite font is as simple as loading it into RAM.

Just for the record, RamFont supports the standard character attributes of reverse, high-intensity, blink and underline.

Plus two new RamFont attributes: boldface and strike-through.

What price success?

While we're on the subject of technological breakthroughs, let's not forget the suggested retail price.

Think of it. You get everything the original card gave you.

Plus RamFont.


Plus FontMan.

Plus a parallel printer port that you can now disable if there's a conflict with another port in your system.

$299.
Suggested retail price.

All for just $299—about half the price of the original Graphics Card.

If you haven't gone into shock, call 1-800-532-0600 ext. 211 (in Canada call 1-800-323-0601 ext. 211) for the name of an Authorized Hercules Dealer near you and we'll rush you our free info kit.



Another Hercules innovation: the new LPT112. It's a parallel printer port on a chip.

Hercules.™

We're strong on graphics.

Address: 2550 Ninth Street, Berkeley, California 94710 Ph: 415 540-6000
Telex: 754063

Trademarks/Owners: Lotus, 1-2-3, Symphony/Lotus; Framework/Ashton-Tate; Microsoft/Microsoft; Hercules, RamFont, FontMan/Hercules

CIRCLE NO. 242 ON READER SERVICE CARD

Finally, a language worth

For years BASIC has been everyone's first language. And for almost as long, they've been tempted by other languages. Lured by promises of more speed, more power.

We have a solution. A new language that's a substantial improvement over BASICA. Faster. More structured. Finally, a compelling reason to leave BASIC.

Introducing Microsoft's QuickBASIC Compiler, Version 2.0.


At last, you can have the latest programming techniques, combined with the solid foundation of BASIC. Our new compiler is as compatible with BASICA as you can get. At the same time it offers the extra speed and power you've been looking for.

Run faster with compiled code.

If there's one thing you've asked for, it's speed. And Microsoft® QuickBASIC simply blazes. Old BASICA programs will run up to ten times quicker once they've been compiled. Sometimes even faster.

Everything you need. Built-in.

Making programs run faster is only part of the story, though. The new Microsoft QuickBASIC Compiler includes a full-screen editor, built-in. So now you can make the jump from writing to RUNning in no time flat. Edit your program, compile it, and run it. Faster than any other BASIC compiler around. All without leaving our on-line help and prompts.



leaving BASIC for.

On the rare chance your program doesn't run 100% the first time out, we've got another surprise for you. The Microsoft QuickBASIC debugger. Our full-screen tracing lets you debug your programs while watching the source code execute. A line at a time, or with breakpoints. As easy as can be.

Our compiler is also smart enough to save you time. First, by finding any errors in one pass. Second, by putting your editor's cursor on the problem. Automatically. So you don't have to get lost in a maze of error codes and line-numbers.

The BASIC virtues. And more.

Speaking of line numbers, let's not. Because line numbers are strictly optional. And Microsoft QuickBASIC lets you use alphanumeric labels as well. Now you can GOTO *ErrorCheck* instead of line number 6815.

Or you could stop using GOTOs altogether. There are a variety of options that could make the GOTO an endangered species. Features like multi-line IF-THEN blocks. And named subprograms. Now your BASIC programs can be as structured and organized as you want.

We've only just begun to talk about the virtues of Microsoft QuickBASIC. There are dozens of enhancements to your favorite language. Things like larger arrays. Local and global variables. Reusable modules that let you create libraries of your most often-used routines. All explained in a revised manual that includes a complete language reference.

Making your quick escape.

If all these features follow your BASIC instincts, then zip on down to your nearest Microsoft dealer. That's where you'll discover the best surprise of all. The price. Only $99 for the best reason to leave BASIC.

For the name of your nearest Microsoft dealer, call (800) 426-9400. In Washington State and Alaska, (206) 882-8088. In Canada, call (416) 673-7638.

Microsoft® QuickBASIC
The High Performance Software™

Microsoft QuickBASIC Compiler Version 2.0 for IBM® PC and Compatible Computers.

BASICA Compatibility
- Sound statements including SOUND and PLAY.
- Graphics statements including WINDOW, VIEW, DRAW, GET, PUT, LINE, CIRCLE, LOCATE and SCREEN.
- Support of EGA extended graphics modes. NEW!
- BASICA structures are supported including WHILE/WEND, IF/THEN/ELSE, FOR/NEXT, GOSUB/RETURN, and event handling.

Results of Sieve Benchmark	BASICA 3.1	Microsoft QuickBASIC 2.0
Seconds per iteration	78	0.52


Complete Programming Environment
- Built-in Editor that places the cursor on found errors automatically. NEW!
- Compile entirely in memory at speeds up to 6000 lines per minute. NEW!
- Link routines once when starting a programming session and no need to link again when changing programs. NEW!
- Built-in debugger with single-step, animate, and trace modes. NEW!
- Create stand-alone programs.

Alphanumeric Labels
- Can be used to make your programs more readable. Line numbers are not required but are supported for BASICA compatibility.

Structured Programming Support
- Block IF/THEN/ELSE/END IF eliminates the need for GOTO statements. NEW!
- Subprograms can be called by name and passed parameters. Both local and global variables are supported.

Modular Programming Support
- Separate compilation allows you to create compiled BASIC libraries to use and re-use your programs.
- A library of routines to access DOS and BIOS interrupts is supplied. NEW!

Large Program Support
- Code can use up to available memory.
- Numeric arrays, each up to 64K bytes, can use up to available memory. NEW!



Microsoft is a registered trademark and The High Performance Software is a trademark of Microsoft Corporation. IBM is a registered trademark of International Business Machines Corporation.



RT PC: A Significant Departure

The first member in a distinct new line of microcomputers from IBM, the RT PC blends mainframe technologies with advanced desktop strategies to produce a fast and powerful, yet flexible, computing entity.

THOMAS V. HOFFMANN

The RT Personal Computer defies a one-word descriptor. Unlike the PC/AT, which we were able to summarize as "impressive" in our initial coverage of that machine two years ago, the RT requires more analysis.

Although there is a passing family resemblance in that it uses the AT bus, the RT represents a significant departure from the original PC family architecture. It is faster, more powerful, more complex—a new breed of machine. The RT's place in the IBM puzzle is an intriguing question to which an answer remains to be written.

The RT is not a single computer, but a line of workstations based on an IBM-developed 32-bit microprocessor that, in turn, is based on the reduced instruction set computer (RISC) architecture. IBM states that these workstations, the company's first to perform stand-alone processing of computer-aided design/computer-aided manufacturing (CAD/CAM) and computer-aided engineering (CAE) tasks are intended for technical professionals. IBM's initial software offerings for the RT support this statement. The operating system for the RT is derived from UNIX System V, a system well known to the technical professional. Language processors are offered for BASIC, C, FORTRAN 77, and Pascal—languages that are widely used in technical areas in business, government, and academia. Extensive graphics support is provided including a Graphics Development Toolkit and a Tektronix Graphics Terminal Emulator.

Despite this clear technical orientation, the capabilities of the RT system extend far beyond science and engineering. The RT's virtual memory management, easily replaceable 32-bit processor, high-level virtual resource manager, and comprehensive operating system provide a solid base for supporting various multitasking, multiuser applications, technical or otherwise.

The following five articles describe in detail the RT PC system as it was announced by IBM and as it may appear in the coming months if it is upgraded as the market demands.

PHOTOGRAPHS • BLAKESLEE/LANE COMPUTER GRAPHICS • NATALE/EAST



PHOTO 1: *RT PC 6151 Model 10 System*



PHOTO 2: *RT PC 6150 Model 20 System*




PHOTO 3: *Model 20 Rear Panel*




PHOTO 4: *Inside the System Unit*




Photo 1: The RT PC 6151 Model 10 is a desktop unit that features 1MB of real memory (expandable to 3MB) and a 40MB disk capacity. It is slightly larger than the AT.


Photo 2: RT PC 6150 Models 20 and 25 are floor-standing units that provide two built-in serial ports, two additional I/O adapter slots, and additional disk storage capacity.

Photo 3: The rear panel of the unit features connectors for power, the keyboard, and other external devices. Note the filters on the keyboard, mouse, and serial device cables.

Photo 4: The Models 20 and 25 system units provide eight I/O adapter slots; disk drives are mounted front and back.

Photo 5: The system speaker is mounted in the keyboard. The controller provides an audible, but defeatable, key click.

PHOTO 5: *Keyboard Underside*



This first article is an overview of the entire RT system, including the processor, memory, floating-point accelerator, displays, and mass storage devices, and the AT coprocessor. "An Architecture Apart" (p. 72) makes clear that the RT, with its support of an extremely large virtual address space and the use of a 32-bit RISC processor is altogether different from the original PC architecture. "The Insulating Layer" (p. 90) examines the Virtual Resource Manager, the sophisticated layer of high-function software that IBM has wrapped around the RT processor and its I/O devices to provide a more convenient interface than that offered at the hardware level. "The Refining of UNIX" (p. 98) describes the RT's Advanced Interactive Executive (AIX) operating system, its UNIX System V core, and the menu, windowing, and DOS-like functions included by IBM. "The Nearby AT" (p. 118) addresses the feature that most closely ties the RT to the PC family, the Personal Computer AT Coprocessor Option. This single adapter contains the essentials of a 6-MHz AT and can be used along with supporting software to run popular PC software. The software can run on the coprocessor concurrently with programs executing on the RT processor; both processors share memory, mass storage, and I/O devices.

Taken together, these articles describe a system that shares some family traits with the PC, but that introduces enough new and unique features to qualify as the beginning of a distinct new line of computers. Only time will tell if IBM provides the upgrades and enhancements needed to allow this system to realize its full potential.

RT OBJECTIVES

The original RT project objectives were to bring mainframe performance to the desktop by using the latest available technologies in computer architecture, hardware, software, and manufacturing. Several features were decided early on, including the following:

- A fast 32-bit processor
- Large primary (RAM) and secondary (disk) storage
- Virtual storage, allowing programs and data to exceed the available physical memory
- All-points-addressable graphics displays and adapters
- Multitasking operating system
- Ease of use
- Flexible open architecture

The initial products offer all of these: true 32-bit virtual memory architecture, 1MB to 4MB of main memory (with provision for up to 16MB), 40MB to 210MB of hard-disk storage, several display options, and a complete UNIX-based operating system with significant functional enhancements.

What is most interesting about the RT is the way the architecture and implementation accommodate change. The RT was designed from the beginning to be flexible and modular, which would allow major components and subsystems to be replaced without adversely affecting the rest of the system.

Examples of this design approach abound. The processor is on its own card, not on the system board, and contains its own timing logic independent of the I/O channel. Upgrading to a faster processor is a simple plug-in operation. On the software side, the Virtual Resource Manager (VRM) provides a very high-level interface to a virtual machine that manages virtual memory, physical I/O using loadable device drivers, and realtime multitasking. The AIX operating system (IBM's adaptation of UNIX for the RT) sits atop the VRM. AIX could be replaced by another operating system, without having to reimplement physical device drivers or complex memory management code.

The RT was designed to allow major components and subsystems to be replaced without adversely affecting the rest of the system.

In its current form, the RT PC shows several important influences from the PC. The I/O channel is an extended PC/AT-compatible bus that directly supports many existing adapters. Despite the unique proprietary processor, the RT's system architecture is even more open than that of the original PC family. Why? Because from the beginning, IBM is providing more and better information about *interfaces*, even though many aspects of the actual *implementation* are kept secret.

Unlike the corresponding PC family documents, the RT PC *Technical Reference* contains no ROM program listings or logic diagrams for the processor, memory, or system boards. The interface descriptions, however, are more complete and include detailed hardware timing specifications. Several third-party vendors already offer 8MB memory boards for the RT, at prices-per-megabyte significantly below IBM's initial memory offerings. Tall Tree Systems, for example, offers an 8MB board (using 80 1-megabit RAMs) for $3,995—only $500 per megabyte. (See Product of the Month, this issue, p. 29, for a discussion of "The JRAM Family" from Tall Tree, and Directions, p. 11, for a summary of RT pricing.)

Notice that the new machine is not called the PC/RT, as might be expected if it were merely the next in the PC series. The RT begins a new family of products, the first members of which happen to be PC-like. Admittedly, the decision to call the original IBM Personal Computer the IBM PC was not exactly a stroke of genius, just a good initial guess. The PC/XT (*EX*tended *T*echnology) and the PC/AT (*A*dvanced *T*echnology) made the *T* for technology a required feature. The RT PC advances the art of product naming once again through the application of "recursive acronym technology."

RT actually stands for *R*ISC *T*echnology—RISC represents reduced instruction set computer architecture. Traditional mainframe and super minicomputer architectures generally have very large instruction sets, with many special purpose instructions for subroutine linkage, data manipulation, and arithmetic operations. Big computers seem to have an instruction for every purpose. This is fine for assembly language programmers, once they have learned all of them; very efficient programs can be written if the correct instructions are used in each situation. Conversely, choosing the best way to write a particular code sequence often is difficult when many logically equivalent ways are available. Compilers hide these problems from the high-level language programmer, but the compiler writer cannot escape. It is difficult, and therefore expensive, to produce highly optimizing compilers for machines with very complex instruction sets.

The idea behind RISC is that a simple processor with a small, but well-chosen, set of instructions can be implemented with simpler, and correspondingly faster, hardware. The resulting instruction set leaves out many operations present in traditional architectures. For example, integer multiplication and division are left as exercises for the compiler. The compiler itself, however, can be simpler, while still generating fast code, because generally fewer choices are available among alternative code generation strategies.

PHOTO 6: *Mouse Underside*



PHOTO 7: *Cartridge Tape Drive*




Photo 6: A two-button IBM mouse comes with the RT system. Its roller-ball tracking mechanism allows it to be used on any nearby surface. As seen here, the bottom of the mouse looks strikingly similar to that of the Microsoft Mouse.

Photo 7: The stand-alone streaming-tape drive uses standard QIC-02 one-quarter-inch cartridges with a capacity of 55MB per tape, and a data rate of 5MB per minute. This drive is also used on the IBM System/36 and IBM System/36 PC.

Photo 8: The system board has dedicated slots for the processor, floating-point accelerator, and two system memory boards. The system board for the desktop Model 10 provides six AT-compatible I/O adapter expansion slots. The system board shown above, for the floor-standing Models 20 and 25, has eight expansion slots and two RS-232 ports.

Photo 9: The RT's CPU is mounted on a separate board that plugs into the system board. The board contains the IBM-proprietary ROMP microprocessor and the memory management unit (MMU), which is an IBM-proprietary VLSI chip.

Photo 10: IBM offers a 1MB memory board in addition to the 2MB board shown on the right. Tall Tree Systems' 8MB board (on the left) allows 16MB of memory.

PHOTO 8: *System Board*




PHOTO 9: *CPU Board*





PHOTO 10: *Memory Boards*



THE BIG PICTURE

This first release from the RT PC family consists of two basic packages and three models. The 6150 Models 20 and 25 are floor-standing consoles; the 6151 Model 10 is a desktop unit, slightly larger than the AT. All models use the same processor, system memory, floating-point accelerator, and I/O adapter boards. A different system board is used in each package. The desktop unit has only six I/O adapter slots, compared to eight in the floor consoles, and lacks the two built-in RS-232 serial ports present in the larger units. The various models come with different amounts of system memory and disk storage, but are otherwise functionally identical. Table 1 lists the RT PC configurations available in this first issue of the machine.

The front panel of both RT packages has an AT-style key lock, power indicator, and a two-digit numeric display that is used to present status and diagnostic information.

System board. The RT system board provides the connections and interfacing electronics for all of the major system components, as well as the I/O subsystem. Four dedicated slots labeled A through D are for the processor, floating-point accelerator, and two system memory boards. The I/O channel slots are in addition to the four dedicated slots. (Figure 1 is a block diagram of the system board unit.)

The system board contains three channels, or data paths, each one specialized for its particular function. The memory channel is a dedicated interface between the processor and main system memory. The processor channel is a more generalized 32-bit bus of which the processor card is always master, and connects the processor to the I/O system. The 8/16-bit I/O channel is an extension of the AT I/O channel.

The memory channel connects the system memory to the processor board using a multiplexed address bus, a 40-bit data bus, and control signals. The data bus provides 32 bits of actual data plus 8 bits of error correcting code (ECC) that can correct any single-bit error and detect all 2-bit errors and many multiple bit errors. The address bus supports up to 16MB of system memory. The memory channel can transfer a full 32-bit word every 170 nanoseconds, for a memory bandwidth of 23.5MB per second.

The processor channel connects the processor board to the I/O subsystem and the optional Floating Point Accelerator card. The I/O subsystem includes the following:

TABLE 1: *RT PC Configurations*

	10	20	25
System unit/keyboard	●	●	●
Memory[a]	1MB	1MB	2MB
Hard disk/diskette adapter	●	●	●
Diskette drive (1.2MB)	●	●	●
Diskette expansion	○	1	1
Hard disk	40MB	40MB	70MB
Disk expansion	○	2	2
Expansion slots[b]			
16-bit	5	6	2
8-bit	1	2	2
Floating-point accelerator slot	●	●	●
RS-232 serial ports	○	2	2

● = *Yes* ○ = *No*

All models include clock/calendar with battery backup, hardware page-level storage protect, and security capability with standard key locks.

[a] *All models can accept one additional 1MB or 2MB memory card.*

[b] *One 16-bit slot is used for the disk/diskette adapter.*

The desktop (10) and floor-standing (20 and 25) models come with different amounts of memory and disk storage, but are otherwise functionally identical.

Adapted from the IBM RTPC brochure

- I/O channel converter (IOCC). This logic converts the 32-bit processor channel to the 8/16-bit I/O channel that is compatible with the I/O channel of the AT.
- System DMA (direct memory access) controllers. Two Intel 8237 DMA controllers provide eight channels of DMA, one of which is available only in the slot that is intended for the AT Coprocessor.
- System interrupt controllers. Two Intel 8259 priority interrupt controllers provide the system with 15 levels of priority interrupts. Additional logic implements shared interrupts, in which multiple devices may share a single interrupt level.
- Translation control logic. This logic controls the mapping of addresses from the processor's I/O channel into system memory.
- Keyboard/locator controller. An Intel 8051 microcontroller provides intelligent keyboard, locator (mouse or tablet), and speaker functions.
- Realtime clock. A Motorola 146818 CMOS clock provides a battery backed-up time-of-day clock and nonvolatile RAM. This is the same device used on the AT.
- RS-232 serial ports. RT floor-standing Models 20 and 25 provide two asynchronous serial ports, supported by a Zilog 8530 device. These serial ports support DMA transfers.

The I/O channel connects the processor (through the IOCC) to AT-compatible I/O adapters. This channel also supports several enhanced features. Shared interrupts allow multiple adapters to use the same hardware interrupt priority level. Burst and buffered DMA modes support improved DMA performance. In burst mode, an adapter can perform multiple transfers without giving up control of the bus. Buffered mode assembles two 16-bit words from the I/O channel into a single 32-bit word that is transferred to or from system memory in a single operation, thus reducing the number of main memory cycles stolen for DMA operations.

The RT keyboard introduces the new IBM standard key layout, now also available on the XT and AT. The RT version has a unique connector, in part because the keyboard contains the system speaker. The controller generates audible key clicks by default, but these can be turned off with a key combination.

Processor and memory. The processor card contains two IBM-proprietary VLSI (very large scale integration) chips, the ROMP microprocessor and a separate memory management unit (MMU). ROMP is another recursive acronym, this time for *R*esearch and *O*PD *M*icro*P*rocessor, thus reflecting the cooperation between IBM Research and the Office Products Division in the development of the microprocessor.

The ROMP has a basic instruction cycle of 170 nanoseconds, and most instructions actually execute in one cycle. The processor system is heavily pipelined; instructions following a memory reference can be executed in parallel with the memory activity if they do not depend on data not yet read.

PHOTO 11: *Floating Point Accelerator*




PHOTO 12: *AT Coprocessor*




PHOTO 13: *Multiport Communications Adapter*




PHOTO 14: *Set-up and Installation Card*




PHOTO 15: *AIX Software Manual*




Photo 11: The Floating Point Accelerator uses a 10-MHz National Semiconductor NS32081 floating-point unit that implements a subset of the IEEE floating-point standard. It has 32 sets of sixteen 32-bit registers external to the NS32081.

Photo 12: The AT Coprocessor is a single-board version of a PC/AT that plugs into a particular slot in the I/O channel and can run existing programs written for the IBM PC family. Such programs generally run about 20-percent slower than on an actual 6-MHz PC/AT (or about 60-percent slower than an 8-MHz PC/AT).

Photo 13: The RS-232 adapter uses National Semiconductor 16450 UARTs to provide four ports through four 10-pin connectors. The connectors are the same as those for the two RS-232 ports on the Model 20 and 25 system boards.

Photo 14: The set-up and installation card provides a road map to the extensive set of manuals that describe the installation and use of the RT. It sketches the contents of the system documentation and suggests a reading sequence.

Photo 15: The manuals that accompany the RT PC break with tradition. They are printed on 8½-inch-square pages rather than the 5½-by-8½ sheets generally used.

The MMU is responsible for physical memory control, including RAM refresh, as well as virtual address translation. The ROMP generates 32-bit addresses that are converted by the MMU first into 40-bit virtual addresses, then into 24-bit physical addresses.

The processor card also has 64KB of ROM (four 16KB chips) that contain the power-on diagnostics and IPL (initial program load) programs.

System memory cards. The current implementation of the RT architecture allows for a maximum 16MB of physical system memory. The two dedicated memory card slots on the system board each can accept cards containing up to 8MB of memory. IBM currently offers only 1MB and 2MB boards, limiting total capacity to 4MB.


RT system memory cards are organized quite differently from those for the PC family. PC expansion memory plugs into the general-purpose I/O channel. RT memory cards are attached to the processor on a dedicated memory channel that is specially designed for fast memory access; thus, the memory cards themselves are simplified.

The RT has no switches to set to indicate memory board capacities or addressing. Five lines in the memory channel are used to provide memory board size and other information to the system board and MMU. One requirement is that when two cards of different capacities are used, the larger one must go in slot C (the first memory slot).

Each RT memory card has two independent banks of memory, each 40 bits wide (32 data bits and 8 bits of ECC). One bank contains only even-addressed words, the other only odd-addressed words. This two-way interleaving allows a full data word access every 170 nanoseconds using standard 150-nanosecond dynamic RAMs. The memory channel contains independent address and control lines for each memory bank, controlled by the MMU. The addresses on the memory channel are in the multiplexed RAS/CAS (row address strobe/column address strobe) form expected by today's industry-standard dynamic RAM chips.

This form of addressing is based on the fact that RAM chips actually contain rectangular arrays of memory cells, which are organized in rows and columns. These arrays are addressed by independently specifying a row address and column address with appropriate strobe signal. Addressing the memory cards in this way eliminates the need for logic on the cards to convert "normal" memory addresses into RAS/CAS

FIGURE 1: *Block Diagram of the RT System Unit*



The RT system board provides the interface for the major system components: the processor, the floating point accelerator, system memory, and I/O subsystem.


Adapted from IBM RT PC Hardware Technical Reference

form and control the associated timing. These functions, as well as ECC and refresh, are all performed on the processor card by the MMU chip.


Using standard 256K-by-1 RAMs, two banks of 40 bits requires 80 RAM chips for a total of 2MB of memory, which is all the current memory board size can accommodate using standard dual in-line packages. IBM's 1MB board uses 40 64K-by-4 RAM chips, which cost a bit more than the 256K-by-1 chips.

Floating Point Accelerator. As mentioned previously, the RISC approach dictates some simple machine instructions that do not include integer multiply and divide instructions, much less floating-point operations. IBM offers an optional Floating Point Accelerator (FPA) card that plugs into a special slot (B) on the system board and attaches to the processor card via the processor channel. The FPA uses a 10-MHz National Semiconductor NS32081 floating-point unit that implements a subset of the IEEE floating-point standard. Software in the VRM floating-point driver fills in the gaps to provide the complete set of floating-point operations.

The FPA incorporates several features intended to enhance its performance in the RT system. The ROMP and



Actual unretouched photo of the monochrome display produced by Lotus 1-2-3 on a leading color graphics card.



Actual unretouched photo of the 16-shade monochrome display produced by Lotus 1-2-3 on the Paradise Modular Graphics Card.

See What You're Missing.

Now you can see the full benefits of business graphics on your monochrome monitor. Because the Paradise Modular Graphics Card (MGC) displays up to 16 different shades of green, gray or amber on a standard monochrome monitor (while most monochrome graphics cards display only 2 or 3 shades).

With the MGC you can see everything your business graphics software is capable of showing you. Without a color monitor. Including sharp, high quality display of the IBM character set. You won't suffer the frustration of trying to decipher what various blocks of data represent because they're all shown in the same shade. Instead, you'll see your data in a clearer, more easily understood form. Which, of course, is why you're using business graphics in the first place.

You also get 100% compatibility with all the software written for the IBM color graphics standard (like Lotus 1-2-3, Symphony, Framework and Dollars & Sense, just to name a few). A built-in parallel port. Color printing capability with a compatible printer or plotter. And the ability to add serial and parallel ports, extra memory and a clock/calendar whenever you want.

So don't let missed information become misinformation. Get the business graphics card designed for business graphics on a monochrome monitor. See the Paradise Modular Graphics Card at better PC dealers. For more information call toll-free: (800) 527-7977, **ext. 405**


In California, (800) 822-2020, **ext. 405**
We'll be happy to let you see what you've been missing.

PARADISE

SYSTEMS INC

CIRCLE NO. 230 ON READER SERVICE CARD

The Video Technology Company



Trademarks: Paradise and Modular Graphics Card— Paradise Systems, Inc.; Lotus 1-2-3 and Symphony— Lotus Development Corporation; Framework— Ashton-Tate, Inc.; Dollars & Sense—Monogram. Registered trademark: IBM—International Business Machines Corp. © 1986 Paradise Systems, Inc.

the FPA can execute in an overlapped fashion, with the FPA executing one command while the ROMP prepares the next one. In fact, the FPA actually can receive a second command while a previous command executes. The FPA has 32 sets of 16 32-bit registers external to the NS32081. Fourteen registers in each set are available for operands; the other two are for status and system use. An FPA command is available to switch register sets. It can be used by the system during a task switch instead of having to unload and reload the FPA. The 32 register sets are managed by VRM (they can only be changed in ROMP supervisor state), and can be allocated to multiple tasks within the same program as well as different programs.

IBM claims the FPA improves system performance from 12K WIPS (Whetstone instructions per second) to 125K WIPS or more.

Device support. Because the RT has an I/O channel compatible with the PC/AT, it is natural to expect that any device that works in an AT also will work in an RT. However natural this may seem, it is not true, generally because of the lack of software drivers to operate the devices. The venerable IBM Color Graphics Adapter (CGA), for example, is not supported, although the IBM Enhanced Graphics Adapter (EGA) is.

Device adapters such as the EGA, AT Fixed Disk and Diskette Adapter, and PC Network Adapter, that have onboard BIOS support programs in ROM, present a special compatibility problem. These ROMs contain device support code intended for execution on Intel 8086 family microprocessors, not the RT's ROMP. These functions have to be rewritten in device drivers that are loaded as part of the VRM.

The remainder of this overview article focuses on the major devices and adapters supported by the first release of the RT PC system software, and some scheduled for late 1986.

Mass storage. The RT supports both 5¼-inch diskette and hard-disk drives. Each RT configuration comes standard with a 1.2MB high-density diskette drive and one hard-disk drive (40MB on the models 10 and 20, and 70MB on the model 25). The 40MB systems use the standard PC/AT Fixed Disk and Diskette Drive Adapter to control the diskette drive and up to two hard disks.

The floor-standing packages have space for a second diskette drive and a maximum of three hard disks; the addition of a third hard disk would require a second controller. The second diskette can be either another 1.2MB high-density drive, or a standard 360KB drive for compatibility with standard PCs. The desktop model 10 can support only one diskette drive and one hard disk.

In August 1986, IBM announced a replacement for the originally announced 70MB hard disk for the model 25. The new disk supports the proposed ANSI-standard extended small device interface (ESDI), and requires the RT PC ESDI Magnetic Media Adapter. ESDI offers twice the disk-to-controller transfer rate (10 megabits per second) and a more noise-immune electrical interface. The new adapter provides the same diskette and hard-disk functions as the standard AT adapter, but supports the new hard-disk interface. The diskette interface did not change.

Systems with a mixture of 40MB and 70MB hard disks require two disk controllers: a standard AT controller for ST506 40MB drives and the new ESDI controller for the 70MB drives.

A streaming-tape drive and adapter are available for system backup. The drive uses standard QIC-02 one-quarter-inch cartridges, with a capacity of 55MB per tape. This is the same 6157 drive that is used on the System/36 and System/36 PC. The 6157 formats as it writes, and has a read-after-write head to detect errors while writing. IBM claims data rates to 5MB per minute are possible with this unit. Software for both file-by-file and disk-image backup and restore is provided with the standard RT system package.

The RT has an I/O channel that is compatible with the AT, but not all AT devices will work, due mainly to a lack of software drivers.

Displays. The RT supports two existing PC-family display adapters and three new all-points-addressable display adapters that were announced with the RT. The IBM Monochrome Display and Printer Adapter and the EGA are both supported by VRM device drivers.

The three new display systems for the RT are the 6153 Advanced Monochrome Display (720 by 512 pixels), the 6154 Advanced Color Display (720 by 512 pixels, with 16 colors from a palette of 64), and the 6155 Extended Monochrome Display (1,024 by 768 pixels). The 6153 and 6154 have 12-inch monitors, the 6155 has a 15-inch monitor. Only the 6153 Advanced Monochrome Display was actually available at the time that this article was written; the others should be available by the time this article is printed.

Unlike previous PC display adapters, the new ones have no onboard character generation capabilities. Everything shown on the screen is represented bit by bit in the display refresh memory, which must be written by the processor. To compensate for this extra burden in displaying text and to speed up other common bit-map operations, the new RT display adapters provide hardware assistance to reduce the work the main processor must do to manage the bit-mapped display memory.

The two smaller displays are nearly identical; the color version, however, has four parallel bit planes where the monochrome version has a single plane. Both displays use a clever memory organization that allows the processor to write any 16-bit word in a single memory operation. Without this feature, every other character in a string of 9-pixel-wide character blocks would cross a word boundary and require special processing and multiple accesses to the 16-bit wide display memory.

Additional support for pixel manipulation is provided by registers, shifters, and logic that can align, mask, and merge source data before writing to the destination display location. All of this helps make the display memory appear more uniform to the system software, so all pixels or groups of up to 16 pixels can be treated alike. This elimination of special cases at physical boundaries can greatly simplify (and therefore speed up) the software needed to perform most common display operations.

The 6155 Extended Monochrome Display adapter contains a dedicated display list processor that can execute special display commands independently of the main processor. The display processor can do rectangular area fills, copy and merge source data with destination data, perform logical operations on data, and even rotate or mirror the image being written.

The display memory organization of the 6155 carries the idea of uniform appearance one giant step further: any set of 16 either *horizontally* or *vertically* adjacent pixels can be accessed as a single 16-bit word. Thus vertical lines can be drawn just as rapidly as horizontal ones. IBM dubs this memory organization BAMDA for bit addressable multi-dimensional array.

Communications. Asynchronous communications support is available by several means for the RT PC. The standard AT Serial/Parallel Adapter is supported; it uses a single Intel 8250 UART (universal asynchronous receiver transmitter) to provide one RS-232 port through a 9-pin D-shell connector. A new four-port RS-232 adapter uses four National Semiconductor 16450 UARTs to provide four RS-232 ports through four 10-pin connectors. The system board in the floor-standing models 20 and 25 provides two RS-232 ports using a Zilog 8530 UART through the same type 10-pin connector used on the four-port RS-232 card. The new RS-422 adapter also uses NS16450 devices to provide four RS-422 ports through four 6-pin connectors. So much for standard cables.

Up to four of the four-port cards, in any combination, can be used in one system, for a maximum 18 serial devices on the floor models.

A three-port programmable multiprotocol adapter for both synchronous and asynchronous communications also should be available by the time this is printed. It uses a Zilog 8530A serial communications controller and an Intel 80C51 microcontroller and supports speeds as high as 64,000 bits per second. While three ports are provided, only two of them can be actively transferring data at the same time.

At present, this adapter is for experienced communications programmers only, because it requires *user-supplied* programming of the 8051 in order to do anything. Properly programmed, this could be an intelligent communications adapter for applications that require custom protocols, polling of remote devices, data conversion, buffering, or services that can be off-loaded to a separate communications processor.

Initial support for networks is limited to a low-level program interface to the PC Network Adapter that allows user-written applications to communicate with other PCs in a broadband network. Token-Ring Network and EtherNet adapters and supporting software also have been announced.

AT Coprocessor. The AT Coprocessor is a single-board version of an AT that plugs into a particular slot in the I/O channel and can run existing programs written for the IBM PC family. The coprocessor runs independently of the RT, although many of its functions (disk access in particular) require support from special drivers in the RT. To minimize the need for RT intervention, the coprocessor can access memory and display adapters directly in the I/O channel without going through the ROMP or memory. Programs executing on the AT Coprocessor generally run about 20-percent slower than the same program running on an actual 6-MHz AT.

THE FUTURE

To appreciate where the RT is going, it is necessary to understand from whence it came. The original IBM PC project was effected very quickly by a relatively small group of people who depended heavily on then-existing (1981) commercially available microprocessor technology. Based as it is on standard Intel processors and interfaces, the PC family as a whole has never been a place for the introduction of technology or performance significantly different from what is already widely available in the industry. Nevertheless, the PC became an instant success and as a result of its sustained success, a standard.

The RT did not come from the PC, it came to the PC. It integrates large machine concepts into a small system, and in a very flexible way.

The RT PC family is different. It is the result of a much longer and more massive development effort that began years before the PC. This was no renegade group hidden away in a closet. The RT was produced by mainstream IBMers, many of them, tucked away in a very big closet in Austin, Texas. The project manager, G. Glenn Henry, is an IBM Fellow who previously had been involved in the design of the System/3, the System/32, and especially the System/38—the innovative, single-level-storage virtual architecture of the /38 clearly influenced the RT design.

The RT did not come *from* the PC, it came *to* the PC. Its real significance is its integration of large machine architectural concepts and performance potential into a small system and in a very flexible, open-ended way. The PC-compatible I/O channel is convenient, but incidental. The 32-bit processor and virtual memory architecture are very powerful and fundamental.

What will the future bring for the RT family? Most obvious are enhancements that fit nicely into the current implementations of the RT architecture: faster processors (remember it is on a plug-in card), more memory (up to 16MB), bigger disks, more displays, networks, communications, and better software support for all of the above.

Beyond the obvious lies the uncharted realm of architecturally possible variations that must await market demands and IBM decisions to meet them. Suppose the box is enlarged to accommodate 15 or 20 adapters in the I/O channel; then departmental systems serving 30 users begin to make sense. Expanding beyond 16MB of physical memory probably would require a new MMU chip, but the memory channel contains some reserved lines that could become additional address lines, bringing the memory to 32MB or 64MB.

Now add multiple processor cards—the memory channel and MMU already have provisions for multiple MMUs; then, horizontal growth (adding capacity by adding processor elements) and fault-tolerant redundancy—and, all of a sudden, this new system offers serious computing power.

BACK TO THE PRESENT

Clone makers are going to have a much tougher time replicating the entire RT system than they did with the PC, XT, and AT, primarily because the processor and memory management chips are proprietary and available only to IBM. Yes, processors can be cloned (the NEC V20, V30, et al), but it is an order of magnitude tougher than producing dumb (in the sense of no on-board processing capability) EGA graphics cards or AT glue chips.

Furthermore, IBM has a significant advantage as the sole supplier of both the processor *and* the operating system software, in being able to include undocumented features in the processor to allow the operating system to detect, and refuse to cooperate with, ersatz processors. IBM has done it before in mainframes; it might be hard to resist the temptation to do it in the RT.

In any event, the investment needed to clone an RT is so large financially and technically that few companies (other than an IBM) could justify the effort. If the RT takes off like the AT did, however, the incentive to copy could become strong. In the meantime, opportunities abound for system builders, application developers, peripheral makers, and, of course, IBM.

Thomas V. Hoffmann, a consulting editor to this magazine, is manager of systems development for RoadNet Technologies, located in Baltimore, Maryland.

"One of the primary reasons the Computer Press Association was formed was to promote high standards of writing in computer journalism. It's time to reward those who do it best."

Hal Glatzer
Vice President
Computer Press Association


Computer Press
Awards
1985
Best Computer Magazine
PC Tech Journal
CITIZEN
Computer Press
Association

Best Computer Magazine



We are proud and honored to have been selected as the "Best Computer Magazine" by the Computer Press Association in its first annual awards.


At the awards ceremony, it was said that "PC TECH JOURNAL has substance, style and clear writing combined with superior information, value and contemporary graphics."

Indeed, it would be difficult for us to express more succinctly the standards we set for ourselves in publishing PC TECH JOURNAL. And we accept with appreciation the fact that our professional colleagues have recognized our achievement.

By concentrating on the rapidly growing need for information about PC systems, PC TECH JOURNAL has created a unique publication for PC systems experts, the key segment of an extremely sophisticated market.

This award as the "Best Computer Magazine" commits us even more toward the development of PC TECH JOURNAL as the information source for those dedicated systems professionals whose vision and industry are fast making the personal computer the most important business tool ever invented.

How to 386



It's simple.

With Intel's Inboard™ 386/AT.

It fits right into your IBM® AT or compatible, and gives you all the performance of a 386 system.

Without having to buy a 386 system. (Which, if you've priced one lately, is about three times as expensive.)


Inboard 386 is based on the revolutionary 32-bit, 16 MHz 80386 chip *we* invented. So it'll work with all the software you've got sitting on your desk. As well as any add-in boards you may have hiding in your computer—like, just for instance, the Above™ Board. Which we also invented.

Inboard 386 lets you whiz through recalcs with Lotus® 1-2-3.® And it makes your network server serve you even faster. In fact, it'll make any program serve you faster.

And with 386 control software,

Inboard and Above are trademarks and Intel a registered trademark of Intel Corporation. IBM is a registered trademark of International Business Machines Corp. Lotus and

your AT.



you can take advantage of exceptional multitasking capabilities. Like putting together a presentation while your computer is downloading data. (A slightly more efficient way of doing business.)

Don't forget our five-year warranty. Or toll-free technical support line.


To find out more, check with your favorite computer dealer or call us at (800) 538-3373.

And see why Inboard 386 beats the system.

intel®

1-2-3 are registered trademarks of Lotus Development Corp. © 1986 Intel Corporation

CIRCLE NO. 216 ON READER SERVICE CARD





An Architecture Apart

THOMAS V. HOFFMANN

Marked by a large virtual address space and RISC processor, the blueprints for the RT differ dramatically from those for the PC.

Architecture exists on many levels. A building's architecture involves not only the arrangement of space to accommodate a human purpose, but also the innumerable details of construction, plumbing, and environmental control. Some of these details may be novel or interesting in their own right; some are just details.

Similarly, the architecture of the RT PC is quite complex, consisting of many different levels of detail. IBM's *RT PC Technical Reference*, which rivals the Manhattan telephone directory in size, takes a physical approach, fully describing each board and major functional component. This article takes a more abstract view of system features and relationships of the RT, concentrating, as it were, on the public rooms and steering clear of most of the behind-the-scenes construction details.

PHOTOGRAPH • BLAKESLEE-LANE
COMPUTER GRAPHICS • NATALE/EAST

The RT differs significantly from the traditional IBM PC architecture, most obviously in its support of an extremely large virtual address space and its use of a new 32-bit central processor. A more fundamental difference between the RT and PC is the degree to which hardware and software function as partners. The RT was designed and built as a *system*; the decisions about whether features should exist in hardware, software, or at all were guided by an overall set of system objectives. The fact that one person was the manager of both hardware and software development for the RT was no doubt an important factor in making this integrated system approach work.

Examples of the coordination between hardware and software abound in the RT. The processor instruction set was designed to be simple to implement in hardware, and at the same time to be a suitable target for an intelligent, optimizing high-level language compiler. The virtual memory system requires intimate cooperation from system software to deal with page faults, but the hardware is capable of searching iteratively through linked page tables in memory as part of the normal virtual address translation process. The hardware supports various kinds of memory and I/O access protection, but the decisions about what and when to protect are left to software.

ROMP SIMPLICITY

The processor in the RT is unique and proprietary to IBM; it is also likely to be the subject of many a lively discussion among would-be computer architects. Called ROMP, for research and OPD (Office Products Division) microprocessor, this is the first microprocessor in recent memory that is made simple *on purpose*. Microprocessors used to be simple because nobody knew how to make them complex. Now that we know how to make them complex, somebody wants to make them simple. *Simple*, however, does not necessarily mean easy to make or to use.

RISC (for reduced instruction set computer), the popular term for the architectural style of the ROMP, is something of a misnomer. The significance of the ROMP instruction set is not in the number and size of the instructions (118 instructions, of which 79 are two bytes long and 39 are four bytes long), but in the functions they perform and the properties they have that affect other aspects of the system.

The ROMP actually has more instructions than the 8088 (which has 87) and even the 80286 (which has 115). Unlike these Intel processors, which have one-, two-, three-, and four-byte instructions, plus segment override and repeat prefixes, the ROMP has only two instruction sizes (two and four bytes). Further, it has no fancy instructions such as MOVS, which moves string elements and increments pointers and maybe repeats all in one instruction. The ROMP does not have a specific multiply or divide instruction, although building blocks exist for them. Neither is there a stack pointer, nor, thank goodness, special index registers that get added to effective addresses.

What, then, is left for the ROMP to do? The simple answer is "nothing special." Although that is not precisely true, it captures the true spirit of RISC architecture. Generally speaking, the ROMP's sixteen 32-bit general purpose registers (GPRs) are not dedicated to a particular purpose foreseen by the architects. Contrast this with the Intel approach: AX for accumulator, BX for some indexing, BP for stack indexing, CX for counts, SI for sources, DI for destinations (and in different segments), and different segment registers for code, data, stack, and "extra."

ROMP instructions that specify registers allow the user to specify *any* of 16 GPRs. There is no accumulator, or there are 16 accumulators. There are no index registers, but there are 15 registers that can be used for indexing (R0 cannot be used because 0 means a value of 0 in instructions that take an index register). If a user wants a stack, he selects a register and increments or decrements it himself. The benefits of this approach should be quite apparent to assembly language programmers who may often find themselves needing just one more register, but not the only one that happens to be left.

The ROMP, however, was not designed for assembly language programmers—at least not human ones. The processor design was closely coordinated with the capabilities and requirements of the PL.8 compiler being developed at the same time. This compiler, which is, unfortunately, currently available only within IBM, is a very smart optimizing compiler that accepts source code in Pascal, C, and PL.8 (a PL/1 derivative for systems programming) and generates optimized object code for System/370, Motorola 68000, IBM 801 (the never-released forerunner of the ROMP), and, of course, the ROMP.

Much of the systems software for the RT was generated using the PL.8 compiler and benefits from its excellent optimization. However, the compiler delivered with the AIX operating system of the RT is based not on PL.8 but on the standard AT&T UNIX Portable C Compiler. The original release of the AIX C compiler did little optimization apart from a peephole optimizer. Version 1.1 incorporates an improved global code optimizer, based on the PL.8 compiler technology.

REGISTER MODEL

As mentioned above, the ROMP has 16 general purpose registers for use by most instructions. The contents of each register can be treated as a 32-bit quantity, two 16-bit quantities, or four 8-bit quantities (see figure 1). In addition, the ROMP has 16 system control registers (SCRs), not all of which are currently defined. SCRs 0 through 5 and SCR 9 are reserved for future versions of the ROMP. The functions of the other registers are listed below.

- SCRs 6, 7, and 8 implement the system timer facility. SCR 7 is the system timer register, which is decremented by one approximately every millisecond. SCR 8 contains status and control bits to enable a timer interrupt at a selectable priority whenever SCR 7 goes from 1 to 0. SCR 6 contains the value with which the timer is reloaded after counting down to 0.
- SCR 10 is the multiplier quotient (MQ) register, which is used in multiply and divide operations.
- SCR 11 contains the machine check status (MCS) and program check status (PCS). These registers report the reasons for special interrupts caused by hardware failures (machine check) or program exceptions (program check) such as those due to protection violations, software-initiated interrupts, and supervisor calls.
- SCR 13 is the instruction address register (IAR) that performs the same

TRANSFORM YOUR PC INTO A LISP MACHINE.



Not long ago, a specialized LISP machine was your only choice for serious AI development and delivery.

But now you can get LISP machine performance out of that ordinary IBM PC* sitting on your desk. With the **Gold Hill 386 LISP System.**

You simply plug in the System's HummingBoard™—unique 386-based hardware designed specifically for the LISP environment. Then you add the System's Golden Common LISP 386 Developer software.

That's all you need to transform your PC into a LISP machine. You can develop and deliver AI applications on your PC. And create your own expert systems. You'll get the kind of LISP performance you thought was only possible in a system costing ten times as much.

And if you don't need the whole system, Gold Hill can still offer you AI solutions. You can get GCLISP 286 Developer software for your PC.* And GCLISP 386 Developer software will be available for leading manufacturers' 386-based PCs.

Tomorrow's AI development tools for PCs are available today from Gold Hill. We'll prove it to you—just call to get the latest Gabriel Performance Benchmarks. You'll be amazed to learn what your PC is capable of. Call toll-free:

Gold Hill. The expert in AI on PCs.

1-800-242-LISP

In Mass.: (617) 492-2071
Gold Hill Computers, Inc.
163 Harvard St.,
Cambridge, MA 02139

GOLD HILL™


*The Gold Hill 386 LISP System requires an IBM PC XT, AT or compatible. GCLISP 286 Developer Software requires an IBM PC AT or compatible.

© 1986 Gold Hill Computers, Inc. Gold Hill, Gold Hill 386 LISP System, Golden Common LISP, GCLISP, and Developer are trademarks of Gold Hill Computers, Inc. IBM PC, XT and AT are registered trademarks of International Business Machines Corp. HummingBoard is a trademark of A.I. Architects, Inc.

CIRCLE NO. 121 ON READER SERVICE CARD


Adapted from IBM RT PC Hardware Technical Reference

FIGURE 1: *General Purpose Registers*



A general purpose register (GPR) consists of an upper and lower half of 16 bits each. It may be partitioned into four 8-bit characters: C0, C1, C2, and C3.

FIGURE 2: *ROMP Instruction Formats*



ROMP instructions are divided into seven formats according to usage of registers and memory. Any GPR may be used in instructions that specify registers.

Adapted from IBM RT Personal Computer Technology

function as the program counter (PC) or instruction pointer (IP) registers in other processors: it points to the next instruction to be executed.

- SCRs 14 and 12 are the interrupt control status (ICS) and interrupt request buffer (IRB), respectively. The ICS contains the processor priority, interrupt mask, and control bits for processor privilege state, memory protection, and translation enable. A current register set number field also is available, providing for up to eight sets of 16 GPRs, but the current implementation has only one set of GPRs.
- SCR 15 contains the condition status bits, which are set according to the results of arithmetic and shift instructions and can be tested by conditional jump and branch instructions.

ROMP INSTRUCTIONS

The 118 ROMP instructions are divided into ten classes according to function (see table 1) and into seven formats, as shown in figure 2. The majority of instructions are R-format, two-operand, register-to-register operations, which execute in a single 170-nanosecond cycle. The sole X-format instruction is CAS (compute address short), which adds two 32-bit registers and then places the result in a third, without affecting the condition bits.

D-format instructions come in both a long and a short form; the difference between the two is the size of the immediate operand field. A typical D-format instruction is ST (store), which stores a 32-bit register at the memory location addressed by the contents of another GPR and the sign-extended value of the immediate field.

The JI format is used only for the JB (jump on condition bit) and JNB (jump on not condition bit) instructions. The BA format is for absolute branches that can reference the first 16MB of segment 0 in the processor's (virtual or real) address space. The BI format is for relative branches, with a range of ± 512KB.

The 10 categories of the ROMP instruction set, listed in table 1, perform the following functions:

- The memory access instructions provide for loading and storing full 32-bit words, 16-bit half-words, and 8-bit characters. Included in this group of seventeen instructions is a test and set instruction that is useful for interprocess coordination.
- The eight address computation instructions do not affect the condition codes and are useful for computing source and destination addresses in the middle of computations, as well as arithmetic operations where the condition status of the result is not going to be tested by a branch.
- The branch instructions come in two varieties: nine ordinary branches and seven branches with execute. The latter executes the instruction immediately following the branch instruction (called the *subject instruction*) regardless of whether or not the branch is taken, just as if it preceded the branch. The subject instruction has no effect on the branch decision, which has already been made by the time the subject instruction executes. In cases where the branch is taken, the execution of the subject instruction is overlapped with the fetching of the branch target. This allows for explicit use of the pipelined architecture of the ROMP to do useful work during what would be wasted time in most processors. The branch and link instructions of this group store a return address in a designated GPR and are the basis for subroutine calls.
- The three available traps cause a program check interrupt if at least one of the specified conditions is true. The traps are generally used to detect subscript range errors, overflow, and similar conditions.
- The move and insert group provides for moving any of the four characters in one GPR to any position in another, or the same, GPR. Instructions for moving bits are also included in this thirteen-member group.
- The twenty-one arithmetic instructions consist of the usual group, except that

TABLE 1: *ROMP Instruction Set*

OP	FORMAT	NAME	DESCRIPTION
MEMORY ACCESS			
4	DS	LCS	Load character short
CE	D	LC	Load character
5	DS	LHAS	Load half algebraic short
CA	D	LHA	Load half algebraic
EB	R	LHS	Load half short
DA	D	LH	Load half
7	DS	LS	Load short
CD	D	L	Load
C9	D	LM	Load mutliple
CF	D	TSH	Test and set half
1	DS	STCS	Store character short
DE	D	STC	Store character
2	DS	STHS	Store half short
DC	D	STH	Store half
3	DS	STS	Store short
DD	D	ST	Store
D9	D	STM	Store multiple
ADDRESS COMPUTATION			
C8	D	CAL	Compute address lower half
C2	D	CAL16	Compute address lower half 16-bit
D8	D	CAU	Compute address upper half
6	X	CAS	Compute address short
F3	R	CA16	Compute address 16-bit
91	R	INC	Increment
93	R	DEC	Decrement
A4	R	LIS	Load immediate short
BRANCHING			
8A	BA	BALA	Branch and link absolute
8B	BA	BALAX	Branch and link absolute with execute
8C	BI	BALI	Branch and link immediate
8D	BI	BALIX	Branch and link immediate with execute
EC	R	BALR	Branch and link
ED	R	BALRX	Branch and link with execute
08-0F	JI	JB	Jump on condition bit

OP	FORMAT	NAME	DESCRIPTION
BRANCHING *(continued)*			
8E	BI	BB	Branch on condition bit immediate
8F	BI	BBX	Branch on condition bit immediate with execute
EE	R	BBR	Branch on condition bit
EF	R	BBRX	Branch on condition bit with execute
00-07	JI	JNB	Jump on not condition bit
88	BI	BNB	Branch on not condition bit immediate
89	BI	BNBX	Branch on not condition bit immediate with execute
E8	R	BNBR	Branch on not condition bit
E9	R	BNBRX	Branch on not condition bit with execute
TRAPS			
CC	D	TI	Trap on condition immediate
BD	R	TGTE	Trap if register greater than or equal
BE	R	TLT	Trap if register less than
MOVE AND INSERT			
F9	R	MC03	Move character zero from three
FA	R	MC13	Move character one from three
FB	R	MC23	Move character two from three
FC	R	MC33	Move character three from three
FD	R	MC30	Move character three from zero
FE	R	MC31	Move character three from one
FF	R	MC32	Move character three from two
BC	R	MFTB	Move from test bit
9D	R	MFTBIL	Move from test bit immediate lower half
9C	R	MFTBIU	Move from test bit immediate upper half
BF	R	MTTB	Move to test bit
9F	R	MTTBIL	Move to test bit immediate lower half
9E	R	MTTBIU	Move to test bit immediate upper half

The ROMP implements 118 instructions; most are R-format, register-to-register operations that execute in a 170-ns cycle.

divide and multiply are missing. In their place, the ROMP has primitive instructions that perform partial divide or multiply one or two bits at a time. Library routines can use these to do normal operations. Optimization is also possible in many situations, given knowledge of the actual or maximum values of the operands.

- Logical instructions are the usual And, Or, and Xor, with the mainstream IBM mnemonics *N*, *O*, and *X*. There are sixteen logical instructions.
- The fifteen instructions of the shift group include a unique, nondestructive set of shifts in addition to the normal ones. The so-called *paired shifts* treat the 16 GPRs as 8 pairs (0 and 1, 2 and 3...). The specified register is shifted and the result is stored in its *twin* (the other member of the pair), which leaves the original register unmodified.
- The seven system control instructions manipulate the system control registers and are generally privileged. If executed with the processor in unprivileged state, a program check occurs. Operations on the MQ or condition status SCRs, however, are not privileged. The LPS (load program status) instruction loads the IAR, ICS, and CS from the designated memory location. It can be used to return from an interrupt. LPS is a privileged instruction. The SVC (supervisor call) instruction is not privileged. SVC causes a program check interrupt and is the normal way to invoke operating system services.
- Only two I/O instructions are included in the ROMP instruction set: IOR (I/O read) and IOW (I/O write). They are used to transfer data between the ROMP and the memory management unit (MMU) registers, including the segment control registers. Although the I/O instructions are not privileged, the MMU will report a protection violation if it is accessed by I/O instructions when the processor is in unprivileged mode.

PRIORITY INTERRUPTS

The RT implements a priority interrupt mechanism. The processor priority field in the interrupt control status register

OP	FORMAT	NAME	DESCRIPTION
ARITHMETIC			
E1	R	A	Add
F1	R	AE	Add extended
D1	D	AEI	Add extended immediate
C1	D	AI	Add immediate
90	R	AIS	Add immediate short
E0	R	ABS	Absolute
F4	R	ONEC	Ones complement
E4	R	TWOC	Twos complement
B4	R	C	Compare
94	R	CIS	Compare immediate short
D4	D	CI	Compare immediate
B3	R	CL	Compare logical
D3	D	CLI	Compare logical immediate
B1	R	EXTS	Extend sign
E2	R	S	Subtract
B2	R	SF	Subtract from
F2	R	SE	Subtract extended
D2	D	SFI	Subtract from immediate
92	R	SIS	Subtract immediate short
B6	R	D	Divide step
E6	R	M	Multiply step
LOGICAL OPERATIONS			
99	R	CLRBL	Clear bit lower half
98	R	CLRBU	Clear bit upper half
9B	R	SETBL	Set bit lower half
9A	R	SETBU	Set bit upper half
E5	R	N	And
C5	D	NILZ	And immediate lower half extended zeroes
C6	D	NILO	And immediate lower half extended ones
D5	D	NIUZ	And immediate upper half extended zeroes
D6	D	NIUO	And immediate lower half extended ones
E3	R	O	Or
C4	D	OIL	Or immediate lower half

OP	FORMAT	NAME	DESCRIPTION
LOGICAL OPERATIONS *(continued)*			
C3	D	OIU	Or immediate upper half
E7	R	X	Exclusive or
C7	D	XIL	Exclusive or immediate lower half
D7	D	XIU	Exclusive or immediate upper half
F5	R	CLZ	Count leading zeroes
SHIFTS			
B0	R	SAR	Shift algebraic right
A0	R	SARI	Shift algebraic right immediate
A1	R	SARI16	Shift algebraic right immediate plus 16
B8	R	SR	Shift right
A8	R	SRI	Shift right immediate
A9	R	SRI16	Shift right immediate plus 16
B9	R	SRP	Shift right paired
AC	R	SRPI	Shift right paired immediate
AD	R	SRPI16	Shift right paired immediate plus 16
BA	R	SL	Shift left
AA	R	SLI	Shift left immediate
AB	R	SLI16	Shift left immediate plus 16
BB	R	SLP	Shift left paired
AE	R	SLPI	Shift left paired immediate
AF	R	SLPI16	Shift left paired immediate plus 16
SYSTEM CONTROL			
B5	R	MTS	Move to SCR
96	R	MFS	Move from SCR
95	R	CLRSB	Clear SCR bit
97	R	SETSB	Set SCR bit
D0	R	LPS	Load program status
F0	R	WAIT	Wait
C0	D	SVC	Supervisor call
INPUT/OUTPUT			
CB	D	IOR	I/O read
DB	D	IOW	I/O write

determines whether the processor will honor a pending interrupt request. Only interrupts with a priority greater than the current processor priority are processed; interrupts of equal or lower priority remain pending.

Interrupts are honored between instructions (but not between branch with execute and the subject instruction or between LPS and the target instruction) and can arise from three sources: software-generated interrupts caused by setting bits in the interrupt request buffer; system components on the processor channel (such as the MMU and the I/O channel converter); and I/O adapters on the I/O channel.

The processor recognizes five different levels of external interrupts, plus two I/O trap levels (see table 2). The traps are for memory management hardware errors and for the power fail early warning. Both traps cause a machine check interrupt to take place.

When the processor recognizes an interrupt request, it initiates a program status (PS) exchange. The current PS (IAR, ICS, and CS) is stored in a fixed real memory location, depending on the level of interrupt source, then a new PS is loaded from the words following the old PS save area. Interrupt routines return to the previous processing level by executing an LPS instruction specifying the address of the previously saved processor status.

The eleven interrupt levels in the I/O channel, plus four more from devices on the system board, are mapped into two processor interrupt levels. System software can check the 8259 interrupt controllers to determine the specific source of the interrupt.

VIRTUALLY UNLIMITED MEMORY

The RT system supports an extremely large virtual memory, with a 40-bit virtual address. Remember that the Intel 8088 used in the PC and PC/XT has a 20-bit address, yielding a megabyte address space. The RT's 40-bit virtual address covers a mega-megabyte, or terabyte—that is, 100,000 10MB disks.

The idea behind virtual memory is that programs can access memory as a single uniform array without regard to the amount of physical memory actually

LANGUAGES THAT ARE CAUSING THE BIGGEST PROGRAMMING BACKLOG IN HISTORY ARE ALSO EATING NICE BIG HOLES IN OUR POCKETS.

Whether it's BASIC, COBOL, Pascal, "C", or a data base manager, you're being held back.

Held back because the language has frustrating limitations, and the programming environment isn't intuitive enough to keep track of what you're working on.

In the real world, there's pressure to do more impressive work, in less time, and for more clients.

We've been given some incredibly powerful hardware in recent times, but the languages aren't a whole lot better than they were 20 years ago.

So, whatever language you have chosen, by now you feel it's out to get you — because it is.

Sure, no language is perfect, but you have to wonder, "Am I getting all I deserve?"

And, like money, you'll never have enough.

Pretty dismal, huh?

We thought so, too.

So we did something about it.

We call it CLARION™

You'll call it *"incredible."*

Distributed on 7 diskettes, CLARION consists of over 200,000 lines of code, taking 3+ years to hone to "world-class" performance.

With CLARION you can write, compile, run and debug complex applications in a New York afternoon.

Even if you're in Savannah.

It gives you the power and speed to create screens, windows and reports of such richness and clarity you would never attempt them with any other language.

Because *you* would have to write the code.

With CLARION you simply design the screens using our SCREENER utility and then CLARION writes the source code AND compiles it for you in seconds.

Likewise, you can use REPORTER to create reports.

Remember, only CLARION can recompile and display a screen or report layout for modification.

And with no time wasted.

All the power and facilities you need to write great programs, faster than you ever dreamed of.

Programs that are easy to use.

Programs that are a pleasure to write.

And to you that means true satisfaction.

You've coveted those nifty pop-up help windows some major applications feature. But you can't afford the time and energy it takes to write them into your programs.

That's the way it used to be.

So we fixed that, too.

CLARION's HELPER is an interactive utility that let's you design the most effective pop-up help screens that you can imagine. And they're "context sensitive," meaning you can have help for every field in your application.

Unlike the other micro languages, CLARION provides declarations, procedures, and functions to process dates, strings, screens, reports, indexed files, DOS files and memory tables.



SAY IT IN

CLARION™

A3TJ/7

1-800-354-5444

VISA AMERICAN EXPRESS MasterCard

Imagine making source program changes with the CLARION EDITOR. A single keystroke terminates the EDITOR, loads the COMPILER, compiles the program, loads the PROCESSOR and executes the program. It's that easy!

Our data management capabilities are phenomenal. CLARION files permit any number of composite keys which are updated dynamically.

A file may have as many keys as it needs. Each key may be composed of any fields in any order. And key files are updated whenever the value of the key changes.

Like SCREENER and REPORTER, CLARION's FILER utility also has a piece of the CLARION COMPILER. To create a new file, you name the Source Module. Then you name the Statement Label of a file structure within it.

FILER will also automatically rebuild existing files to match a changed file structure. It creates a new record for every existing record, copying the existing fields and initializing new ones.

Sounds pretty complicated, huh?

Not with CLARION's documentation and on-line help screens. If you are currently competent in BASIC, Pascal or "C" you can be writing CLARION applications in a day. In two days you won't believe the eloquence of your CLARION programs.

Okay, now for the best part of all. You can say it in CLARION for $295.00—plus shipping and handling. All you need is an IBM® PC, XT, AT or true compatible, with 320 KB of memory, a hard disk drive, and a parallel port. And we'll allow a full 30 day evaluation period. If you're not satisfied with CLARION, simply return it in its original condition for a full refund.

If you're not quite ready to take advantage of this no-risk opportunity, ask for our detailed 16 page color brochure. It vividly illustrates the elegance of CLARION. Consider it a preview of programming in the fast lane.

Either way, the 800 call's a freebie.

BARRINGTON SYSTEMS, INC. 150 EAST SAMPLE ROAD POMPANO BEACH, FLORIDA 33064 305/785-4555

IBM is a registered trademark of International Business Machines Corporation. CLARION™ is a trademark of Barrington Systems, Inc. ©1986 Barrington Systems

CIRCLE NO. 105 ON READER SERVICE CARD

TABLE 2: *RT System Processor Interrupts*

LEVEL	ASSIGNMENT
0	System attention sequence from keyboard
1	Realtime clock interrupt
2	IOCC errors / MMU program check
3	I/O channel interrupts (8259 #1)
4	I/O channel interrupts (8259 #2)
Trap	MMU machine check / Early power-off warning

The system processor supports five external interrupt levels, as well as a trap. IRQs from the I/O channel are connected to levels 3 and 4 through two 8259 interrupt controllers that are located on the system board.

present or available. If a program tries to access a part of the virtual memory that is not represented by a part of physical memory, a page fault interrupt occurs and the system software can read the required page from secondary storage (usually disk).

The RT processor deals in 32-bit addresses, thus giving it the ability to address 4GB (gigabytes) of memory directly. The MMU accepts 32-bit addresses from the processor (or I/O channel), but is capable of addressing only 16MB of physical memory using 24 address bits. The MMU must first translate the 32-bit virtual address into a full 40-bit virtual address before it can find the real memory that corresponds to the desired virtual location. Only then can the transfer take place. If no real memory is associated with the given virtual address, then the system software has to be notified.

To the executing program, memory appears to occupy 4GB, divided into 16 segments of 256MB each. The complete virtual space contains 4,096 segments. The 32-bit program addresses are expanded to full 40-bit virtual addresses by the MMU, which uses the high-order 4 bits of the 32-bit address to select one of 16 segment registers. The 12-bit segment number (called the segment ID or SID) contained in the segment register is concatenated with the lower 28 bits of the program address to form the 40-bit virtual address (see figure 3).

The segment registers are part of the process state maintained by the operating system. Each process, or program, can address only those segments assigned to it by the operating system. The system can permit sharing of segments by several programs by placing the same SID value into a segment register for each program.

After the MMU has translated the 32-bit address into a full 40-bit virtual address, the virtual address must be associated with a piece of physical memory. The system divides memory into pages of 2,048 bytes each. (Actually, the hardware supports either 2KB or 4KB pages, but the current software uses only the smaller page size.) A 16MB system has 8,192 pages. An inverted page table (IPT) in memory contains an entry for each real memory page. The IPT entry contains the 29-bit virtual page number (the 12-bit segment number concatenated with the 17-bit virtual page index) associated with each real page, bits that indicate whether the corresponding real page is actually assigned, and links to subsequent entries.

To avoid searching the entire IPT for each memory reference (obviously, this would be unacceptably slow), the MMU implements a hashing algorithm that generates a real page number from the virtual page number. This page number indexes a memory-resident table called the hash anchor table, which contains pointers to the corresponding IPT entry for the designated real page. The IPT is searched from that point, following the links to subsequent entries with the same hash value. Eventually, the desired virtual page is found, or the page is not present and a page fault interrupt is generated.

To optimize virtual address translation even further, the MMU contains a 32-element translation look-aside buffer (TLB) that contains the virtual-to-real correspondence for recently translated addresses (see figure 4). This on-chip cache is an associative memory, or content-addressable memory, organized as two 16-entry tables. The two tables are indexed in parallel using the lower four bits of the desired virtual page. The upper 25 bits of the page number are then compared with the contents of the TLBs. If either TLB produces a match and the TLB entry is marked as valid, then the 13-bit real page number is used directly. If the address is found in the TLB, the MMU can complete the transfer in a single 170-nanosecond cycle. If the TLB look-up fails, the IPT is searched and the results are stored in the TLB for future accesses.

When a successful virtual-to-real translation occurs, the MMU automatically updates the appropriate bits in the reference/change array located on the processor board. These bits record the status of each page of real memory and are accessible by the operating system. They are helpful in managing the use of real memory; for example, pages that are changed must be written to disk if they are to be used for a different virtual page.

In the event of a page fault, the operating system must read the desired virtual page from disk into a real page and enter the appropriate information into the IPT. The MMU then can repeat the access. The system needs a way to associate virtual pages with disk blocks. The RT's Virtual Resource Manager (VRM) uses the external page table (XPT) for this purpose. The VRM imposes a limit of 512 segment IDs (or one-eighth of the theoretical limit of 4,096) in order to keep the size of the XPT manageable. Even so, 512 segments of 128K pages each adds up to 64 mega-entries. If each entry contains a 4-byte disk block address, the XPT requires 256MB, or one whole segment, without considering the rest of the pages it represents, which require 2,048 *times* the space of the XPT. Clearly, the RT's 40-bit virtual address space leaves plenty of growing room.

MEMORY PROTECTION

The RT provides several levels of memory protection in the MMU. Each segment register contains a segment present bit. If this bit is cleared, then the MMU ignores all accesses to this segment. This feature is used not only for protection against references to unallocated segments, but also to implement memory-mapped I/O. Segment 15 is marked not present by the system software, so the MMU ignores it, and the I/O channel converter (IOCC) hardware on the system board responds only to addresses in segment 15. Therefore, all access to the I/O channel is through memory references in segment 15.

Two more bits in the segment register allow individual enabling or prohibiting of access to segments by the processor or the I/O channel. Thus, a segment can be made available to the processor, the I/O channel, both, or neither. Protection violations and page faults cause special processor interrupts.

The MMU provides for two finer-resolution forms of protection. Individ-

ALL TOGETHER NOW WITH SIMPC...

leading communication software for IBM PCs

SIM3278/PC — best known as SIMPC — is a versatile software package designed to provide IBM PC users with access to virtually any computer application in almost any location.

Three types of terminal emulation in one software package. When SIMPC is used in conjunction with SIM3278, Simware's host-based protocol converter, you can use your IBM PC as a 3278 model 2 terminal to communicate with your IBM host (without the need for any additional hardware, add-on boards or system modifications). SIMPC also enables you to access a DEC/VAX or any other non-IBM system that supports a VT100. And, you can communicate with any host that supports line-by-line mode.

We wrote the music for PC-to-PC communications too. In addition to complete, economical emulation for three types of terminals and error-free file transfer from PC to host in either full-screen or line-by-line mode, SIMPC also provides the capability to send data from PC to PC via XMODEM.

Conduct your band of PC users with SIMPC. Here are five more great reasons why data communications managers choose SIMPC:

- ☐ cost-effective data transmission using half-duplex communications;
- ☐ Simware's unique screen-rewriting technique saves time and improves productivity;
- ☐ online help, a menu system and a tutorial shorten the learning curve for novice users;
- ☐ an intelligent command processor enables you to develop application interfaces that automate and standardize routine procedures; and
- ☐ an unlimited right-to-copy corporate license means your PC network can grow to any size for a one-time price.

Micro-to-mainframe is only one of our popular melodies. Since 1982, Simware has released ten software products that help IBM mainframe sites running VM or MVS/VTAM reduce communication costs, improve productivity and accommodate new users as their organizations grow.

To find out how Simware's software-only approach to communications has provided outstanding performance to PC users around the world, call us toll-free at:
1-800-267-9991
Or, send for a free Connectivity Kit today!

SIMWARE
a practical approach to communications


20 Colonnade Rd.
Ottawa, Ontario
Canada K2E 7M6
(613) 727-1779
Telex: 053-4130

CIRCLE NO. 221 ON READER SERVICE CARD

Simware products are distributed in Europe by The European Software Company Inc.



FIGURE 3: *Generation of Virtual Address*



The 12-bit segment number is concatenated with the lower 28 bits of program addresses in order to form 40-bit virtual addresses.

Adapted from IBM RT PC Hardware Technical Reference

ual pages have a two-bit key field in their ITP and TLB entries; the field defines the page type as Key-0 fetch-protected, Key-0 read/write, public read/write, or public read-only. A one-bit key in each segment register gives a process either Key-0 or Key-1 access to the pages in that segment. Key-0 privilege allows read/write access to all but public read-only pages, which are always read-only. Key-1 privilege cannot read Key-0 fetch-protected pages and can only write to public read/write pages.

Special segments, designated by yet another bit in the segment register, provide for locking of 128-byte lines according to an 8-bit transaction identifier (TID). Each ITP and TLB entry contains 16 lockbits for each page (one for each line), a TID, and a write bit. The MMU also contains a current TID register that the operating system updates each time it dispatches a process to execute. The MMU allows access only to special segment pages by processes with the correct TID. The lockbits and write bit for the page determine the type of access allowed. If the write bit is 1, locked lines can be read or written and unlocked lines are read-only. If the write bit is 0, locked lines can be read and no other access is permitted.

Interrupts caused by protection violations can be used by the operating system to control resources, implement signals, make processes wait, or detect actual violations or software errors.

I/O CHANNEL

The I/O channel (IOC) of the RT is essentially the same as that used in the PC/AT. It supports both 8- and 16-bit devices, DMA transfers, and interrupts, as well as 16-bit I/O device addresses and 24-bit memory addresses. Some adapters have only device addresses, some only memory addresses, and some (like display adapters) have both. Signals in the IOC tell the adapters whether the access is to the I/O or memory space.

One slot in the IOC, for IBM's AT Coprocessor Option, is slightly special. This slot has access to an eighth DMA channel dedicated for coprocessor use and does not support memory refresh.

The IOC is connected to the RT processor and MMU by the IOCC. The IOCC, processor, and MMU are connected to each other by a 32-bit bus called the ROMP storage channel (RSC). Transfers on the RSC are always 32 bits, as are the addresses. The IOCC must be able to recognize when RSC transfers address the I/O system and then translate them into the correct addressing and signals used on the IOC.


The IOCC accesses system memory through the MMU by originating its own transfers with either the system DMA controllers or the so-called alternate controllers. Alternate controllers are simply boards in the IOC that have the ability to generate their own addresses and cause bus transfers. They may have their own DMA controllers or even intelligent processors. The AT coprocessor functions as an alternate controller.

The IOCC is built to recognize 32-bit addresses to segment 15 as belonging to the IOC. The system software programs the MMU to ignore all segment 15 addresses. The IOCC maps the first 64KB of segment 15 (addresses F000 0000H through F000 FFFFH) to the I/O device map of the IOC, and the fifth 16MB of segment 15 (addresses F400 0000H through F4FF FFFFH) to the memory map of the IOC. Native I/O devices on the system board, such as the system DMA, interrupt controllers, and realtime clock, as well as the optional floating-point accelerator, are also addressed through segment 15.

The 16MB memory map on the IOC is completely independent of the 16MB system memory. In fact, given enough slots and sufficiently dense memory cards, approximately 13MB of memory can be installed in the IOC in addition to the 16MB of system memory. (Channel memory in excess of 13MB is reserved for the RT PC Advanced Monochrome Graphics Display and other system uses.) The channel memory would, of course, be confined to segment 15.

Aside from device adapters that incorporate memory, such as display controllers, the main reason for placing memory in the IOC is to improve the performance of the AT coprocessor. The coprocessor, or any alternate controller, can directly access both devices and memory in the IOC without going through the IOCC. However, the coprocessor should have access to system memory in a transparent way. In other words, the program executing in the coprocessor should be able to address its own 16MB logical address space without regard to whether the physical memory is located in system memory or in the I/O channel.

The system board contains logic to support the translation of addresses generated on the IOC by system DMA controllers and alternate controllers into either system memory or IOC addresses. This translation is accomplished by a 1K-by-16-bit RAM array



You can eat 37% more carrots.
Or you can get our new
VEGA Deluxe™ EGA card.

Despite its improvements over CGA, today's garden-variety Enhanced Graphics Adapter can still be a strain on the eyeballs.

May we introduce you to a sight for sore eyes: the new VEGA Deluxe EGA card. A short-card video adapter that goes beyond standard EGA to bring you as much as 37% higher screen resolution. That's 640 x 480. *And* 752 x 410.

Which in turn means sharper lines. More brilliant colors. And less strain on your eyes. (Of course, you can't see more than your monitor will display. So for more than 640 x 350, the VEGA Deluxe requires a Multisync® or equivalent.)

Not only that, the board's performance won't decrease one iota. And you can change the height and width parameters and put in new code for your applications in just a couple of hours.



The VEGA Deluxe is even 100% compatible with every other video mode: EGA, CGA, Hercules and MDA. (We guarantee it, or your money back.) It even *automatically selects* which mode is right for your software's needs.

How can we offer so much for only $599? A unique, CMOS EGA Integrator™ Chip, for one thing. Highly reliable surface-mount technology. And 28% fewer chips on the board.

Want to find out more? Just call 1-800-238-0101 for the name of the Video-7 dealer nearest you. (In California, call 1-800-962-5700.) And get ready for a real eye-opening experience.


Video-7 Inc., 550 Sycamore Drive, Milpitas, CA 95035.

video7®

High resolution modes require TTL color monitors capable of 25 KHZ and 29.4 KHZ. Trademarks: VEGA Deluxe, EGA Integrator, Video-7 Inc.; Hercules-Hercules Computer Technology; MultiSync-NEC Information Systems, Inc.; Registered trademarks: IBM-International Business Machines Corporation. Video-7-Video-7 Inc. Video-7 reserves the right to change specifications without notice.

CIRCLE NO. 204 ON READER SERVICE CARD

FIGURE 4: *Translation Look-aside Buffer*



The MMU contains two 16-entry translation look-aside buffers (TLBs), which are indexed in parallel by the low-order four bits of the virtual page number.

called the translation control word (TCW). The TCW operates in a way similar to the segment registers in the MMU. Address translation operates either in page mode, supporting 2,048-byte pages, or in region mode, with 32,768-byte regions.

The TCW contains two control bits: one indicates whether the resulting address is to be treated as real or virtual; the other selects either IOC or system memory as the target of the transfer. If the target is system memory, the transfer is passed to the MMU. In virtual mode, the upper byte is always E0H, forcing all IOC-originated memory accesses to segment 14, which can be mapped by the operating system as necessary. If the target is the IOC, then the IOCC performs the transfer immediately, without involving the MMU.

ARCHITECTURAL PLANS

Good architecture provides a construction plan for the present as well as a growth plan for the future. The RT architecture clearly meets both of these criteria. The current implementations of the RT offer system capabilities well beyond those of the traditional PCs, the most important being the provision of an extremely large, uniformly addressable virtual memory. The 64KB addressing limits of present PC architectures, even as mitigated by multiple segments, exact a real price in software complexity and system performance.

Direct hardware support for virtual memory management and protection, combined with a generous 16MB real memory capacity, make possible the safe and efficient implementation of multiuser systems. The current MMU chip is limited to addressing 16MB of real memory, but the architecture supports multiple MMUs. Future systems could support much more memory.

The physical I/O channel of the RT copies the standard 8- and 16-bit AT I/O channel, with some performance improvements, allowing use of a wide variety of adapters. The I/O channel is, however, the one part of the RT architecture that could be changed without seriously affecting users' software investments. Future RTs could have a full 32-bit I/O channel that accommodates physically larger boards and provides minicomputer-class peripheral support and system performance.

While not without important benefits, the unique proprietary processor is certainly the riskiest part of the RT architecture. The architectural advantages of a high-performance, pipelined processor with a large linear address space are clear, but must be considered relative to the overall system. Actual system performance, as IBM is continually reminding us, depends on many factors: among them are compiler efficiency, memory, and I/O usage. Users are insulated from hardware by software; it is the combined performance of the two that really matters.

Developers of new systems or those porting programs from other UNIX or C language environments should appreciate the features in the AIX operating system and the VRM real-time environment that make the RT system easy to set up, administer, and use. The RT is not a multiuser PC in that it does not directly run multiple DOS object programs. Systems based on the Intel 80386 are the only ones that offer the distant promise of integrating new 32-bit applications and existing PC object code in the same multiuser system. The AT coprocessor offers a solution for single-user operation of existing PC programs, but at a higher price.

The effect of PC-compatibility issues on the acceptance of the RT remains to be seen. If PC compatibility were free, then, of course, everyone would want it. But it is not free. The 80386 achieves PC compatibility by having an architecture remarkably similar to that of the 8086/80286, with extensions for 32-bit operation, and that is both good news and bad news. The compatibility is good if it is desired; the more complex architecture is a hotly debated liability/asset.

The marketplace will ultimately decide the importance of integrated PC compatibility in high-performance workstations. Meanwhile, the RT PC is the first arrival in the next generation of desktop virtual memory systems, and there are certainly more coming soon to a dealer near you.

Thomas V. Hoffmann, a consulting editor for PC Tech Journal, *is manager of systems development at RoadNet Technologies, Inc., located in Baltimore, Maryland.*

Adapted from IBM RT PC Hardware Technical Reference

PORTABLES: MOBILE ACCESS



Tech PC Portable Computers come in four different base models to match your computing needs. Our entry level Tech PC/XT portable computer is designed to provide a non-obstructive profile, and has a capacity to hold two thirty megabyte hard disks, a high resolution monochrome monitor with a Hercules compatible graphics card to drive it with 800 by 400 lines resolution, and never before heard of 6 expansion slots in a portable computer. If 4.77 MHz of Intel 8088 power isn't fast enough, try our Turbo 4.77 to 8 MHz 8088-2 or optional NEC V-2 microprocessor based portable machine. Designed to increase speed up to 170 percent of a standard PC/XT, this turbo gives you the edge.



Tech Personal Computer Systems are designed and manufactured by Tech Personal Computers . . .The leader in quality, performance and state of the art computer system engineering. . . each of our portable, desktop, multiuser, and minicomputer systems are unparalleled in the industry for quality construction, dependable operation, complete software compatibility, and an unbeatable combination of product satisfaction guarantees, long warranty periods, and comprehensive third party maintenance. At Tech PC we're out to capture your microcomputer business. No one matches our diverse line of high performance products, or our comprehensive system of support, warranty, and third party maintenance service options.

CIRCLE NO. 233 ON READER SERVICE CARD FOR PC/XT PORTABLE

CIRCLE NO. 234 ON READER SERVICE CARD FOR TURBO PC/XT PORTABLE

CIRCLE NO. 235 ON READER SERVICE CARD FOR PC/AT PORTABLE

CIRCLE NO. 236 ON READER SERVICE CARD FOR TURBO PC/AT PORTABLE



TECH PC PORTABLE COMPUTERS are available now in 4 different base models:

TECH PC/XT PORTABLE.....$ 899
Options:
Tech Turbo PC/XT Portable with 20 MB Hard Disk .$1349
Tech Turbo PC/XT Portable with 1200 Baud Internal Hayes Compatible Modem and 20 MB Hard Disk .$1549

TECH TURBO PC/XT PORTABLE.....$ 999
Options:
Tech Turbo PC/XT Portable with 20 MB Hard Disk $1449
Tech Turbo PC/XT Portable with 1200 Baud Internal Hayes Compatible Modem and 20 MB Hard Disk .$1649

TECH PC/AT PORTABLE.....$1799
Options:
Tech PC/XT Portable with 20 MB Hard Disk$2199
Tech PC/XT Portable with 1200 Baud Internal Hayes Compatible Modem and 20 MB Hard Disk$2399

TECH TURBO PC/AT PORTABLE.....$1999
Options:
Tech PC/XT Portable with 20 MB Hard Disk$2399
Tech PC/XT Portable with 1200 Baud Internal Hayes Compatible Modem and 20 MB Hard Disk$2599

All TECH PC PORTABLES available with tape backups, hard disks up to 1 gigabyte, networking systems, and hundreds of other hardware and software accessories.

The Tech PC/AT and Tech Turbo PC/AT portable units are state of the art in portable performance. The 80286 microprocessor based units can be fitted with up to 240 megabytes of high speed voice coil hard disk technology, and with the Turbo AT's 10 MHz math co-processor socket and 10 MHz 80286 microprocessor the unit can manipulate large spreadsheets with unparalleled performance.


(714) 385-1711

1911 Betmor Lane,
Anaheim, California 92805
Telex 272006 Answer Back - TECH FAX: 7143851523

TECH PC


Sometimes a combination of ideas ends up defying conventional thinking. However, their relationship seems natural after the fact. It's the kind of association that leads to maximum performance from minimum means. Ideas like the combined technology of multiple 32-bit microprocessors with mainframe architecture, concurrent on-demand operating systems and high-end file server/networking capability.

This kind of thinking has broken new technological ground. Out of it grew MultiMicro/Mainframe Architecture.* A very fast, very powerful and very adaptable multi-user, multi-microprocessor computer system. It's a very cost effective way to increase productivity.



The ideal system for a departmental computer, or for office automation. The MPS020-2 for under $25,000.

The MPS020-2* from Icon* and Sanyo.* Icon is a market-driven, free thinking bunch of American engineering entrepreneurs, and Sanyo is a nine billion dollar industrial giant from Japan. This linkage means market sensitive engineering and service from us, plus rigorous testing, inspection and quality conscious manufacturing from Sanyo. It's a sophisticated association that gives you the best of both worlds.



Our natural division of labor is designed to increase your productivity. The Central Processor (CPU) isn't burdened with file management. It only has to execute user programs (at 2.25 to 6.3 mips). In parallel with the CPU is the Floating Point Co-Processor, crunching the big numbers at 887,000 Whetstones, and two 16 port Peripheral Communications Processors handling terminal activity. Meanwhile the Disk Cache Processor lines up information needed by the CPU for continuous high speed operation with zero wait states. All of this is tied together by the MultiPath Bus Structure* that allows for parallel processing.

*Icon, MPSO2O-2, MultiMicro/Mainframe and MultiPathBus Structure are trademarks of Icon Systems and Software, Inc.; Sanyo is a trademark of Sanyo Electric Co., Ltd.; Unix is a trademark of AT&T, Multibus, iAPX 80286 are trademarks of Intel Corp.; MS-DOS is a trademark of Microsoft Corp.; MC68O2O, MC68881 are trademarks of Motorola, Inc © Copyright 1986 Icon Systems & Software, Inc.

We've combined what everyone else keeps separate—your information. Some of the frustration of proprietary operating systems can be eliminated with the MPS020-2 because it's compatible with your software past and future. The 32 port, three mips system will run Unix,* MS-DOS* and Pick* concurrently. In addition you can network your P.C.'s to its high-end file server and tap into the information resources of your mainframe. If communication is vital to your business, it's now a lot easier and a lot cheaper.


Don't get stung by a system that gives you less for more. As you can see, the Icon approach to system design is different. More for less. More users, more power, more flexibility, less money. If you're interested, give us a buzz. (801) 225-6888.

ICON SYSTEMS & SOFTWARE, INC.

A MEMBER OF THE SANYO GROUP

CIRCLE NO. 225 ON READER SERVICE CARD

SOPHISTICATED ARCHITECTURE BASED ON A NATURAL COMBINATION



ICON™

PC Network: the world's #1 supplier of

*members pay wholesale plus 8% and get 14–30 day software rentals

*PC NETWORK—Members pay just 8% above the wholesale price, plus shipping. All prices reflect a 3% cash discount. Please add $1.00 for each software package ordered. Remember, the minimum shipping charge is $2.50. Money orders, personal and company checks please allow 10 working days to clear. All prices subject to change without notice.

†RENT BEFORE YOU BUY—Members are eligible to join the NETWORK'S Business and Game software Rental Libraries and evaluate products for a full 14 (Regular) or 30 (VIP) days to see if it meets your needs. And The NETWORK'S rental charges are far less than other software rental services—just 20% OF THE MEMBERS WHOLESALE PRICE. **Rental titles** available in IBM/Apple/Mac and CP/M Formats.

CALL TOLL FREE

(800) 621-SAVE

(Orders—Membership and Advice!)
In Illinois Call (312) 280-0002
Your Membership Validation Number TT22

You can validate your membership number and, if you wish, place your first money-saving order over the phone by using your VISA, MASTERCARD or AMERICAN EXPRESS.
Our knowledgeable sales consultants are on duty Mon.-Fri. 8:00 AM to 7:00 PM Sat. 9:00 AM to 5:00 PM CST.

PERSONAL COMPUTER NETWORK
320 West Ohio Street
Chicago, Illinois 60610
Customer Service and Order Status (312) 280-1567
Starting Nov. 1, 8:00 AM to 8:00 PM, Mon.-Fri.

PC NETWORK MEMBERSHIP APPLICATION

YES! Please enroll me as a member in the PC NETWORK™ and send my catalog featuring thousands of computer products, all at just 8% above DEALER WHOLESALE PRICES. I will also receive "THE PRINTOUT", a special quarterly update on merchandise at prices BELOW even those in my wholesale catalog and all the other exclusive, money-saving services available to Members. I am under no obligation to buy anything. My complete satisfaction is guaranteed.

Please (✓) all boxes that apply:

	1 Year	2 Year
•**Basic Membership With 14 Days Rental**	**$8** ☐	**$15** ☐
Business Software Rental Library	**$25** ☐ add'l. per year	
Games Software Rental Library	**$10** ☐ add'l. per year	
•**Special V.I.P Membership** With 30 Days Rental BOTH Business and Game Software Rental Libraries	**$15** ☐	**$25** ☐
	$30 ☐ add'l. per year	

☐Bill My Credit Card: ☐VISA ☐MasterCard ☐American Express
Account Number: ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

Exp. Date _____ (mon. yr.)

☐Check or Money Order Enclosed for $ _____

Name _____

Address _____ Apt. No. ____

City _____ State _____ Zip ____

Telephone () _____

My Computer(s) is: ☐IBM PC ☐IBM XT ☐IBM AT ☐Apple II ☐Macintosh Other _____

Signature _____
(Signature required to validate membership)

Copyright© 1986, PC NETWORK, INC.

OVER 30,000 PRODUCTS AT

Arity Corporation

Expert System Development Package	$235.00*
File Interchange Toolkit	37.00*
Prolog Compiler and Interpreter	650.00*
Prolog Interpreter	275.00*
SQL Development Package	235.00*
Screen Design Toolkit	37.00*
Standard Prolog	70.00*
Arity Combo Package	950.00*

Blaise Computing Inc.

Asynch Manager for C	$115.00*
Asynch manager for Pascal	115.00*
C Tools/Tools 2 Combo Pack	115.00*
C Tools	85.00*
C Tools	65.00*
C Tools Plus	115.00*
Exec	65.00*
Pascal Tools/Tools 2 Combo	115.00*
Pascal Tools	85.00*
Pascal Tools 2	65.00*
Runoff	35.00*
Turbo Asynch Plus	65.00*
Turbo Power Tools Plus	65.00*
View Manager w/Source for C	185.00*
View Manager w/Source for Pascal	185.00*

Borland International

Reflex	$54.00*
Reflex and Workshop Bundle	99.95*
Reflex Workshop	35.25*
Turbo Database Toolbox	34.00*
Turbo Editor Toolbox	35.00*
Turbo Gameworks Toolbox	35.00*
Turbo Graphix Toolbox	32.97*
Turbo Lightning	48.50*
Turbo Pascal w/8087 and BCD Support	50.00*
Turbo Tutor	19.50*
Word Wizard	37.25*
Word Wizard and Turbo Lightning Bundle	79.50*

Lattice

C-Compiler 3.1	$250.00*
C-Sprite Debugger	115.00*
C-Food Smorgasbord	82.00*
Sidetalk	79.00*
DBC-III Library	137.00*
RPG-II Compiler	410.00*

LogiTech

LogiMouse	$75.00*
LogiMouse +	89.00*
LogiMouse + w/PC Paint	117.00*
LogiMouse + w/Generic CAD	139.00*
LogiMouse + w/Reflex	145.00*
LogiMouse + w/Generic CAD and PC Paint	158.00*
Modula–2/86 Compiler	55.00*
Modula–2/86 Compiler w/8087	85.00*
Modula–2/86 Compiler w/512K	142.00*
Modula–2 Runtime Debugger	41.00*
Modula–2 Source Package	79.00*
Modula–2 Translator	35.00*
Modula–2 Utilities Package	35.00*
Modula–2 Window	35.00*

everything for the program developer.

EVERYDAY LOW, LOW PRICES!

Micro Focus

Cobol Workbench	$32.00*
Level II Cobol	550.00*
CoGraphics	199.00*
CoMath	150.00*
Forms–2	245.00*
Level II Animator	675.00*
Level II Source Writer	1,499.00*
Micro/SPF	140.00*
Professional Cobol	2,200.00*
Multiuser Runtime for PC Net	400.00*

Microsoft

Cobol Tools	$199.00*
Basic Interpreter for Xenix	190.00*
Quick Basic	57.00*
Basic Compiler	237.00*
C Compiler	230.00*
Cobol Compiler	420.00*
Fortran Compiler Xenix	313.00*
Fortran Compiler PC	184.00*
MULISP	180.00*
Macro Assembler 4.0	84.70*
MUMATH/MUSIMP	180.00*
Pascal Compiler for Xenix	297.00*
Pascal Compiler for PC	162.00*
Sort Facility	117.00*
Windows	51.00*
Windows Development	290.00*

Phoenix Software

PFantasy Pac	$800.00*
PFinish	210.00*
PFix 86 Plus	210.00*
PForce	210.00*
PLink–86 Plus	299.00*
PMate	199.00*
Pre–C	160.00*
PTel	119.00*

Ryan McFarland

Fortran 77 Compiler	$327.00*
RM/Cobol Full Development	570.00*
RM/Cobol Runtime	150.00*
RM/Cobol 8X Full System	799.00*
RM/Cobol 8X Runtime	189.00*
RM/Cobol Network Full System Ver.2.1	799.00*
RM/Cobol Network Runtime Ver.2.1	339.00*

Softcraft

Btrieve	$175.00*
Xtrieve	130.00*
Rtrieve	109.00*
Rtrieve, Network Version	249.00*
Xtrieve, Network Version	419.00*
Btrieve, Network Version	419.00*

Summit Software

Better Basic	$119.40*
8087 Math Module	59.00*
Runtime System	150.00*

*All Items are Subject to Availability, Prices Subject to Change Without Notice.
TM—Registered Trademarks of Apple/Epson/IBM/Macintosh/Microsoft.

PC NETWORK'S ONLINE

A 24 hour bulletin board and information service. Members can:

- **Download Public Domain Software FREE! Over 20,000 titles available.**
- **Get expert advice on Apple,™ IBM,™ Macintosh, CP/M and Unix.**
- **Place an order day or night.**
- **Product Reviews through the nation's largest computer expert news network!**
- **Catalog Updates and special offers.**

True Basic

True Basic Algebra	$27.00*
True Basic Asyncronous Communication Libr	27.00*
True Basic BTrieve Interface Libr	27.00*
True Basic Calculus	27.00*
True Basic Chipendale	27.00*
True Basic Developer's ToolKit	27.00*
True Basic Discrete Math	27.00*
True Basic Form Libr	27.00*
True Basic Hercules Graphics Support Libr.	27.00*
True Basic PC Basic Converter Library	27.00*
True Basic Pre-Calculus	27.00*
True Basic Probability	27.00*
True Basic Rules For True Basic	79.00*
True Basic Sorting Searching Library	27.00*
True Basic String Library	27.00*
True Basic Trigonometry	27.00*
True Basic True Basic	79.00*


Exceptional Buys

Bourbacki, Inc. *1 DIR*	$57.00*
Central Point *Copy II PC*	59.00*
CompuView *Vedit*	95.00*
Fifth Generation *Fastback w/50 DS/DD Diskettes*	109.00*
Human Edge Software *Expert Edge*	374.95*
MLI *Disk Mechanic*	40.00*
Morgan Computer *Professional Basic*	70.00*
Morgan Computer *Trace 86*	77.50*
Peter Norton *Norton Utilities 3.1*	43.00*
Peter Norton *The Norton Commander*	36.00*
Rogue River Software *APF/PC*	98.00*
Softlogic Solutions *Disk Optimizer or Double DOS*	29.00*
Software Channels *Alice*	59.00*
Software Garden *Dan Bricklin's Demo Program*	55.00*
STSC *APL*Plus/PC System*	370.00*
STSC *Statgraphics*	520.00*
Wordtech Systems *Hot C*	59.00*

PC Network
1 800 621-SAVE

IN ILLINOIS 312 280-0002

CIRCLE NO. 117 ON READER SERVICE CARD





A progressive move by IBM, the Virtual Resource Manager is a layer of high-function software between operating systems such as AIX and the underlying RT PC hardware.

The Insulating Layer

RICHARD M. FOARD

The most significant architectural choice made in the RT PC software effort was IBM's decision to wrap a layer of high-function software around the RT's RISC processor and its I/O devices. This layer, the Virtual Resource Manager (VRM), is as much a part of the RT as BIOS is a part of 8086-based PCs, even though it is not delivered in ROMs inside the processor box. Like BIOS, VRM provides a more convenient software interface to system devices than is offered at the raw hardware level, but VRM contains far more than just a collection of subroutines and interrupt handlers. VRM is a complete realtime, multiprogramming operating environment and virtual memory manager as well as an I/O subsystem.

Although it was developed in close conjunction with IBM's adaptation of AIX (Advanced Interactive Executive) for the RT, VRM is not logically a part of AIX and does not depend on AIX in any way. Other operating systems can be adapted to run atop VRM, or realtime application systems can be built to run directly on VRM, without any mediating services from an operating system.

Some similarities are apparent between the VRM and IBM's venerable VM/370. Both can support the concurrent operation of several operating systems on a single machine. Unlike VM/370, however, VRM implements a very high-level virtual machine that has never been and likely never will be implemented in hardware. VRM meets the

PHOTOGRAPHS • BLAKESLEE-LANE COMPUTER GRAPHICS • NATALE/EAST

software it hosts in a well-defined interface called the Virtual Machine Interface (VMI), see figure 1. On the RT, I/O control and processor allocation functions embodied in conventional operating systems have been "pushed across" the interface into the VRM.

As shown in figure 2, it is the VRM that issues real physical I/O instructions to devices and receives real hardware interrupts back. Operating systems such as AIX use VRM as an intelligent middleman in dealing with I/O devices, and consequently see *virtual* devices and *virtual* interrupts. From an AIX system programmer's viewpoint, virtual devices have several desirable attributes not shared by their real counterparts. For one thing, they are very intelligent—each one can be viewed as having an RT built into it; they can accept and process very high-level commands. For another, it is not necessary to replicate hardware to replicate virtual devices: one physical terminal, for example, can serve as many virtual terminals.

Sandwiching VRM's intelligence between the RT processor and its hosted operating systems allowed IBM developers to meet the four design goals that guided the RT software development effort, as set forth in *IBM RT Personal Computer Technology* (IBM, 1986):

- To provide a high-level machine interface that simplifies the development and implementation of operating systems and their applications.
- To maximize performance in order to provide support for realtime, process-control-type applications.
- To provide an extendable, flexible interface that allows users to customize the system to meet their needs.
- To provide compatibility with IBM PC applications by supporting an Intel 80286 coprocessor.

USING VRM FACILITIES

In traditional computing environments, the operating system lies at the lowest level of system software and performs direct control of the processor and its I/O device hardware. Operating systems under VRM on the RT are different—they are one level removed from the physical hardware. Their device drivers do not execute direct hardware control instructions. Instead, they serve as high-level routers of commands and data. Where the traditional operating system disk driver issues seek and read instructions directly to a disk controller, its RT counterpart issues VRM supervisor calls (SVCs). The SVCs are hardware instructions to a *virtual* machine. Like the traditional driver, the RT driver receives completion interrupts, but the interrupts are virtual ones caused by VRM software instead of real ones caused by disk controller hardware.

The VMI is made up of this set of supervisor calls, along with the virtual interrupts and environmental conventions that the VRM provides to the software it hosts. The virtual machines implemented by VRM are versatile ones that provide operating systems such as AIX with execution control, memory management, I/O service, and communications with other virtual machines.


VRM's SVCs are accomplished using the RT's SVC instruction, which includes a 16-bit function code. This instruction serves many purposes in a typical RT software environment. It is used for calls from application to operating system, from operating system to VRM, and from VRM to VRM. SVCs with function codes 0 through 32767 are pass-through SVCs. Functions greater than 32767 are reserved for calls to VRM. All SVCs cause VRM's SVC handler to gain control; but, pass-through SVCs are immediately routed back up to an operating system executing in a virtual machine after a quick legality check (see figure 3). AIX SVCs made from an application program, for example, are received and immediately forwarded back up to the AIX virtual machine, where the AIX kernel processes them.

VRM performs limited legality checks on SVCs using a simple scheme based on two kinds of RT execution states—privileged and unprivileged. The RT is in privileged state only when VRM is executing to switch processes or service I/O. In the unprivileged state, programs are prevented from executing instructions that exert direct control over the hardware operating environment. While it is executing in either an operating system or application program (problem state), VRM is running a virtual machine, and executes in the processor's unprivileged state.

An operating system such as AIX running as a VRM virtual machine can call on VRM for a number of execution control services. By making VRM SVCs, it can enable or disable virtual interrupts on seven levels, initiate a software interrupt, or return from a virtual interrupt service routine. Other SVCs allow the operating system to give control to an application program (switching from operating system to problem state), or to receive control back from a terminating application program (switching from problem to operating system state). An operating system can call on VRM to cause its entire virtual machine to idle, waiting for a virtual interrupt to occur. While one virtual machine idles, VRM allows others to run. An operating system can shut itself down entirely, by calling on VRM to terminate and destroy its virtual machine.

Using the VRM memory management services, a virtual machine can exercise low-level control over the allocation and use of real and virtual memory. Each virtual machine can create, change, copy, or destroy memory segments. The Map Page Range SVC allows an operating system to establish a mapping between a range of pages in a segment and a set of blocks on a disk. Because the blocks need not be contiguous on the disk, an operating system can use this call to "window" an entire file into the virtual address space and take advantage of the RT's memory management capabilities to address the contents of the file as if it had been read into a memory array.


FIGURE 1: *RT PC Software Design*



The VRM meets the software it hosts in a well-defined interface termed the Virtual Machine Interface, which consists of supervisor calls (hardware instructions to virtual machines), virtual interrupts, and environmental conventions for hosted software.

Adapted from IBM RT Personal Computer Technology

FIGURE 2: *RT PC System Structure*



Operating systems such as AIX use the VRM as an intelligent middleman in dealing with I/O devices and receiving interrupts.

Adapted from IBM VRM Technical Reference

Pin Page Range ensures that no page fault will be encountered when reading or writing a specified range of virtual addresses. Operating systems and their hosted application programs can ensure that performance-critical data structures remain quickly accessible by loading and "pinning" regions of memory. Other SVCs provide control over page-wise memory protection attributes, and allow the explicit purging of virtual pages from fast memory when they are no longer required.

VRM's I/O SVCs allow hosted operating systems, each running in its own virtual machine, to operate and share the RT's peripheral devices. Each device under VRM's management, whether a real or virtual device (such as a virtual terminal), is identified by a unique I/O device number (IODN). Within the 65,536 possible 16-bit IODNs, VRM enforces the following conventions: IODNs 1 through 1023 are reserved for devices defined at initial program load (IPL); 16384 through 32767 are reserved for minidisks; 32768 through 65535 identify virtual devices (logical devices of which many instances may share one physical device).

VRM device management services are available to hosted operating systems on a flexible, dynamic-attachment basis. Virtual machines that want to establish access to a particular device call on VRM by passing an IODN. VRM makes up a connection, or *path*, to the device, and returns a path identifier that is used by the virtual machine to conduct its business with the device.


Many VRM SVCs support I/O device attachment, data transfer, control, and detachment. Using the Query Device SVC, a virtual machine can learn which IODNs are currently defined within VRM and the characteristics of their associated devices. Once it has identified the devices it requires, a virtual machine executes Attach Device SVCs to establish logical pathways. Given pathways, the machine is free to use VRM's Send Command and Start I/O SVCs to conduct synchronous or asynchronous I/O operations on its attached devices.

A device need not be dedicated for the exclusive use of a single virtual machine. Devices that can support shared use can be "attached" and used by multiple virtual machines simultaneously. Under VRM control, I/O devices are treated as a resource pool for which concurrently running virtual machines contend, and then share.

Virtual machines can add device management capabilities to VRM using the Define Code and Define Device SVCs. Define Code takes an executable module as a parameter, loads it into memory, and, in effect, dynamically links it into VRM. Define Device assigns an IODN to a device and informs VRM of the device's characteristics. Together, these two SVCs can graft new device drivers into VRM without stopping and restarting a running system.

VRM's I/O SVCs allow virtual machines to exchange messages, permitting intermachine coordination, resource sharing, and notification of exceptional conditions. VRM also provides a family of SVCs for machine con-

FIGURE 3: *SVC Types*



Adapted from IBM VRM Technical Reference

The VRM supervisor call handler routes calls from application to operating system, from operating system to VRM, and from VRM to VRM. The VRM performs limited legality checks on SVCs using a simple scheme based on the RT's execution states.

trol. Using VRM calls, a virtual machine can terminate its own operation, cause the booting (IPL) of another machine, call for the IPL of VRM itself, request information about all currently running virtual machines, or learn the physical processor's hardware serial number. A Debug Virtual Machine SVC permits the flagging of a particular virtual machine to cause automatic invocation of the debugger the next time it is given control of the processor.

VRM INNER WORKINGS

Within VRM lies a flexible, realtime multiprogramming operating environment with special extensions that allow it to present the illusion of several virtual machines running concurrently and independently on a single processor. VRM consists of processes, device drivers, and device managers.

VRM processes are functionally identical to those of higher-level operating systems, such as UNIX; they are asynchronously executing paths of instructions that can run concurrently with each other and with interrupt service procedures. VRM device drivers are likewise analogous to their counterparts in conventional operating systems; they are made up of one or more subroutines that can be called from applications, and they usually operate in concert with interrupt service routines.

Device managers provide support for devices too complex to be serviced under the simple device driver arrangement. Device managers implement virtual terminals, for example, allowing a single physical terminal device to be simultaneously connected to and switchable among many different application programs or even among different virtual machines. Along with SVC handlers that route and queue I/O requests and virtual interrupts, VRM device drivers and device managers make up the VRM I/O subsystem.

In IBM's off-the-shelf AIX environment, the VRM system presents a single virtual machine to higher-level software; the single machine is dedicated to serving AIX requirements. Although several VRM processes participate in the AIX/VRM environment, one special process is responsible for coordinating all VRM activities in providing this virtual machine. This process, along with its data structures and state information, *is* the AIX virtual machine. In environments where many virtual machines run concurrently and compete for hardware resources, one controlling VRM process exists for each machine. When VRM switches control of the processor from one virtual machine's process to another, the effect is to deactivate one virtual machine and activate another.

Processes and interrupt handlers are the active elements in a VRM-based system. They operate on each other and on queues, semaphores, paths, devices, and modules. Devices and modules carry 16-bit logical names; each device is assigned an IODN and each module carries an IOCN (I/O code number).

Within a running VRM system, each system element is referenced by a 32-bit identifier (even devices and modules already carrying IODNs and IOCNs are assigned identifiers). In addition to distinguishing system elements, the 32-bit identifiers contain an encoding of the element's type, generation, and an index with which to locate its associated element control block quickly. These identifiers are assigned dynamically by the system, as VRM initializes and as elements are created during the course of normal processing. VRM uses the embedded type and generation data to apply validity checks to ensure that only sensible operations are applied to system elements.

VRM processes contend for processor time on a simple priority basis, under the control of VRM's scheduler, or *process dispatcher*. Execution priorities range from 0 (the highest) to 15. The dispatcher implements a preemptive scheduling discipline under which processes of higher priority than the one currently running are given immediate control if they become ready. The dispatcher also can accommodate round-robin sharing for processes at the same priority level.

The internal VRM environment provides processes with a host of runtime services. Most, such as interprocess message queuing primitives, synchronizing semaphores, and a debugger, are general-purpose facilities of the sort found in most realtime systems.

VRM processes and device drivers communicate messages and work requests among themselves with VRM's queuing mechanism. Each device has an associated queue. When a virtual machine process makes a Start I/O SVC to VRM, VRM uses the queuing facility to enqueue a request to the appropriate device driver. In addition to calls for enqueuing, dequeuing, and inspecting queue elements, VRM provides for the dynamic creation and destruction of queues and for the establishment of logical, synchronized data pathways between communicating VRM elements.

The semaphores are prioritied extensions of standard Dijkstra synchronizers. Each semaphore has an associated resource count. If the count is positive, a process attempting to receive a unit of resource from the semaphore is allowed to consume the unit and proceed; if it is 0, the process waits. When

other processes free resource units by sending them to the semaphore, attending processes are allowed to proceed in process priority order.

Several timing services are available to active VRM elements. Processes can set, cancel, or wait for time intervals in multiples of 975.562 microseconds (interrupt handlers can set and cancel, but cannot wait). In addition, a device timer facility allows convenient, semiautomatic management of device time-out conditions. A device driver can, during its initialization, associate a half-second resolution timer with its work queue. Under this arrangement, VRM automatically sets an interval timer each time the I/O initiate-entry point of the driver is called, and cancels the timer when the request is dequeued following its timely processing.

STANDARD DEVICE MANAGERS

In its standard configuration, the VRM I/O subsystem includes two key, high-function device managers, one for minidisks and one for virtual terminals.

Minidisks. The minidisk manager enables VRM-hosted software to partition physical disk storage into subareas that can be managed independently. A minidisk is a contiguous area of disk storage on a single drive. In a typical AIX environment, one minidisk is devoted to VRM and its associated device driver files, one is reserved as a paging area for use in virtual memory management, and several more hold AIX file systems that can be grafted into the hierarchical AIX directory structure.

(Because of the vastness of the RT's terabyte virtual address space, it is not feasible to allocate a paging minidisk large enough to accommodate the largest possible loading of memory. System managers therefore must select a paging minidisk size by estimating the largest expected memory loading. The RT's memory management code will terminate system operation if the capacity of the paging minidisk is exceeded.)

VRM virtual machines can dynamically control the allocation of disk space among minidisks. Operating systems such as AIX, which offer a high degree of flexibility in managing disk storage, pass direct control of minidisk allocation to the system user. The AIX **minidisks** command allows a system manager to perform minidisk control functions directly from user command level.

Virtual terminals. The VRM virtual terminal manager provides control of a set of physical terminals and their associated devices, creates virtual terminal abstractions atop physical terminals, and manages data traffic among VRM virtual machines and virtual terminals. The structure of the virtual terminal manager is shown schematically in figure 4.

The virtual terminal manager has two principal components: the virtual terminal resource manager (VTRM) and the virtual terminal mode processor (VTMP). The VTRM serves a coordinating function—virtual machines call on the VTRM to configure, initialize, open, and close virtual terminals. It is the VTRM that creates an instance of a virtual terminal in association with a physical terminal, returning an IODN and a path identifier to the requesting virtual machine. As many as 32 virtual terminals may be simultaneously associated with each physical terminal device.

Once a virtual machine has created an instance of a virtual terminal, it uses the VTMP services to communicate with it. The VTMP provides a model of one logical terminal for each active virtual terminal. By default, the VTMP provides the virtual terminal user program with terminal interaction in keyboard send/receive (KSR) mode. In KSR mode, the virtual terminal emulates an ASCII terminal recognizing ANSI 3.64 controls. The alternate, monitored mode (MOM), provides a more direct path from user program to display hardware and a shortened input path for keyboard and locator (mouse) input.

Adding support for a device to VRM, while not easy, is achieved by following a well-conceived, copiously documented procedure.

In either mode, the VTMP provides the program with information about available fonts and colors and permits control of terminal devices such as keyboard lamps and speakers. The VTMP also allows the setting of locator horizontal and vertical movement thresholds and accepts specification of locator movement scaling factors.

ADDING DEVICE DRIVERS

In its standard configuration, the VRM/AIX software environment includes the minidisk manager, the virtual terminal resource manager, and driver support for asynchronous serial ports, diskette drives, hard-disk drives, parallel ports, and a streaming tape drive. High on IBM's list of software goals in the RT project was that of allowing convenient open-system configurability for new devices by OEMs or end users.

Adding support for a new device to VRM is not easy, but it can be achieved by following a well-conceived, copiously documented procedure. Roughly speaking, adding a device driver to VRM requires knowing how to write the code (usually in C), how to prepare it for integration, and how to load it into a VRM operating environment.

VRM device drivers must be constructed to a strictly defined set of interface requirements. The *VRM Technical Reference Manual* delineates the context in which drivers run and the set of functions they must perform. Each of the drivers is constructed as an executable module with a single entry point; all services for which the surrounding environment must rely on the driver are obtained by calling its single entry point with a function code, a data area, and the length of the data area. The interpretation of the data area's contents depends upon the function invoked.


Figure 5 illustrates the functions a driver must provide to VRM. The first call a driver must handle is the invocation of its device definition function. VRM first calls on a device driver when it receives a Define Device SVC from a virtual machine. At definition time, a driver is passed the address of a define device structure (DDS)—a data structure containing details of the device's hardware characteristics, such as its I/O port addresses and DMA type, error-logging information, and other operating parameters controlling how the driver may be called.

VRM invokes a device's initialization function each time it receives an Attach Device SVC for the device. The driver performs this function by allocating all the queues, control blocks, and other resources required to operate the device, and by sending the necessary hardware instructions to make the device ready for use. It thus enables its interrupt level and DMA channel.

A device's termination is the opposite of its initialization. A driver is called to perform termination when VRM receives a Detach Device SVC. It terminates by completing pending I/O operations, releasing resources held in conjunction with the device, and performing any other necessary tasks.

The VRM drivers' ability to support initialize (attach) and terminate (detach) functions allows the system to be both frugal and flexible in its management of

FIGURE 4: *Virtual Terminal Manager Structure*



Adapted from IBM VRM Technical Reference

Among other duties, the virtual terminal manager handles data traffic between VRM virtual machines and virtual terminals.

resources even under highly dynamic work loads. Because detaching a device releases its associated resources, they are not engaged when idle and are available to be used elsewhere. The ability to attach and detach dynamically also allows the serial sharing of devices that cannot be used concurrently by multiple virtual machines.

A typical driver's most frequent interaction with the environment comes in the form of calls to its I/O initiation and interrupt-handling functions. Its I/O initiation function is invoked as the result of VRM receiving a Send Command or Start I/O SVC. VRM conveys these requests to a device driver by depositing 32-byte messages in the driver's input work queue, then invoking its I/O initiation function once for each message in the queue. More precisely, VRM first calls on the device's **check parameters** function to validate an I/O request, then enqueues it if the parameter checker approves its contents. A device's processing of a call for I/O initiation typically involves starting a hardware operation and noting status information for reference later, during the processing of a completion interrupt.

A driver must provide a device-specific interrupt-handling function to VRM in the form of a second-level interrupt handler (SLIH). Because interrupt levels can be shared by multiple devices, each level also has an associated first-level interrupt handler (FLIH); a level's FLIH determines which of several devices on a level is interrupting by calling all the level's SLIHs in succession until one determines that its own device of interest is interrupting. The SLIH then consumes the interrupt, performs whatever device processing is necessary to complete the I/O operation, and dequeues the work queue element that commissioned the operation. Dequeuing the work request causes VRM automatically to generate a 32-byte acknowledgement message and queue it back to the system element that requested the operation (detailed status information for the message is provided by the driver). If a virtual machine requested the operation, it receives the acknowledgement by means of a virtual interrupt.

In addition to standard interrupt processing, VRM supports off-level interrupt processing. In high-performance, time-critical I/O situations such as the servicing of high-speed asynchronous communications lines, SLIH designers have the option of performing partial, minimal processing when an interrupt is first received, then deferring further processing until interrupt activity has subsided. VRM makes note of deferred interrupt processing work in a scheduled off-level interrupt processing queue and delivers it back to the driver for completion later.

Device driver program modules must be built in conformation with a set of general coding requirements. IBM provides assembly and C language development tools for VRM that run under AIX. A device driver, regardless of the language in which it is coded, must support the C subroutine linkage scheme, be memory location-independent, and, oddly, may contain no more than one reference to any given external name. (Driver architects, consequently, must funnel multiple calls to external subroutines through a local interface subroutine.)


Driver developers also have the VRM Debugger, which can execute with just the VRM nucleus and a PC monochrome display or a standard terminal and a serial adapter. The debugger can be given control when the system terminates abnormally, when a preset breakpoint is executed, or when a special keyboard sequence is entered. Alternatively, a VRM supervisor call allows the debugger to gain control automatically when a user-designated virtual machine is dispatched to run.

A developer who has created a new VRM device driver must choose one of three methods for configuring the device into the VRM system: install it on the VRM minidisk for automatic loading at VRM IPL time; tailor AIX configuration files to cause AIX to load the driver as part of AIX initialization; or construct the AIX application to call directly for its definition, loading, and attachment. (If the device is to be used from AIX, the developer also may need to generate a simple AIX-level driver into the AIX kernel to provide access to the VRM driver.)

VRM AS REALTIME SYSTEM

Although VRM is viewed as a supporting player to AIX, developers undoubtedly will exploit its capabilities as a realtime operating system in its own right. VRM facilities for process management, interprocess synchronization and communication, memory management, and synchronous or asynchronous I/O make it a match for any stand-alone commercial realtime system. Its dynamic configuration abilities, in fact, are not found in most commercial systems on micro- or minicomputer-class machines.

The fact that VRM coexists symbiotically with AIX raises interesting possibilities for hybrid systems in which conventional application programs run normally as AIX programs, while realtime application processing is under control of another VRM virtual machine and its cooperating processes. VRM's preemptive scheduling discipline can be used



Clipper is the fastest dBase III and dBase III Plus™ compiler available. Nothing else comes close. When performance counts, experts rely on Clipper for more speed, more power, and more creative freedom. You can, too. Call for details.

- *Clipper compiled programs run 2 to 20 times faster.*
- *No royalties...no runtime fees.*
- *Source code security.*
- *User defined functions.*
- *Arrays.*
- *Simple menu commands.*
- *Context sensitive help can be included with programs.*
- *More fields; more memory variables.*
- *Call C and Assembly programs.*
- *Complete debugging facilities.*
- *Multiple file relationships.*
- *IBM PC, XT, AT, 3270 compatible™*
- *Multi-user capability.*

Clipper™

CLIPPER. THE dBASE COMPILER.
A WINNING PERFORMANCE EVERY TIME.

Nantucket™

Nantucket Corporation
5995 South Sepulveda Boulevard
Culver City, California 90230
(213) 390-7923
Outside California call toll-free:
1-800-251-8438

dBase, dBase III, and dBase III Plus are trademarks of Ashton-Tate, Inc.
IBM PC, XT, AT, and 3270 are trademarks of International Business Machines Corporation.
Clipper and Nantucket are trademarks of Nantucket Corporation.


LOOK FOR CLIPPER™

Autumn '86

IT MAKES NETWORKING EASY.

CIRCLE NO. 224 ON READER SERVICE CARD

FIGURE 5: *VRM Device Driver Functions*



Adapted from IBM VRM Technical Reference

Device drivers perform a strictly defined set of functions. Each driver is an executable module with a single entry point.

to ensure that time-critical realtime processes take precedence over AIX virtual machine support processes.


Developers of VRM-based applications do not have to go far to find a cross-development environment. AIX provides all the compiling, linking, and configuration tools required to develop VRM code. Except for the odd restriction that VRM modules may have no more than one reference to each external symbol, VRM coding conventions are easily met using C or assembly language under AIX.

With the inclusion of VRM in the system, the RT PC can be viewed as coming with built-in, operating system-independent device drivers. By dramatically reducing the amount of work required for third-party software developers to erect systems-level software on the new ROMP processor, IBM has made the RT a much more attractive commercial platform. Along with the widespread use of high-level languages such as C, VRM goes a long way toward eliminating the obstacles to software migration that are usually posed by new machine architectures.

To software architects and IBM watchers, VRM is at worst an interesting experiment and at best a model approach to harnessing the growing power and taming the increasing complexity of workstation-level computers. To software providers, it is a flexible, high-performance, realtime environment and a vehicle for providing painless integration of support for new devices into AIX. To operators and end users of AIX systems, it is a barely visible, but powerful extension, to the native capabilities of AIX and the RT PC.



Richard M. Foard, a consulting editor for PC Tech Journal, *is manager of product development at RoadNet Technologies, Inc., located in Baltimore, Maryland.*





With AIX, IBM has surpassed UNIX System V in function, flexibility, and usability, while managing to maintain a highly compatible operating environment for the RT PC.

The Refining of UNIX

RICHARD M. FOARD

In assembling the RT PC software environment, IBM took on an extraordinary number of challenges at one time. With the Advanced Interactive Executive (AIX), it stepped squarely into the UNIX System V business. The RT's novel, soft virtual machine architecture makes configuration for new devices a painless process; in many cases it does not even require regenerating the AIX kernel. IBM forged an elegant arrangement that allows application programs to take full advantage of the RT's revolutionary memory management agility. It shored up weaknesses inside the UNIX kernel. It introduced "virtual devices." It built an optional data management layer on top of UNIX's well-conceived but rudimentary file system. It unleashed yet another UNIX text editor on the world. Finally, it improved UNIX's legendary user-unfriendliness, or at least made a creditable try.

IBM is, as always, coy about the size and scope of its software tooling effort, but compared to most UNIX ports, the task must have been staggering. That IBM chose UNIX System V as the base from which to build AIX is not news. UNIX is entrenched as the operating system of choice in the engineering/scientific workstation marketplace. What *is* news is the thorough attack that AIX developers mounted on UNIX's time-honored deficiencies. Their efforts have produced an operating system that far surpasses UNIX in function, flexibility, and usability, yet provides a highly com-

PHOTOGRAPHS • BLAKESLEE-LANE COMPUTER GRAPHICS • NATALE/EAST

patible target for porting existing UNIX applications and knowledge.

In repairing UNIX shortcomings, AIX developers made sweeping enhancements below, within, and above the UNIX kernel. Layered below the kernel, between AIX and the RT's I/O and memory management devices, is the Virtual Resource Manager (VRM), a realtime execution environment that directly controls the RT's hardware while presenting a uniform, high-level interface to the AIX kernel.

Within the kernel, UNIX's standard interprocess signaling facilities have been augmented by newly engineered shared memory and signal management primitives. In cooperation with VRM, the AIX kernel supports the RT's virtual memory architecture, allows highly dynamic configuration for I/O devices, and incorporates advanced error-logging mechanisms.

Lying atop the kernel, right next to UNIX's standard Bourne and C shell user-interface programs, is the Usability Services layer, which gives the user the ability to invoke and control programs in a menu/mouse/pop-up window environment instead of in UNIX's terse, arcane, native tongue.

AIX-based applications can call on UNIX's standard, low-level, flat, file management system, or they can use a set of optional extended file and data management facilities; these include a B-tree indexed access method, relational data modeling tools, and a Structured Query Language (SQL) interface. AIX applications also have the option of calling on the RT's unique virtual memory capabilities to map DASD (direct access storage device) resident program and data files directly into the virtual address space. This feature provides a single-level storage capability like the one introduced in IBM's System/38.

The litany of the AIX environment's extensions to standard UNIX is quite long. If the RT were just another UNIX machine, there would not be much to say about it, at least not to the UNIX initiates. This article focuses more on how AIX is different from UNIX rather than how it is the same.

TWO FEET OF SOFTWARE

The sheer bulk of the RT's standard software package is quite intimidating. Occupying two feet of shelf space, the packaged AIX software environment is a far cry from the current PC family's single DOS binder. Software developers who have ordered the optional AIX and VRM technical reference manuals or licensed program products such as *Applix* confront an even bulkier set of software and literature.

IBM offers some guidance in the form of a *Library Overview and Reading Sequence* brochure and a comprehensive *Bibliography and Master Index* volume. The brochure sketches the contents of the other documents and suggests a reading sequence. The master index provides the point of reference from which users can locate information in any of 24 standard and optional RT PC reference books.

One entire reference volume is dedicated to software installation. Its eight chapters lead the reader, in well-considered, painstaking detail, through the VRM and AIX software installation and configuration processes. Although the prospect of an eight-chapter installation process may seem intimidating, the software installation for a standard hardware set can be done quickly even by a (careful) first-time user.

System software comes on a set of eighteen 1.2MB diskettes, grouped into Installation/Maintenance, VRM, AIX Operating System, Usability Services, Multi-User Services, and Extended Services sets. The system installation requires booting and installing the VRM, then installing the "base system program" (AIX), and loading the desired sets of additional system programs.

During the installation process, the user gets a first look at some of the features that, from an operational viewpoint, distinguish AIX from other UNIX implementations. From the time the first VRM diskette is bootstrapped, the system walks the user through a menu-based dialogue in which decision points, and the consequences of taking the default choices, are clearly explained at each step. No prior experience with UNIX is required. For those users who in the past have been terrorized and misled by obscure UNIX installation procedures, this is by far the least anxiety-provoking of the lot. The menu-driven AIX installation procedure leads the user as far as the loading of the / (root) and /usr file systems along with their standard contents.

In normal operation as well as during installation, AIX, VRM, and their companion products can produce a vast array of error, exception, and information-only messages on the system console or the system unit's LED display. IBM has chosen a uniform, centralized approach to providing message explanations by cataloging all the messages the system is capable of producing in a single, massive *Messages Reference* volume. Organized by product name and numeric message class code, messages are listed with probable causes and suggested corrective actions. However, the messages themselves tend to be verbose and usually provide sufficient information for the user to solve problems without consulting the book.

After installing VRM, the user may choose to use the **devices** and **minidisks** commands to customize the system. **Devices** reports on the current operating system device driver configuration and allows the addition, deletion, or reconfiguration of system device drivers (see photo 1). **Minidisks** provides for the creation and destruction of VRM-maintained hard-disk partitions called *minidisks* (see photo 2).

Separate minidisks, each of which must be wholly contained on a single hard-disk drive, hold the VRM file system, a virtual memory paging area, the optional AT coprocessor's DOS file system, and AIX file systems. Minidisk-resi-

The ultimate solution for information interchange . . .

The ultimate 9-track magnetic tape subsystem for the IBM-PC/XT/AT and compatibles!



Innovative Data Technology offers a variety of 1/2 inch 9-track magnetic tape subsystems for the IBM-PC/XT/AT featuring the new "LEO" PC tape controller.

"LEO" is a state-of-the-art PC tape controller that lends itself to the most sophisticated applications including real time data acquisition, multitasking and true streaming disk back-up. "LEO" comes standard with an impressive list of features that include a dedicated microprocessor, up to 64K of RAM for buffering, high speed thruput with memory mapping I/O—no DMA channel required, ASCII to EBCDIC code conversion and external cable connectors for easy installation.

Supplied on a 5 1/4" diskette is the most comprehensive set of software drivers and utilities available. Users have a choice between an installable I/O driver with modules to "Basic" and "C" languages, or an MT-DOS device driver, which allows direct tape access under any language supported by DOS 3.1. Also included is "ANSI," a sophisticated file transfer utility, "TAP" a comprehensive disk back-up and restore utility and "TCMD" tape command, a valuable tool for inspecting tape data and format. All utilities are menu driven with help screens for user friendly operation.

IDT manufactures the complete subsystem . . . controller and tape drive. With a commitment to excellence, IDT staffs a complete customer service department, offering you assistance to assure top performance at all times. Contact us today for additional information.

INNOVATIVE DATA TECHNOLOGY

5340 Eastgate Mall • San Diego, CA 92121
(619) 587-0555 • TWX: (910) 335-1610

Western Regional Office:
10061 Talbert Ave., Suite 202
Fountain Valley, CA 92078 • (714) 968-8082

Eastern Regional Office:
One Greentree Center, Suite 201
Marlton, NJ 08053
(609) 596-4538 • TWX: (710) 833-9888

CIRCLE NO. 108 ON READER SERVICE CARD

PHOTO 1: *Devices Command Screen*

```
The following devices are configured in your system.
A zero (0) in the Port, Slot, or IODN field indicates information is
not available or not applicable.

Name        Type      Class     Adapter                          Port Slot IODN

coproc      coproc    coproc    ** Description Not Available     0    0    2050
lp0         opp       printer   IBM Mono Disp & Paral Prntr      1    3    12000
hdisk0      hdisk0    disk      IBM RT PC Fixed Disk/Diskett     0    0    1
hdisk1      hdisk1    disk      IBM RT PC Fixed Disk/Diskett     0    0    2
hdisk2      hdisk2    disk      IBM RT PC Fixed Disk/Diskett     0    0    3
fd0         fd0       diskette  IBM RT PC Fixed Disk/Diskett     0    0    4

To RETURN to the list of commands, press Enter.
To PRINT this list of devices, press F4.

> _
```

The devices command reports on the current operating system device driver configuration and allows the addition, deletion, or reconfiguration of system device drivers.

PHOTO 2: *Minidisks Command Screen*

```
Fixed Disk hdisk0 has the following minidisks:

MD   MD    MD       Block Number  MD     Mount                Auto Auto  R/W
Name IODN  Type     Size  Blocks  Locatn Directory            IPL  Mount Status

hd6  32760 VRM      512   2284    B      /vrm                 N    Y     R/O
hd4  16385          512   2400    B                           N
Available Space     512   19261   B      ************************************
     32766 PgSpace  512   19436   B,M                         N
Available Space     512   43259   M,E    ************************************

To CONTINUE, press Enter.
To PRINT this list of minidisks, press F4.
```

The minidisks command provides for the creation and destruction of VRM-maintained hard-disk partitions.

PHOTO 3: *Usability Services Menu Screen*

```
»UPDATE  »SWITCH  »ENVIRONMENT  »CREATE  »SORT  »PICK                »CLOSE
                                  FILES
 Last UPDATE at 11:03.

 Current Directory is /usr/bin.

 »(root)  »usr  »bin

 Name            File Type     Changed   Size (bytes)

 »300            Run File      06/20/86      9764
 »300S           Run File      06/20/86      9840
 »300s           Run File      06/20/86      9840
 »4014           Run File      06/20/86     16840
 »450            Run File      06/20/86      9492
 »activate       Run File      06/18/86     49880
 »actmngr        Run File      06/18/86     51480
 »actwind        Run File      06/18/86    276492
 »archive        Shell Proc    06/18/86       548
 »at             Run File      06/20/86     37524
 »awk            Run File      06/20/86     75456
 »batch          Shell Proc    06/20/86        37
 »cancel         Run File      06/18/86     49880
 »cb             Run File      06/20/86     24604
```

The Usability Services user can open and view multiple command menus in switchable, full-screen environments.

dent AIX file systems can be grafted into the system's directory tree using the **mount** command in the same way that most UNIX systems accept the grafting of entire disk devices.

HIDDEN COMPLEXITY

Most UNIX environments split their user communities quickly into two groups: the high priests who choose to learn every detail of manipulating file systems, reconfiguring devices, and arranging intersystem communications, and all of the others, who do not. AIX developers took great pains to avoid baffling the latter group of users. This adaptation has all the special UNIX configuration files, but it hides most of the complexity of managing them from the user by providing friendly, knowledgeable facilities, such as **devices**.

Having installed the standard contents of the root and user file systems, the first-time user next installs AIX's "Additional Operating System Programs," including the **INed** text editor, Usability Services, the Asynchronous Terminal Emulator, Multi-User Services, and Extended Services. These additional standard programs, with other, optional licensed program products from IBM, are installed using the AIX **installp** and **updatep** utility programs.

Installp is capable of more than just moving files from a diskette (or tape) onto the hard disk. Providing higher-level facilities than the standard UNIX file-level tape archiver (**tar**), **installp** treats groups of related files as parts of a single product that must be installed together or not at all. **Installp** incorporates some fundamental requirements of good system management that are ignored by facilities available in most UNIX environments.

First, **installp** can preserve a copy of a superseded program version, along with any of its supporting files, in a *save* directory. Second, it automatically captures a note that an installation has been made in a chronological product *history* file. Third, **installp** allows software product suppliers to provide a product-specific installation procedure to be executed automatically, as part of the installation process. This procedure, in addition to calling on AIX or user-supplied programs, can invoke a set of internal **installp** commands that perform functions commonly required during software installations. The internal commands include **inusave** (archive file that will be replaced), **inurecv** (recover archived files), and **ckprereq** (determine whether the environment is compatible and current with the product being installed). When it has completed its product-specific installation work, the installation procedure returns a code to **installp** indicating the further actions required to make the newly installed product usable. With this code, the procedure can call for cancellation, no further action, or combinations of an AIX restart, an AIX kernel regeneration, and a VRM restart.

Updatep, **installp**'s companion program, allows system managers to apply updates to installed programs on an apply/commit/reject basis. A system manager can *apply* a revision, allow users to try it, and then later indicate that it is to be *committed* (kept) or *rejected* (automatically backed out). **Updatep** forestalls common system configuration management mistakes by preventing the immediate destruction of superseded program versions or the application of a new batch of product changes if older ones are still pending. Like **installp**, **updatep** also captures history information concerning updates, and allows product suppliers to provide a product-specific update procedure that is able to call upon general AIX commands or a set of special-purpose commands implemented in **updatep**.

These two programs hold obvious benefits. End users benefit from the ease with which software products can be installed. System managers are spared the critically important but tiresome work required to keep clear records, maintain fallback capabilities, and generally keep the system running smoothly. Software vendors who correctly compose installation and update procedures will avoid hours on telephone support hot lines puzzling out customers' questions.

In most other respects, operating and managing an AIX system holds few surprises for those familiar with other UNIX environments. A **users** command assists in the creation, removal, and adjustment of system users. AIX users carry all the familiar UNIX attributes; yet unlike some environments, users can belong to more than one group.

AIX observes the UNIX convention of checking its file systems at IPL (initial program load) using the **fsck** file system checker. When things go awry, the **fsdb** (file system debugger) can be used to traverse and examine an ailing file system in byte-level detail and to apply direct, low-level changes to the file system's structure and contents.

A standard complement of system accounting capabilities is provided for connect time, process, disk, and printer use. A **chargefee** command allows sys-

Fortran Support for
IBM PC/XT/AT & Compatibles

Versions Available For:
Microsoft, Supersoft, RyanMcFarland, IBM Professional, Lahey, & IBM Fortran.

Forlib-Plus
$69.95
Supports graphics, interrupt driven communication, program chaining, and file handling/ disk support. A Fortran coded subroutine is included which will plot data on the screen either in linear/linear, log/linear, linear/log, or log/log on the appropriate grid.

Strings & Things
$69.95
Supports string maipulations, command line usage, DOS call capabilities, SHELL generation and data transmission, BATCH file control, music generation, PEEKS and POKES, PORT access, and general register manipulations.

For-Winds
$89.95
Gives the Fortran programmer the capability of generating up to 255 windows on the screen. Each window can be individually scrolled, moved, sized, generated, and removed. Both color and monochrome type displays are supported. Full source code is supplied for customization.

ACS Time Series
$495.00
This is a COMPLETE time series analysis package which contains VERY HIGH SPEED FFTs, Filter generations, convolutions, transfer function calculations, auto and cross spectra calculations, Cepstrum, curve fitting algorithims, coherence calculations, and many other associated routines. The price includes FULL source code.

Fortran Scientific Subroutine Package
$295.00
There are approximately 100 Fortran subroutines included which fall under the following 12 categories:
1) Matrix storage and Operations 2) Correlation and Regression, 3) Design Analysis (ANOVA), 4) Descriminant Analysis, 5) Factor Analysis, 6) Eigen Analysis, 7) Time Series, 8) Nonparametric Statistics, 9) Distribution Functions, 10) Linear Analysis, 11) Polynomial Solutions, 12) Data Screening. Full source code is included.


ALPHA COMPUTER SERVICE

Alpha Computer Service
5300 Orange Ave., Suite 108
Cypress, California 90630
(714) 828-0286

California Residents Include 6% Sales Tax

There are NO license fees

CIRCLE NO. 101 ON READER SERVICE CARD



I didn't know it was a crime

They told me those copies of programs I made for my computer could cost the company hundreds of thousands of dollars. Maybe even cost me my job.

Few people realize that software piracy is a Federal crime. At ADAPSO, the computer software and services industry association, we're doing everything we can to inform the public of the problem. And the penalties.

You could unknowingly put your company on the receiving end of a lawsuit by making illegal copies of software. Maybe even put yourself on the receiving end of a pink slip. And that's why ADAPSO wants you to know the facts.

Return the coupon for a brochure that explains the risks of software piracy. It's free. And it may help you keep your job.

Send this coupon or your business card for more information.
Or call us at (703) 522-5055 and ask for Marilyn.
ADAPSO, 1300 North Seventeenth Street, Arlington, Virginia 22209

NAME _____ TITLE _____

COMPANY _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

ADAPSO

Software Piracy is a Federal Crime

"How to protect your software by letting people copy it."

By Dick Erett, President of Software Security



Inventor and entrepreneur, Dick Erett, explains his company's view on the protection of intellectual property.

"A crucial point that even sophisticated software development companies and the trade press seem to be missing or ignoring is this:


Software protection must be understood to be a distinctively different concept from that commonly referred to as copy protection.

Fundamentally, software protection involves devising a method that prevents unauthorized use of a program, without restricting a legitimate user from making any number of additional copies or preventing program operation via hard disk or LANs.

Logic dictates that magnetic media can no more protect itself from misuse than a padlock can lock itself.

Software protection must reside outside the actual storage media. The technique can then be made as tamper proof as deemed necessary. If one is clever enough, patent law can be brought to bear on the method.

Software protection is at a crossroads and the choices are clear. You can give product away to a segment of the market, or take a stand against the theft of your intellectual property.



Soon all software installation procedures will be as straightforward as this. The only difference will be whether you include the option to steal your product or not.

"...giving your software away is fine..."

We strongly believe that giving your software away is fine, if you make the decision to do so. However, if the public's sense of ethics is determining company policy, then you are no longer in control.

We have patented a device that protects your software while allowing unlimited archival copies and uninhibited use of hard disks and LANs. The name of this product is The BLOCK™.

The BLOCK is the only patented method we know of to protect your investment. It answers all the complaints of reasonable people concerning software protection.

In reality, the only people who could object are those who would like the option of stealing your company's product.

"...eliminating the rationale for copy-busting..."

Since The BLOCK allows a user to make unlimited archival copies the rationale for copy-busting programs is eliminated.

The BLOCK is fully protected by federal patent law rather than the less effective copyright statutes. The law clearly prohibits the production of work-alike devices to replace The BLOCK.

The BLOCK attaches to any communications port of virtually any microcomputer. It comes with a unique customer product number programmed into the circuit.

The BLOCK is transparent to any device attached to the port. Once it is in place users are essentially unaware of its presence. The BLOCK may be daisy-chained to provide security for more than one software package.

Each software developer devises their own procedure for accessing The BLOCK to confirm a legitimate user. If it is not present, then the program can take appropriate action.

"...possibilities... limited only by your imagination..."

The elegance of The BLOCK lies in its simplicity. Once you understand the principle of The BLOCK, hundreds of possibilities will manifest themselves, limited only by your imagination.

Your efforts, investments and intellectual property belong to you, and you have an obligation to protect them. Let us help you safeguard what's rightfully yours. Call today for our brochure, or a demo unit."

Software Security inc.

870 High Ridge Road Stamford, Connecticut 06905

203 329 8870

CIRCLE NO. 189 ON READER SERVICE CARD

tem operators to levy one-time charges for special services and materials.

Backing up and restoring file system data incrementally or en masse is accomplished in traditional UNIX style using **backup** and **restore** commands or, alternatively, using the **dd** (device-to-device copy) command. All of these commands can be performed using either diskettes or streaming tape. AT coprocessor minidisks are not structured as AIX file systems; therefore they must be backed up and restored using **dd**. Unlike **backup** and **restore**, **dd** processes data at the disk image level instead of processing it file by file.

A stand-alone shell and **backup**, **restore**, **dd**, **fsck**, **fsdb**, and other selected AIX commands are available as part of a minimal AIX operating environment on the bootable "Installation and System Maintenance" diskette as well as in the full AIX environment. The quick-booting maintenance diskette can be used as a convenience to system operators or as a last line of defense when file system damage prevents bringing up the full AIX system from the hard disks. When necessary, system operators can effect repairs even when they are not able to run AIX normally.

Standard AIX provides two methods of conducting intersystem communications. UNIX's **uucp** and **uux** are available for intersystem file transfer and remote command execution. They are accompanied, in AIX's *Communications Guide* document, by an extremely clear explanation of their mysterious set-up and operating procedures.


Instead of the standard UNIX **cu** program for terminal emulation, AIX offers its asynchronous terminal emulator (**ate**) program. **Ate**'s interactive, menu-driven style is much friendlier than **cu**'s, and provides a much larger range of functions. **Ate** can emulate a VT-100 terminal, maintain a dialing directory and deliver dialing commands to a modem, and perform XMODEM or pacing-style file transfers.

DYNAMIC CONFIGURATION

With help from the underlying intelligence of the VRM environment, AIX allows dynamic configuration of its device drivers. At system boot time, the AIX kernel and its device drivers are loaded into system memory. Under the split-function AIX/VRM architecture, however, this accomplishes only part of the job of loading device support. Low-level, hardware-manipulating device intelligence actually lies in VRM's device drivers, which are not loaded automatically when AIX boots.

After the AIX kernel has initialized itself, the **/etc/rc** system initialization script invokes the **vrmconfig** program to load VRM's starting set of device drivers. **Vrmconfig**'s actions are controlled by the contents of two standard system configuration files: **/etc/system** and **/etc/master**. These two text files contain information, grouped into stanzas that indicate which drivers are to be loaded and how they are to be configured. **Vrmconfig** uses this information to issue Define Code VRM calls; with the assistance of "customize helper" programs it also issues Define Device calls and binds the VRM drivers to their AIX counterparts. When **vrmconfig**'s job is done, a fully operational set of device drivers is in place.

In typical AIX environments, device driver configuration is performed in a single burst of activity at boot time. AIX and VRM, however, are capable of loading or removing drivers later, during the course of normal system operation. Software vendors consequently have the option of providing VRM device drivers on a load-as-needed basis.



VTERM/220 Quality makes all other DEC terminal emulators obsolete

Over 35,000 demanding professionals, like Teradyne's Gregg Prescott, have recognized VTERM's superior quality.
Now this same VTERM quality is available in Coefficient's powerful new emulator, VTERM/220.
Features include:

- Plug compatible VT220 emulation with 132-column support and optional Tektronix™ 4010/4014 graphics.
- Extensive file transfer system offering KERMIT, XMODEM and our VTRANS protocol with VMS,™ RSX11 M/M+,™ RSTS/E™ and UNIX™ software.
- Host data capture on PC with conversion to Lotus® 1-2-3,® Symphony® and dBase.®
- "Hot Key" toggle between host session and PC DOS.

Call us today at **212-777-6707 ext. 501.**



Coefficient
The Leader in DEC Emulation Software

Trademarks: DEC, VMS, RSTS/E, RSX 11 M/M +, Digital Equipment Corp.; Tektronix, Tektronix, Inc.; Lotus, 1-2-3, Symphony, Lotus Development Corp.; dBase, Ashton-Tate, UNIX, AT&T, Bell Laboratories.

Coefficient Systems Corporation
611 Broadway, New York, N.Y. 10012

CIRCLE NO. 212 ON READER SERVICE CARD

30 Day Money Back Guarantee
(Call for Details)

Holiday Gift Ideas—

For Yourself or Your Friends

STAY-RES—Make Compiled BASIC* Programs Memory-Resident.

Invoke your program with a "hot key" or a POKE from another program. Protects you from calling DOS functions at unsafe times. Automatic screen save/restore in text or MONO/CGA graphics modes (including EGA, Hercules). More than one program can be co-resident. Enables you to perform multi-tasking with BASIC. Compatible with any well-behaved program and most not-so-well behaved ones. Demo available. $95

MACH 2—Ultra-fast, Extensive Assembler Subroutine Library for BASIC*


Our assembler subroutines give your programs a crisp, professional look and feel. Display data instantly when compiled. Window manager. Store, sort, search string data using all available DOS memory—no more 64K limit. Controlled input routine allows full use of standard editing keys & ignores Ctrl-C and Ctrl-Break. Change screen attributes without re-displaying text. Read/write files FAST as DOS. PRINT USING for numbers up to 6 times faster than BASIC. Number rounding. DOS/BIOS function calls & interrupts. Many more functions. Source code available. Demo available. No assembler or knowledge of assembler programming is required. $75

PEEKS 'N POKES—Get More out of the IBM PC Family*

Read & change system configuration. Read/write CMOS chip on AT class machines. Unprotect GW-BASIC, BASIC, BASICA programs saved with "P". Read & change keyboard status. Plug characters into keyboard buffer. Read printer, COM and video status. Swap monitors, COM ports and printers. Generate more and better sounds than BASIC. Find more PEEKS & POKES. Tutorials on binary & HEX numbers, DEF SEG, Port, INP, OUT, logical operators. Boot your system three different ways from BASIC. Many more functions. Most source code included. $45

THE INSIDE TRACK—Programmer's Utilities & Starter Assembler Routine Library for BASIC*.

Control keyboard shift status from DOS or your program—force CAPS lock, NUM lock, etc. Keep diskette motor running for better throughput. Copy protect a diskette. Boot your system three different ways from DOS. Duplicate one monitor's contents on the other monitor. Load & execute large EXE files faster than DOS, from DOS or compiled BASIC. Limit memory used by compiled BASIC programs to avoid reloading Command.com. Send ANSI control characters to screen in any compiled BASIC. Memory map and BIOS call reference chart, including EGA calls. All source code included. Many more functions. $65



Special Holiday Package Prices (Thru 1/31/87)	Regular Price	Holiday Price	You Save
All 4 products	$280	$229	$51
Stay-Res, Peeks 'n Pokes, Mach 2	215	179	36
Stay-Res, The Inside Track, Peeks 'n Pokes	205	169	36
Stay-Res, Mach 2	170	139	31
Stay-Res, Peeks 'n Pokes	140	119	21
Mach 2, Peeks 'n Pokes	120	99	21
Peeks 'n Pokes, The Inside Track	110	89	21

1-800-922-3383

NOT COPY PROTECTED. None of our software is copy protected. All subroutines can be included in your compiled programs with no royalties. All software requires an IBM PC, XT, AT, Tandy 1000, 1200, 3000 or compatible with DOS 2 or later. Free technical support included with all products.

*Each package includes a manual containing complete instructions and sample programs. All packages are compatible with QuickBASIC 1 & 2, BASCOM 1 & 2, MS BASIC Compiler 5.36. (Stay-Res with QB 2 requires DOS 3 or later.) Stay-Res programs use a minimum of about 90K Memory. All except Stay-Res compatible with BASIC Interpreter, BASICA, GW-BASIC, MS BASIC.

DEMONSTRATION DISK: Send us a check for $5 (no credit cards, please) and we'll send you a demo of Mach 2 and Stay-Res. The $5 will be applied to your purchase of any of our software that is purchased directly from us.

ORDER NOW. VISA/MC/COD orders call 1-800-922-3383 (COD USA only—add $3). In Georgia (404) 973-9272. Add shipping and handling: $3 per order USA, $5 for 1 or 2 packages to Canada (add $2 each addt'l package). Elsewhere $18 for first package, $7 each additional. GA residents please add sales tax.

MicroHelp, Inc.
2220 Carlyle Drive • Marietta, Georgia 30062

CIRCLE NO. 257 ON READER SERVICE CARD

AIX FOR BEGINNERS

IBM provides a set of programs and tutorials for first-time users in its Usability Services package, which allows users to interact with AIX in a menu-driven, pop-up window style. The services conceal UNIX's cryptic command names, for example, allowing users to **show** files instead of **catting** them, or to **find text** in files instead of **grepping** for it.

When used from a suitably equipped terminal, the Usability Services package allows quick navigation of its command menus using a mouse, the keyboard, or both. Just as shell-level users can create new instances of virtual terminals at will, Usability Services users can open and view multiple command menus in switchable, full-screen menus (see photo 3). From the services' top-level screens, users can open submenus for file management, DOS-style command processing, program development, communications, system configuration and customization, and status and error reporting.

Once users learn to traverse the Usability Services menus and choose operations, they can engage AIX in a much friendlier dialogue than the UNIX shells provide. However, like most menu-based systems, Usability Services slows down experienced users. UNIX novices who use the system often can wean themselves quickly away from the Usability Services environment.


DEVELOPMENT ENVIRONMENT

AIX *is* UNIX System V. Software developers familiar with standard UNIX will find an instantly familiar environment in the Bourne and C shells, the **vi** text editor and its variants, an optimizing C compiler, and the whole host of UNIX filters and utility programs.

The first AIX extension to the standard UNIX environment that users are likely to notice and exploit is its ability to create multiple virtual terminals on the RT's direct-connection, high-function terminal devices. By giving the **open** command, high-function terminal users can create and activate a new virtual terminal. **Open**, which takes the name of a command as an argument, creates a process to run the specified command and hooks its input and output streams to the newly visible terminal screen. For example, the command **open csh** clears the screen and shows the C-shell's prompt at the top. Users may work with this new shell and terminal until they terminate the shell by logging out, at which time the original screen (the one showing the **open** command) reappears.

If more than one virtual terminal is active (as many as 16 may be created at one time), AIX considers them to be members of a circular *terminal ring*. By using the Alt-Action key sequence, users can view the various virtual terminal screens. Terminating a virtual terminal's associated process causes the terminal to deactivate and drop out of the ring. If the RT's optional AT coprocessor is started, it creates its own virtual terminal as part of the ring and makes it the visible terminal.

Software developers can put virtual terminals to good use. By performing text editing on a different virtual terminal instead of in a process subordinate to the shell, developers can toggle from the editor back to the shell to browse files or run test or utility programs. Some processes that users normally would run in the background of a standard UNIX environment can be run under a shell on another virtual terminal, allowing users to continue their foreground activities while preserving the background's terminal output on its own, dedicated virtual terminal screen.



- **9 Track tape support for personal computers**
- **XENIX and MS-DOS support**
- **Performance to support real time data acquisition**

Virtually all mainframe and mini systems already have 1600 BPI ½'' 9 track tape. The Tape Linx subsystem provides the necessary connection for PC users.

Tape Linx moves most data base information from mainframes and translates it automatically into a format readable by the PC.

Tape Linx subsystems are already in use in geophysical research, communication monitoring, medical image analysis and applications involving high-speed data sampling.

Device drivers are included to allow users to code their own custom programs, if desired. Overland Data's professional technical staff provides telephone support for all Overland products, and will be happy to discuss your specific application requirements. Call today.

XENIX and MS-DOS are Registered Trademarks of Microsoft Corp.

Overland Data, Inc.
Answers on Tape

5644 Kearny Mesa Road
San Diego, CA 92111
Tel. (619) 571-5555
Telex 754923 OVERLAND

CIRCLE NO. 185 ON READER SERVICE CARD

Borland sells Turbo Prolog™ for $99.95

Arity will give you $200 for it!

During our Salute to Borland Special.

They sure know how to market

We're the first to admit it — those folks at Borland are geniuses at marketing. With Turbo Prolog, a neat little product, Borland has done more to further the use of Prolog in the U.S. than anyone else — and we sincerely thank them.

In fact, we're so happy about what Borland has done for Prolog that we've decided to celebrate. And as long as we're thanking Borland, we thought we should thank all you new Prolog users out there, too. So until January 31, 1987, we're offering a $200 trade-in credit when you trade up from Turbo Prolog to the Arity/Prolog Compiler and Interpreter or the Arity/Prolog Combo Pack.

Software that roars

We sure make a great Prolog

You might think it strange that we're grateful to Borland, but Turbo Prolog has been great for our business. It has introduced thousands of people to Prolog, just as Arity/Prolog has shown thousands of users the power and flexibility a true Prolog can provide. That's why so many people have traded up — to take advantage of our one gigabyte of memory, true Prolog implementation, and complete development environment for building real applications.

You sure have a great opportunity

We want to make sure you all have the chance to trade up. If you think your Turbo Prolog is good but you're ready for something great, take advantage of our **"Salute to Borland Special."** Simply send in page 213 of your Turbo Prolog manual with your order — and save $200 on the best PC-based Prolog available.

And those of you who haven't bought Turbo Prolog yet, give us a call. Find out how we'll include you in our celebration, too.

Dial 1-800-PC ARITY
(in Massachusetts call 617-371-2422).

Arity Corporation
30 Domino Drive
Concord, MA 01742 U.S.A.
1-800-PC ARITY
(in Massachusetts 617-371-2422)

"Salute to Borland Special"
Yes, I'm ready for the best.
Please send me:

☐ Arity/Prolog Compiler and Interpreter — Special Price $595

☐ Arity/Prolog Combo Pack — Special Price $1025

(MA residents add 5% sales tax)

Name _____ Company _____
Address _____
City _____ State _____ Zip _____
Telephone/Telex # _____

☐ Check or Money Order to Arity Corporation enclosed.

☐ Please bill my ☐ Mastercard ☐ Visa ☐ American Express

Account # _____ Valid from _____ to _____

☐ Purchase order attached

Please enclose page 213 of your Turbo Prolog manual.

Mail to Arity Corporation — Order Department
30 Domino Drive, Concord, MA U.S.A. 01742

Turbo Prolog is a trademark of Borland International, Inc.

CIRCLE NO. 136 ON READER SERVICE CARD

In designing AIX's user interfaces, IBM's system developers paid special attention to experienced DOS users. By invoking the program **dos**, AIX users can place themselves in an uncannily DOS-like environment. Familiar command prompts appear, batch files work properly, DOS environment variables become defined, and device names such as A: and PRN: become usable. In fact, all of the standard DOS commands except BREAK, CTTY, EDLIN, EXE2BIN, GRAPHICS, and SYS are recognized and work as DOS users expect. It is disorienting, however, that the commands can be used in either AIX or DOS file systems. This illusion of a DOS system is created by a conspiracy of the **dos** program and a set of DOS work-alike programs residing in **/usr/dos/bin**; all make use of the DOS Services library (which also is available for linking with user-developed utilities, and is described later in this article).

Because fundamental differences exist between AIX and DOS file systems, **dos**'s DOS commands do impose a few ground rules. The **dos** program requires, for example, that file names within an AIX directory be limited to 14 characters; those in DOS file systems are limited to 12. Files in DOS directories must all have unique names; those in AIX directories are permitted to have duplicate names provided that they differ in letter case, upper- or lower-.

AIX's **dos** provides a few commands that are not available under DOS. A **filetype** command can be applied to a file and reports whether it is an ASCII or binary file in an AIX or DOS file system. A **convert** command translates text files between AIX and DOS formats. In situations where DOS simply does not provide the correct command vocabulary, direct AIX commands can be "escaped" into **dos** command lines by introducing them with an exclamation point.

Although **dos**'s imitation of the DOS environment has some omissions and a few subtle functional differences, it is surprisingly close to the real thing. Using **dos**, AIX users with no knowledge of UNIX can carry out a wide variety of system control and file maintenance chores such as formatting diskettes, locating and copying files, sorting and manipulating text, and performing file backups and restorations.

In addition to the **dos** command, a small family of AIX commands allows AIX users to work with DOS file systems without changing environments. **Dosdir**, **dosdel**, **dosread**, and **doswrite** query DOS file systems, delete files, and copy files between AIX and DOS file systems. **Dosread** and **doswrite** each are capable of optionally translating between AIX and DOS text file line and file termination conventions.

ARMADA OF EDITORS

UNIX is said to have more editors than most newspapers, and AIX does nothing to refute the observation. IBM has, in fact, added still another member to the UNIX armada of editors. In addition to the stream-oriented **awk** and **sed**, line-oriented **ed** and **edit**, and ubiquitous **vi** and **ex** programs, AIX offers Interactive Systems' **INed** editor.

INed is a visual, screen-oriented editor with capabilities that extend beyond the maintenance of ordinary text files. Invoked as **e**, **INed** allows users to work primarily in insert mode, invoking commands by escaping them with the Action (*execute*) key or by striking Alt- or Ctrl-shift key sequences. **INed**'s human-factors engineering is better than **vi**'s in that it does not treat ordinary (unshifted) keystrokes as commands. **Vi**'s packed set of unshifted command keys allows users who drop unwittingly from insert into command mode to wreak havoc on their text. **INed** also permits individual users to define *profiles*, sets of default parameter and option settings that automatically take effect whenever they invoke **INed**.

INed's extended capabilities are many. It allows the opening of multiple editing windows on one or more files, splitting the screen horizontally, vertically, or both. In addition to performing ordinary text editing, **INed** allows users to create structured files containing embedded, hierarchical format information. **INed** supports word-processor style automatic word-wrapping and is capable of maintaining comprehensive file history information, thus allowing the reconstruction of previous document versions even after many generations of revisions. A set of companion filter programs lets users perform such utility functions as extracting a plain text file from a structured **INed** file.

One long-standing strength of the UNIX environment is that, despite its laissez-faire style of support for individual software developers, it offers configuration management, or source code control (SCCS) facilities for use in version management and project coordination and control. AIX standard software includes the full set of SCCS supporting programs, including **admin**, **get**, **delta**, **prs**, and **sccsdiff**. UNIX's standard version- and dependency-minding **make** facility is also provided.

DAN BRICKLIN'S DEMO PROGRAM

Read what they're saying about this new concept in prototyping and demo-making:

"A winner right out of the starting gate. After you use DEMO once, you'll wonder how you got along without it."
— PC Magazine, 4/29/86

"Everybody who writes software, either commercially or for in-house applications, should immediately order a copy. Period. No exceptions."
— Soft•letter, 4/20/86

"Its low price, superb performance, and range of applications practically guarantee that it will be widely used. Four Floppy Rating (8.0)"
— InfoWorld, 3/31/86

"Apparently has a hit on its hands with . . . a development tool for personal computer software that has won rave reviews from early users."
— Computerworld, 4/7/86

"A gem."
— PC Week, 3/18/86

Product of the Month
— PC Tech Journal, 3/86

ORDER NOW!

Thousands of developers are designing better products faster and producing more effective demonstrations using Dan Bricklin's Demo Program. You can, too. Act now!

MasterCard VISA **ONLY $74.95**
617-332-2240

Massachusetts residents add $3.75. Outside of the U.S.A. add $15.00.

Requires 256k IBM PC/compatible, DOS 2.0 or later. Supports Monochrome, Color/graphics, and EGA Adaptors (text mode only).



SOFTWARE GARDEN

Dept. T-2
P.O. Box 373, Newton Highlands, MA 02161

CIRCLE NO. 142 ON READER SERVICE CARD



PC MAGAZINE EDITOR'S CHOICE

*...one package stands out as the best support available for Turbo Pascal programmers: **Blaise Computing's Turbo Power Tools.** This definitive set of prewritten Pascal functions and procedures will make the life of any programmer—from the beginner to the hard-core professional—easier and more productive.*

Power Tools Plus™

Window Routines. Memory Resident Routines. Routinely.

ANOTHER PLUS FROM BLAISE COMPUTING

The best just got better! Turbo POWER TOOLS, acclaimed as the best programmer support package for Turbo Pascal, now has even more functions, more detailed documentation and more sample programs.

NO SECRETS

Turbo POWER TOOLS PLUS is crafted so that the source is efficient, readable and easy to modify. We don't keep secrets! We tell you exactly how windows are managed, how interrupt service routines can be written in Turbo Pascal, and how to write memory resident programs that can even access the disk. Maybe you've heard of some undocumented DOS features that resident programs use to weave their magic. Turbo POWER TOOLS PLUS documents these features and lets you make your own magic!

Here's just part of the PLUS in Turbo POWER TOOLS PLUS:

- **WINDOWS** that are stackable, removable, with optional borders and a cursor memory.
- **FAST DIRECT VIDEO ACCESS** for efficiency.
- **SCREEN HANDLING** including multiple monitor and EGA 43-line support.
- **POP-UP MENUS** which are flexible, efficient and easy to use, giving your applications that polished look.
- **INTERRUPT SERVICE ROUTINES** that can be written in Turbo Pascal without the need for assembly language or inline code.
- **INTERVENTION CODE** lets you develop memory resident applications that can take full advantage of DOS capabilities. With simple procedure calls, you can "schedule" a Turbo Pascal procedure to execute either when a "hot key" is pressed, or at a specified time.
- **PROGRAM CONTROL ROUTINES** allow you to run other programs from Turbo Pascal, and even execute DOS commands.
- **MEMORY MANAGEMENT** allows you to monitor, allocate and free DOS-controlled memory.
- **DIRECTORY AND FILE HANDLING** support to let you take advantage of the newer features of DOS including networking.
- **STRING** procedures allowing powerful translation and conversion capabilities.
- **FULL SOURCE CODE** for all included routines, sample programs and utilities.
- **DOCUMENTATION, TECHNICAL SUPPORT** and attention to detail that have distinguished Blaise Computing over the years.

Turbo POWER TOOLS PLUS** supports Turbo Pascal Version 2.0 and later and is just **$99.95.

*Another quality product from Blaise Computing: **Turbo ASYNCH PLUS**™*

A new package which provides the crucial core of hardware interrupt support needed to build applications that communicate. ASYNCH PLUS offers simultaneous buffered input and output to both COM ports at speeds up to 9600 baud. The XON/XOFF protocol is supported. Now it also includes the "XMODEM" file-transfer protocol and support for Hayes compatible modems.

The underlying functions of Turbo ASYNCH PLUS are carefully crafted in assembler for efficiency and drive the UART and programmable interrupt controller chips directly. These functions, installed as a runtime resident system, require just 3.2K bytes. The high level function are all written in Turbo Pascal in the same style and format as Turbo POWER TOOLS PLUS. All source code is included for just $99.95.

BLAISE COMPUTING INC.
2560 Ninth Street, Suite 316 Berkeley, CA 94710 (415) 540-5441

ORDER TOLL-FREE 800-227-8087
Calif. residents call (415) 540-5441

YES, send me the PLUS I need! Enclosed is $_____ for
☐ Turbo POWER TOOLS PLUS ☐ Turbo ASYNCH PLUS ☐ OTHER _____. (CA residents add 6½% Sales Tax. All domestic orders add $10.00 for Federal Express shipping.)

Name: _____ Phone: (____) _____

Shipping Address: _____

City: _____ State: _____ Zip: _____

VISA or MC #: _____ Exp. Date: _____

CIRCLE NO. 104 ON READER SERVICE CARD

Reprinted from PC Magazine, June 10, 1986 Copyright © 1986 Ziff-Davis Publishing Company

Call toll free
800-255-2550

How to tackle a 300 page monster.

Turn your PC into a typesetter.

If you're writing a long, serious document on your IBM PC, you want it to look professional. Precise. Easy to read. You want MicroTEX.

MicroTEX was designed especially for desktop publishers who require heavy duty typesetting. It is based on the TEX standard, with tens of thousands of users worldwide. Documents from smaller than 30 pages to 5000 pages or more. And that's something that other programs just can't match.

No other PC software gives you as many advanced capabilities as MicroTEX. Superior hyphenation control, the sophistication of ligatures (ffi, fi) and kerning; down-loadable fonts; aesthetic handling of math ($\pi = f'(x)$), and foreign language characters; complex table construction and multi-column tasks; dot matrix, laser printer and phototypesetter output. When used with our LATEX macro package, it automatically enumerates and cross-references pages, sections, footnotes and illustrations. Plus it automatically creates your indexes, tables of contents, and even updates them for you after last minute insertions.

So if you want typesetting software that's as serious as you are about your writing, get MicroTEX. ***Call toll free 800-255-2550*** or 617-944-6795 to order or for more information.* Order with a 60-day money back guarantee.

Now available for Macintosh.

MicroTEX™
from Addison-Wesley

Serious typesetting for serious desktop publishers.

*Dealers, call our Dealer Hot Line: 800-447-2226 (In MA, 800-446-3399), ext. 2643.

CIRCLE NO. 127 ON READER SERVICE CARD




TABLE 1: *AIX System Calls*

access	ftruncate	pause	sigpause
acct	getgroups	pipe	sigsetmask
alarm	getpid, getpgrp, getppid	plock	sigstack
brk, sbrk	getuid, geteuid	profil	sigvec
chdir	getgid, getegid	ptrace	stat, fstat
chmod	ioctl	read, readx	stime
chown	kill	reboot	sync
chroot	link	semctl	time
close	lockf	semget	times
creat	lseek	semop	ulimit
dup	mknod	setgroups	umask
exec:	mount	setpgrp	umount
execl, execv, execle,	msgctl	setuid	uname, unamex
execve, execlp, execvp	msgget	shmat	unlink
exit, _exit	msgrcv	shmctl	usrinfo
fclear	msgsnd	shmdt	ustat
fcntl	msgxrcv	shmget	utime
fork	nice	sigblock	wait
fsync	open	signal	write, writex

AIX is an accommodating environment. The list of AIX system calls, except for a few RT-specific extensions, should be familiar reading for experienced UNIX users.

AIX's C compiler and linker offer a standard set of invocation options. The compiler can be invoked in an optimizing mode, can produce symbolic information for the debugger, and can generate direct code for the RT's optional Floating Point Accelerator. Operating parameters can be tailored for different target environments by adding entries (stanzas) to the global C configuration file **/etc/cc.cfg**. Directives in **cc.cfg** control which programs are invoked as the various compiler and linker phases, which compiler and linker options are set by default, and which libraries are referenced automatically during linking. AIX's standard **cc.cfg** file contains stanzas for compiling for the normal AIX runtime environment (**cc**), compiling for the Floating Point Accelerator (**fcc**), and compiling modules for integration into VRM (**vcc**). The documentation also contains a promise (unmet in AIX's first release) of an **scc** variation for preparing programs to run stand-alone, without the services of the AIX kernel.

Programmers have the **sdb** debugger at their disposal. This full-function symbolic debugger allows a user to view and control a program's operation at the source code level, in addition to providing the standard set of machine-level analysis and debugging facilities.

APPLICATION PLATFORM

Developers porting software, especially C software, from other UNIX systems will find AIX accommodating. The list of AIX system calls (see table 1) and C-callable runtime routines, except for a few RT-specific extensions, is familiar reading. Traditional UNIX companions such as the **curses** device-independent screen management package are available. The C compiler is standard among larger-than-eight bit machines with respect to data representation: **ints** as well as **longs** and **floats** are four bytes long, **shorts** are two bytes, **doubles** are represented in eight bytes, and pointers of all types occupy four bytes.

Predictably, IBM has taken more pains than other UNIX vendors have to allow the rapid transportation of DOS applications to the RT. Programs written in IBM PC BASIC, Pascal, FORTRAN, and C find equivalent or near-equivalent syntax and semantics under IBM's AIX language processors.

In porting DOS programs that work with disk files, developers face a choice. They can transliterate DOS file management calls into their UNIX stream-based or direct I/O counterparts, or they can take a shortest-path conversion approach by recoding to use AIX's special DOS Services library. The library provides transparent access to files in both AIX and DOS file systems. It serves double duty in the AIX environment in that it can be used from DOS programs ported to AIX in minimum-effort style, *or* it can be viewed as a convenient tool for building utility programs that operate with equal ease in either AIX or DOS file systems.

Under DOS Services, a DOS-style disk drive specifier (A:, B:, etc.) can be

C & PASCAL PROGRAMMERS

Blaise Computing provides a broad range of programming tools for Pascal and C programmers, with libraries designed for serious software development. You get carefully crafted code that can be easily modified to grow with your changing needs. Our packages are shipped complete with comprehensive manuals, sample programs and source code.

C TOOLS PLUS
$175.00
NEW! Full spectrum of general-purpose utility functions; windows that can be stacked, removed, and accept user input; interrupt service routines for resident applications; screen handling including EGA 43-line text mode support and direct screen access; string functions; and DOS file handling.

PASCAL TOOLS/TOOLS 2
$175.00
Expanded string and screen handling; graphics routines; easy creation of program interfaces; memory management; general program control; and DOS file support.

VIEW MANAGER
$275.00
Complete screen management; paint data entry screens; screens can be managed by your application program; block mode data entry or field-by-field control. Specify C or IBM/MS-Pascal.

ASYNCH MANAGER
$175.00
Full featured asynchronous communications library providing interrupt driven support for the COM ports; I/O buffers up to 64K; XON/XOFF protocol; baud rates up to 9600; modem control and XMODEM file transfer. Specify C or IBM/MS-Pascal.

Turbo POWER TOOLS PLUS
$99.95
NEW! Expanded string support; extended screen and window management including EGA support; pop-up menus; memory management; execute any program from within Turbo Pascal; interrupt service routine support allowing you to write memory resident programs; schedulable intervention code.

Turbo ASYNCH PLUS
$99.95
Complete asynchronous communications library providing interrupt driven support for the COM ports; I/O buffers up to 64K; XON/XOFF protocol; and baud rates up to 9600.

RUNOFF
$49.95
NEW! Text formatter written especially for programmers; flexible printer control; user-defined variables; index generation; and general macro facility. Crafted in Turbo Pascal.

EXEC
$95.00
Program chaining executive. Chain one program from another even if the programs are in different languages. Shared data areas can be specified.

ORDER TOLL-FREE 800-227-8087!

BLAISE COMPUTING INC.
2560 Ninth Street, Suite 316 Berkeley, CA 94710 (415) 540-5441

CIRCLE NO. 102 ON READER SERVICE CARD

TABLE 2: *DOS Services Routines*

dosassign	dosexecve	dosopen	dosstat, dosfstat
doschdir	dosfirst, dosnext	dospwd	dostouch
doschmod	dosfsync	dosread	dosunlink
dosclose	dosinit	dosrename	dosunopen, dosreopen
doscreate	dosmkdir	dosrmdir	dosustat
dosdup	dosmktemp	dosseek	doswrite

The DOS Services library allows AIX programs to manipulate files in DOS file systems transparently, by masking fundamental differences between AIX and DOS.

bound to an AIX directory, file, or device formatted as an AIX or DOS file system. By using this capability, programs can conveniently manipulate DOS file systems on diskettes, the AT coprocessor's minidisk, or elsewhere. Standard DOS device names such as PRN: and COM1: can be bound to an AIX file, device, or program and used transparently (behind-the-scenes AIX pipes accomplish the binding).

To use the DOS Services subroutines (see table 2), a program must first call **dosinit** to initialize the quasi-DOS environment. Unless overridden, **dosinit** prepares the environment by establishing a default correspondence between standard DOS device names (COM1:, LPT1:, A:, etc.) and AIX devices (**/dev/tty0**, **/dev/lp1**, **/dev/fd0**). Although they do not provide an environment exactly like DOS, the DOS Services library masks many of the fundamental differences between AIX and DOS file management. Line termination in text files (DOS's carriage return/line feed versus AIX's newline) is handled transparently. The **dosfirst** and **dosnext** routines for matching file names accept a DOS-like file name matching template and operate in DOS or AIX directories.

DOS Services still has some rough edges; as a package, it is more translucent than transparent. Files are not closed automatically when a process terminates, for example, and differences exist in the management of DOS environment variables across **exec** family program invocation calls. Programs that rely heavily on DOS system calls may require extensive reworking. In an appendix to the *AIX Technical Reference*, IBM publishes a comprehensive table of DOS function calls and their equivalent (or similar) AIX system calls and environment subroutines for users making DOS-to-AIX ports.


Developers porting DOS applications can use AIX's command-level DOS compatibility support, as well as the subroutines in DOS Services. An AIX program can execute a DOS batch file by using **exec** on AIX's **dos** program with the appropriate parameters.

Even developers who are not regarding AIX as the target for minimum-effort ports of software from other UNIX or DOS home environments can still explore some of its other innovative capabilities and extensions.

The **curses** facility, providing terminal-independent screen management in most UNIX environments, exists in three forms under AIX: standard, compatible curses, a one-window accelerated subset of the standard package, and extended curses. In addition to the basic display control and windowing functions provided by standard curses, AIX's extended package allows access to a wide range of display attributes,

Here's What You Ought To Do
To Switch Video Modes Instantly.

You AutoSwitch.™



including color and font. It implements new pane, panel, and presentation space screen management abstractions, supports box drawing, and provides an elaborate set of functions for reading and checking keyboard input in a terminal-independent fashion.

AIX programs have at their disposal the high-function terminal (**hft**) driver, which can be used to operate the RT's various direct-connection display devices such as the Enhanced Graphics Adapter or Advanced Monochrome Display adapter. One of these devices, when grouped with the system keyboard and locator (mouse), constitutes a physical high-function terminal.

Much as DOS's ANSI terminal driver creates the illusion to DOS programs that they are conversing with a standard ANSI terminal device, AIX's **hft** driver creates the illusion that AIX programs are conversing with a very nimble, multicolor, multifont device. The analogy is limited, though; the AIX driver's ability to maintain many virtual terminals in association with a single physical terminal has no parallel under DOS. The **hft** driver inherits most of its function from VRM's underlying capabilities. VRM's Virtual Terminal Resource Manager does most of the work of managing virtual and physical terminals.

To the application program, the **hft** appears like any other UNIX device, accessed by the standard suite of device driver calls: **open**, **close**, **read**, **write**, and **ioctl**. For the **hft**, however, the calls have a vastly expanded set of capabilities. Each time the device, **/dev/hft**, is opened, the driver creates a new instance of a virtual terminal. The terminal user can switch around the virtual terminal ring in round-robin style by using the Alt-Action key sequence. The controlling program, also, can directly control which virtual terminal is made visible to the terminal user, or hide selected virtual terminals, causing them to drop out of the user-selectable rotation.

Using an expanded set of **ioctl** options, a program can query a virtual terminal's set of devices, reconfigure it, and selectively set **echo** and **break** attributes for each character. It also is able to load a keyboard map that determines the character code or escape sequence that will be delivered by each key on the physical keyboard.

The **write** system call can be used to deliver escape sequences that control the terminal's speaker, keyboard LEDs, and locator thresholds. **Write** sequences also control character set (character code-to-display-code mapping), color palette, and font. For the APA-8 Advanced Monochrome Display, fonts are selectable from a set of five IBM-supplied soft descriptions that are configured into VRM at AIX IPL time. Developers may configure and select other fonts of their own design using VRM's dynamic configuration capabilities.

All of these capabilities are accessible when the **hft** is operated in its default KSR (keyboard send and receive) mode. An additional MOM (monitored) mode exists that provides application programs with a short-circuit data path to and from the terminal. Under the faster MOM, terminal output can be performed directly to the display adapter via the system bus, and locator and keyboard input is taken from a ring buffer, bypassing the **read** system call entirely. From an application developer's viewpoint, the price of using the more efficient MOM is device dependence—programs using MOM must contain embedded knowledge of particular display adapters' interface characteristics.

AIX incorporates the System V Kernel Extension for interprocess signaling, coordination, and resource sharing, and, in fact, goes beyond the AT&T-specified extension in several respects. System V's standard **alarm**, **kill**, **pause**, and **signal** primitives are augmented by **sigblock**, **sigsetmask**, **sigpause**, **sigstack**,

Only The Paradise AutoSwitch™ EGA Card Switches Video Modes Automatically.


EGA standard video gives you the best quality color graphics and text you can get on a PC. Crisp, colorful charts and graphs. Sharp, easy-to-read text.

All EGA cards are not created equal. IBM's, and most other EGA cards, won't work with some popular software programs, like Lotus 1-2-3 (version 1.0), that were designed to run in IBM's original color graphics (CGA) or Hercules monochrome graphics modes.

A few EGA cards can run this software. But, they require you to switch video modes manually by flipping switches or by loading a special "configuration" program when you want to switch modes. Major aggravations.

A smarter EGA Card. Computers should *do* work for you rather than *make* work for you. That's why we designed the Paradise AutoSwitch™ EGA Card to work with all popular PC video modes, including CGA, Hercules and MDA. It's the *only* graphics card smart enough to switch to the right video mode, automatically, every time you change programs. So, when you upgrade to AutoSwitch EGA, you can continue to use your existing software, as well as new programs written for EGA. With no mode switching hassles.

Short is beautiful. The AutoSwitch EGA Card fits into a short PC, XT or AT slot. Our user's manual, called by *InfoWorld* "...the best we've seen for such cards...," is also short.



A full year warranty. Plus, the AutoSwitch EGA Card is made by Paradise Systems, the company that makes more PC video controllers than anyone except IBM. For a demonstration, visit your PC dealer. And see how the most advanced EGA card you can buy is also the easiest to use.

For dealer name, or more information, call toll-free: (800) 527-7977, **Ext. 402**

In California, (800) 822-2020, **Ext. 402**

PARADISE

SYSTEMS, INC

The Video Technology Company

Trademarks: Paradise, AutoSwitch EGA Card–Paradise Systems, Inc.; Lotus Development Corporation; registered trademark: IBM–International Business Machines Corporation.

CIRCLE NO. 137 ON READER SERVICE CARD

VITAMIN C

It's good for your system.

FULLY Integrated, Data Entry Windows!

- Complete input formatting
- Unlimited Validation
- Full attribute control
- Multiple virtual windows
- Fully automatic, collision proof overlay and restore
- Print to & scroll background windows
- Animated window "zoom"
- Move, grow, shrink, hide, or show any window
- "Loop function" allows processing while awaiting input

AND MUCH MORE!

$149.95

Includes 100% source, tutorial, reference manual, examples, and sample programs.
Specify Microsoft, Lattice v2 or v3, Computer Innovations, Aztec, DeSmet, or Mark Williams. Ask about Unix.

100% Money Back Guarantee

NOW ... VCScreen!
Our new interactive screen "painter" actually lets you draw your data entry windows! Define fields, text, boxes & borders. Move them around. Change attributes. Then the touch of a button generates C source code calls to the Vitamin C routines!

$99.95

Requires Vitamin C Library above. For IBM & compatibles.

For Orders Or Information, (214) 245-6090

Creative Programming Consultants, Inc.
Box 112097 Carrollton, TX 75011-2097
Include $3 ground, $6 air, $15 overnight shipping, $25 if outside USA. Texans add 6⅛% tax. All funds must be in U.S. dollars drawn on a U.S. bank.

creative PROGRAMMING

and **sigvec**. By making use of the AIX extensions, processes can selectively block, ignore, or mask incoming signals, specify default actions to be taken by the system upon receipt of an incoming signal, or specify a special stack on which all signal processing is to occur. AIX's internal kernel-to-process signaling also has also been enhanced.

Communication of data and control information among AIX processes can be accomplished using families of extended AIX system calls for managing semaphores, message queues, and shared memory segments. Semaphores implement variants of the standard Dijkstra synchronizers that allow the passing of multiple resource units in a single operation. They are well integrated with the AIX environment; waiting processes still can catch signals, and a process's termination causes automatic cleaning up of semaphores with which the process was involved. A dying process that holds units of a semaphore's resource, for example, automatically frees them when it expires.

AIX provides a set of extended System V system calls for manipulating message queues that are shared among processes. Using the primitives **msgctl**, **msgget**, **msgrcv**, and **msgsnd**, asynchronous processes can engage in synchronized communication of multiple-type, variable-length messages.

AIX processes can communicate in a less structured way by allocating and arranging to share memory segments. The system calls **shmat** (shared memory attach), **shmctl** (control), **shmdt** (detach), and **shmget** (get or create) accomplish shared memory segment operations. The **shmat** call also can be used in one important variation. If it is passed an open file descriptor instead of System V's usual unique **key** identifying interprocess structures, it maps the descriptor's entire associated file into the calling process's address space. Files can be mapped in under read, read/write, or copy-on-write modes. In copy-on-write mode, changes to the file's image in memory are made only when (and if) the mapping process calls **fsynch**. In read/write mode, any modifications the mapping process makes to the file's image in memory are automatically reflected in its disk image.

In addition to providing program developers with the potential coding convenience of treating files as memory arrays, file mapping allows programs to cache the contents of frequently referenced files in memory without needing to expend any effort at the application design or coding levels.

A UNIX FOR EVERYONE

It is probably safe to say that more effort was expended on the development of AIX than on any other UNIX port to date. The effort has made AIX more attractive than most existing UNIX environments to prospective users, operators, and software providers. In AIX's high-function virtual terminals, its Usability Services, its complete set of System V utilities, and its ability to mimic the DOS user interface, end users will find significant advantages.

Those charged with operating AIX-based RT systems will also find that AIX distinguishes itself. By packaging into expert helper programs, such as **devices**, most of the knowledge required to perform routine operational chores such as adding and changing users, restructuring file systems, and modifying the system's device configuration, AIX has demystified the task of running a UNIX system. The **installp** and **updatep** software maintenance functions make many of the complex and often-ignored requirements of good system management easy to meet. AIX and VRM error logging make the identification and tracking of system and device errors easier to manage for operators and hardware service people.

Software providers who are contemplating the construction of new UNIX-based products or the transportation of existing UNIX or DOS products to the RT PC can expect a compatible, extended System V environment *and* numerous extensions that can be used to good advantage. AIX's program-controllable virtual terminals, file mapping, and optional data management facilities can be exploited to provide extensive function to end users without significantly increasing an application developer's effort. Vendors who re-host DOS products to the RT can find porting aids that are unmatched in other UNIX versions. Any vendor who must package custom device support with a product can benefit from the AIX open system support for addition and dynamic configuration of device drivers, and *all* vendors can gain by using AIX's well-conceived system management tools for licensed program products.

The RT PC running AIX must be judged an excellent UNIX engine. The arrival of AIX is a milestone in UNIX's coming of age as a commercial base for workstation computers.

Richard M. Foard, a consulting editor for PC Tech Journal, *is manager of product development at RoadNet Technologies, Inc., located in Baltimore, Maryland.*



INTRODUCING THE A★STAR II™

We're having a party! It's a going away party. And, it's for IBM. But, shhhhh! Don't tell them. We want it to be a surprise!

Why a party? Well, it's because we've been told that more than a few of IBM's customers have been "going away" ever since we introduced our A★Star™ PC/AT compatible microcomputer. Now that we've announced our new A★Star II, we figure a lot *more* of their customers will be going away. That's because the A★Star II is the *only* "network ready" PC/AT compatible that can operate at 6, 8, 10 *and* 12 MHz. And because it's available in a super selection of models starting at only $995!

The A★Star II is not just another clone, it's better...*much* better! Not only is it faster and more powerful than IBM's model, it's also incredibly less expensive. Better yet, the A★Star II is built and backed by Wells American - a company that's been making microcomputers *longer* than IBM. (We bet that surprises even you!) Plus, the A★Star II is serviced nationwide by RCA Corporation - one of the world's largest and most respected consumer electronics firms. And if that's not enough, every unit includes free schematics and a money back guarantee!

If you'd like to be a part of our IBM going away party, clip and return the coupon or call us at the number below. But don't tell IBM! If they find out how many of their customers are going away, they might just go away themselves! Of course, that would be okay with us. We never *really* invited them anyway!

A PC/AT FOR ONLY $995?
WHAT A REASON TO CELEBRATE!

Special Introductory Offer: Order now and receive a $395 option - absolutely FREE! Limit one per customer. Hurry! This offer and quantities *are* limited.

Name:_____

Company:_____

Phone:_____

Address:_____

City:_____

State:_____ Zip:_____

Wells American


803/796-7800•TWX 510-601-2645
Sunset Boulevard • West Columbia, SC 29169

Corporate Headquarters: 3243 Sunset Boulevard • West Columbia, South Carolina 29169•803/796-7800•TWX 510-601-2645

IBM, Personal Computer AT and AT are trademarks of International Business Machines.


CIRCLE NO. 124 ON READER SERVICE CARD

EGAw



Any Software. Any

EGA Monitor




EGA Wonder runs EGA, CGA, MDA, Hercules and 132 Columns on an Enhanced Graphics Display. CGA text is improved to 8 ×14 and graphics are double scanned for a high quality display.

TTL Monochrome Monitor



EGA Wonder runs EGA, CGA, MDA, Hercules and 132 Columns on a TTL Monochrome Monitor. Colors of EGA and CGA are converted into shades, graphics are full screen and no pre-boot drivers are required.


RGB, *Composite Monitors, and the IBM PC Portable



EGA Wonder also runs EGA, CGA, MDA, Hercules and 132 Columns on an RGB Monitor, *Composite Monitor, and the IBM PC Portable in 64 colors (shades). EGA and Hercules software are interlaced for high resolution text and graphics.

*Composite Monitor and PC Portable display not shown

ONDER



Monitor. Any Time.

Features	ATI EGA Wonder	Paradise Auto Switch	Quadram and Video 7
Compatible to EGA, CGA, MDA, Hercules	✔	✔	✔
256K Video Memory	✔	✔	✔
Automatic Switching Between EGA and CGA Color Modes and Among EGA, MDA, and Hercules Modes	✔	✔	
Runs EGA, CGA, MDA, Hercules and 132 Columns on an EGA Monitor	✔		
Runs EGA, CGA, MDA, Hercules and 132 Columns on an RGB Color Monitor	✔		
Runs EGA, CGA, MDA, Hercules and 132 Columns on a TTL Monochrome Monitor	✔		
Runs EGA, CGA, MDA, Hercules and 132 Columns on a Composite Monitor	✔		
Runs EGA, CGA, MDA, Hercules and 132 Columns on an IBM PC Portable	✔		
Warranty	2 Yrs	1 Yr	1 Yr
Suggested List Price	$399	$599	$595

EGA – Enhanced Graphics Adapter MDA – Monochrome Display Adapter
CGA – Color Graphics Adapter

*Trademarks: Paradise, Auto Switch – Paradise Systems Inc; Quad EGA+ is a trademark of Quadram Corp.; Video-7-Video-7, Incorporated; IBM PC Portable – IBM – International Business Machines.

Upgrade to EGA Without An EGA Monitor

The **ATI EGA Wonder** goes far beyond software compatibility. It is the result of intensive development by one of the most revolutionary technology companies today — **ATI Technologies Inc.**

The **ATI EGA Wonder** is not just better technology. It is the solution for upgrading to EGA without an EGA monitor.

Only the **ATI EGA Wonder** displays EGA, CGA, MDA, Hercules and 132 column software on an Enhanced Graphics Monitor, an RGB Color/Graphics Monitor, a TTL Monochrome Monitor, a Composite Monitor, or the internal monitor of the PC Portable.

Only the **ATI EGA Wonder** provides upward compatibility to EGA and downward compatibility to CGA, MDA, and Hercules on your present monitor — EGA, RGB, TTL, Composite or PC Portable.


At **ATI** we have developed a better graphics card for you. Call us today at **(416) 477-8804** for more information.

CIRCLE 206 ON READER SERVICE CARD

450 Esna Park Dr. Markham, Ontario, Canada
L3R 1H5 TELEX 06-966640 (CMC-MKHM)
(416) 477-8804 FAX (416) 477-9445

ATI® TECHNOLOGIES INC.

Technology you can Trust.





The Nearby AT

THOMAS V. HOFFMANN

IBM's AT Coprocessor Option puts an AT a keystroke away from the RT, providing a familiar environment for pre-RT software.

These days we expect any new box with PC in its name to be able to run all the PC spreadsheet, word processing, and flight simulator programs currently in favor. IBM's decision to use a completely new processor architecture in the RT PC means that it cannot run any of these programs on its primary processor, so how are our great expectations to be fulfilled?

IBM's solution is the AT Coprocessor Option, the essential ingredients of a PC/AT on a single adapter card, which costs approximately as much as an AT compatible ($995 for the coprocessor board plus $495 for the Coprocessor Services program). An RT outfitted with the AT coprocessor becomes two computers in one: a virtual memory RT and a standard AT. PC software is able to ex-

PHOTOGRAPHS • BLAKESLEE-LANE
COMPUTER GRAPHICS • NATALE/EAST

occurs on the coprocessor concurrently with programs running in the RT processor, and both processors can share memory and peripherals.

The inclusion of an AT inside the RT is made possible by a combination of special hardware on the coprocessor board and software in the host processor that together emulate the functions of an AT. The resulting emulation is faithful, right down to soft rebooting with Ctrl-Alt-Del, which loads and executes whatever code is found on the diskette in drive A. The coprocessor support software in the host processor uses the RT system's protection features to isolate other host programs from the effects of ill-behaved or not fully tested coprocessor programs.

USING THE COPROCESSOR

Before the coprocessor can play the part of an AT, a configuration must be established for the emulated AT system. The configuration includes the amount and type of memory and hard disk—in the form of VRM (Virtual Resource Manager) minidisks—to be allocated to the coprocessor, and the distribution of real and emulated devices, including at least one display. Devices can either be shared by both processors or dedicated to the AT coprocessor.

The ATX (Advanced Interactive Executive) command feature initiates coprocessor execution and sets the various configuration options, which can be saved in a customization profile and reused later. The user can allocate from 256KB to 640KB to the coprocessor in 32KB increments. Available memory in the I/O channel is used first. If more is required, it is allocated from host system memory and mapped into the coprocessor's memory map using the translation control mechanism on the RT system board. Directly accessed I/O channel memory provides the best coprocessor performance, but is more expensive than system memory and uses valuable slot space. The use of system memory degrades performance because the translation mechanism and the host memory management unit (MMU) are involved in every transfer.

Devices in the I/O channel may be assigned to the coprocessor only, the host processor only, or in some cases they may be shared. Devices dedicated to the coprocessor are handled solely by the coprocessor. Devices dedicated to the host processor are handled by the host processor on behalf of the coprocessor. Two ways in which shared devices may be used in the RT are worth noting. In the case of the display, an additional terminal emulator provides a display to the coprocessor. Keyboard and terminal emulation will be provided by the coprocessor when the host is not using the keyboard. Also, the host can control emulation of the IBM Monochrome Display and Printer Adapter or Color Graphics Adapter parallel printer port. Other shared devices [illegible] address space [illegible].

The [illegible] COM1 and COM2 devices can be [illegible] assigned directly to [illegible] the I/O channel, or [illegible] of two system board serial ports to the RT.

The [illegible] devices can be dedicated to the coprocessor, which directly accesses the disk controller of the primary hard disk drive controller in the I/O channel. Other devices, such as network adapters, can be assigned to the coprocessor in a similar fashion.

All hard disk I/O is handled by the host system. Up to two VRM minidisks (logical subdividing of a physical hard disk) can be assigned to the coprocessor as drives C and D, and can then be prepared and formatted using whatever AT operating system is desired. The DOS FDISK and FORMAT programs are used to prepare a VRM minidisk.

Once the coprocessor has been started, the RT keyboard and the designated primary display device become the coprocessor's keyboard and display. If the display is being shared, or if another display is assigned to the RT host, then the key combination Ctrl-Alt-Grey+ can be used to switch to the new virtual terminal emulator (coming from the RT to the coprocessor) and back. The coprocessor session can be terminated by pressing Ctrl-Alt-Grey- or by entering the power-off command issued from the RT operating system (if the active virtual terminal is the RT console).

COPROCESSOR HARDWARE

The AT coprocessor card (see photo) contains only some of the essential components of a real AT system board. The remaining elements are found on the RT system board. Some emulation of the host software, provided by the coprocessor card itself, is required to make these components and peripherals look like those found in a real AT.

The coprocessor card includes a 6-MHz 80286 processor and associated crystal and timing logic, two 8259A interrupt controllers that provide 16 hardware interrupt levels, an 8254-2 timer/counter device and the provision for an 80287 numeric coprocessor.

The DMA page registers, two DMA controllers, keyboard controller and realtime clock/calendar resident on the RT system board are used indirectly by the coprocessor, under the control and supervision of the RT's host processor.

Special interface and control logic on the AT board enable the host processor to perform these five functions:

- Trap I/O accesses by the coprocessor (in groups of eight using an 8K by 1-bit RAM that is accessible by the host processor).
- Individually mask the I/O channel interrupts from the coprocessor and handle those interrupts directly.
- Simulate any of the available I/O channel interrupts by writing to a dedicated I/O address.
- Relocate the video buffer to system RAM and record in a queue the addresses in video RAM that have been written by the coprocessor.
- Stop and start the AT coprocessor and simulate a power-on reset.

These features are instrumental in supporting the emulation and control of various functions in a safe and relatively efficient way. Because the coprocessor shares the same I/O channel with devices that are assigned either to itself or the host processor, a mechanism is needed to control which processor sees which interrupts. The interrupt filtering logic can mask interrupts in the I/O channel from the coprocessor's view.

The I/O trap logic allows the host to set up the coprocessor to cause a host interrupt whenever it accesses certain I/O addresses. Then the coprocessor is stopped, and the host can read the data written for an I/O write operation or can supply the data to be read for an I/O read operation. Combined with the host's ability to force a coprocessor interrupt sequence, this procedure gives the host the ability to emulate any I/O device.

Emulation is required when the coprocessor attempts to access a device or function that is not present in the system, that is assigned to the host and is therefore unavailable to the coprocess

TABLE 1: *Device Support Modes*

DEVICE	ROMP	SHARED	DEDICATED	COPROCESSOR
MMU	●	○	○	○
IOCC	●	○	○	○
System mouse	●	○	○	○
DMA	○	●	○	○
Disk	○	●	○	○
Keyboard	○	●	○	○
Realtime clock	○	●	○	○
Configuration CMOS RAM	○	○	●	○
Display	○	●	●	○
Communications ports	○	○	●	○
Planar serial ports	○	○	●	○
Printer	○	○	●	○
Diskette	○	○	●	○
Speaker	○	○	●	○
New devices	○	○	●	○
System memory	○	○	●	○
I/O channel memory	○	○	●	○
80286's interrupt controllers	○	○	○	●
80287 math coprocessor	○	○	○	●
Interval timer	○	○	○	●
Light pen	○	○	○	●

● = *Yes*
○ = *No*

Devices in the I/O channel can be assigned to the host processor only, the AT coprocessor only, temporarily dedicated to the coprocessor, or shared.

Adapted from IBM RT Personal Computer Technology.

sor, or that is present in a different form from the one expected by the coprocessor program.

The coprocessor card contains no memory—not even the ROM containing BIOS and BASIC. Instead, the BIOS and BASIC are loaded into memory (I/O channel memory if available), which is mapped into the proper place in the coprocessor's memory address space. The BIOS supplied with the Coprocessor Services program differs from the BIOS in an actual AT: the hard-disk functions have been replaced by a shared memory mailbox interface to the coprocessor device driver in the host, which emulates the hard disk using VRM minidisks; minor changes have been made to the video routines to improve performance when emulating standard PC displays on the new RT graphics displays. This "ROM-less" BIOS saves space on the coprocessor board and allows for future upgrades to be provided on diskette. This is important for issuing simultaneous changes to BIOS support for emulated devices and the host-resident emulation drivers.

DISPLAY SHARING

Dedicating a display adapter to either the host or the coprocessor is a straightforward matter. A display owned exclusively by the coprocessor is accessed directly through the I/O channel. The Coprocessor Services software must set the coprocessor I/O trap and interrupt filtering logic to permit direct access to the display I/O registers, and it must set the system address translation logic to permit access to the video refresh memory. Conversely, host-exclusive displays can be protected from access by the coprocessor.

A more difficult situation arises when a single display device must be shared by both processors, especially when both are executing concurrently. A further complication is the need to emulate standard PC displays on new hardware, for the benefit of old coprocessor-resident programs.

Display sharing is simple if alternating control between the host and coprocessor programs, with the invisible program dormant, is acceptable. The coprocessor can be stopped when it does not own the display, and the host tasks that need the display can be suspended while they wait for access.

A better solution would permit the concurrent execution of coprocessor programs even when the console is assigned to the host, with some way to save the display accesses in an invisible area until the device is assigned to the coprocessor. To bring about this solution both display buffer accesses and I/O accesses to the display hardware must be monitored.

Two features assist in implementing this solution. The video relocation facility allows coprocessor accesses to portions of the video refresh buffer of the coprocessor memory (addresses 0A0000H through 0BFFFFH) to be mapped into another area of system memory. When this feature is activated, the host can directly address the real display hardware, while the coprocessor addresses an independent buffer elsewhere in memory. The I/O trapping facility can be used to capture and record coprocessor changes to mode registers, cursor addressing, and other nonbuffer references. When the display is switched from one processor to the other, the buffers can be swapped and the display image restored.

The video redirection feature also allows for the hardware to store the address of each location written in the virtual display buffer in a separate area managed as a circular queue. This information can be used when restoring the display image from the virtual buffer in order to avoid processing the entire video buffer; only those locations that have been changed since the last update need to be processed.

The video address queue is especially helpful with an APA display, such as the RT Advanced Monochrome or Advanced Color display, which is emulating a character display such as the PC monochrome display. In such a case, the coprocessor writes only character codes and attribute bytes to the display buffer. If the emulation software had to reconstruct the entire display, pixel-by-pixel, from the character codes each time a key were typed, the performance would be totally unacceptable. By limiting the work done to what is necessary, the APA displays are acceptable substitutes for their predecessors.

80-PERCENT PERFORMANCE

IBM claims that the AT coprocessor will run about 80 percent as fast as the original 6-MHz AT when using I/O channel memory. Because both the 80286 processor and the memory are running at the same nominal speed as in a real AT, the degradation is probably caused by the overhead imposed by the address translation hardware that maps channel memory addresses into 32-bit system memory. Further performance degradation—to the point that performance is only slightly better than that of a PC/XT—results if the coprocessor is

It's not just *having* 640K . . . it's what you can *do* with it.



More than simply accessing full memory, BetterBASIC expands the *usefulness* of BASIC. Comparing it to other BASICs, Ted Mirecki of PC Tech Journal wrote, *"BetterBASIC promises the best of all possibilities: near-total compatibility with BASICA, plus advanced enhancements that depart from BASIC's simplicity but give the language many of the capabilities of PASCAL and C."* ©PC Tech Journal, June 1986, Ziff Communications Company

See for yourself. Simply run your GW-BASIC or PC-BASICA programs in BetterBASIC, or create new ones, and get the power, structure and flexibility you'd expect only from C or PASCAL, yet still in familiar BASIC syntax. BetterBASIC also gives you over 150 statements beyond standard Microsoft syntax.

On your IBM-PC or true clone, define your own modules for specific applications, such as Industry Dependent Functions, Hardware Drivers, Data Acquisitions, Robotics, etc., and define keywords in your own language.

BetterBASIC also makes your job easier with its on-screen editor, de-bugging capabilities which include all TRON commands, and a break-and-continue option. It supports IEEE Math, Graphics, Sound Statements, Interrupts, and many other functions.

Optional modules expand BetterBASIC even further: Virtual Memory Manager takes Array Memory to 4 Giga-Bytes; Runtime System creates stand-alone EXE. files; 8087/80287 Math Chip Support increases math speed; Btrieve™ Interface permits building sophisticated data-base files; and, Decimal Math supports financial and accounting applications.

As we said, it's not just *having* 640K, it's what you can *do* with it.

For your convenience, BetterBASIC is not copy protected, and technical support and a bulletin board are available for all registered users.

BetterBASIC	$199
Virtual Memory Manager	99
Runtime System	250
8087/80287 Math Chip Support	99
Btrieve Interface	99
Decimal Math	49
Sample Disk with Tutorial	10

Ask your dealer or call to order: **1-800-225-5800**
In Canada, call 416-469-5244

Better BASIC™

BetterBASIC is a registered trademark of Summit Software Technology, Inc. IBM, PC, are registered trademarks of International Business Machines Corp. MicroSoft is a registered trademark of MicroSoft Corp. Btrieve is a registered trademark of SoftCraft Inc.

Summit Software Technology, Inc.™
106 Access Rd. Norwood, MA 02062

CIRCLE NO. 195 ON READER SERVICE CARD

CQL

SQL Compatible Query System adaptable to any operating environment.

CQL Query System. A subset of the Structured English Query Language (SEQUEL, or SQL) developed by IBM. Linked files, stored views, and nested queries result in a complete query capability. File system interaction isolated in an interface module. Extensive documentation guides user development of interfaces to other record oriented file handlers.

Portable Application Support System

Portable Windowing System. Hardware independent windowing system with borders, attributes, horizontal and vertical scrolling. User can construct interface file for any hardware. Interfaces provided for PC/XT/AT (screen memory interface and BIOS only interface), MS-DOS generic (using ANSI.SYS), Xenix (both with and without using the curses interface), and C-library (no attributes).

Screen I/O, Report, and Form Generation Systems. Field level interface between application programs, the Query System, and the file system. Complete input/output formatting and control, automatic scrolling on screens and automatic pagination on forms, process intervention points. Seven field types: 8-bit unsigned binary, 16 bit signed binary, 16 bit unsigned binary, 32 bit signed binary, monetary (based on 32 bit binary), string, and date.

$395.00

C Interpreter. Run the interpreter on any hardware and on any operating system. Develops true intermediate code, allowing full C features in an interpreter. User configurable interface to compiler library allows linkage with compiled routines.

HARDWARE AND FILE SYSTEM INDEPENDENT

KURTZBERG COMPUTER SYSTEMS

41-19 BELL BLVD.
BAYSIDE, N.Y. 11361

VISA/Master Charge accepted
(718) 229-4540

*C-tree is a trademark of FairCom

IBM, SEQUEL, PC, XT, AT are trademarks of IBM Corp.
MS-DOS and Xenix are trademarks of Microsoft Corp.

CQL and the CQL Logo are trademarks of Kurtzberg Computer Systems.

CIRCLE NO. 148 ON READER SERVICE CARD

TABLE 2: *Compatibility and Performance Tests*

TEST	8-MHz AT, 30MB DISK[a]	AT Coprocessor in RT
ATBIOS		
ROM BIOS date	11/15/85	10/15/85
ATPERF		
Average RAM instruction fetch (μs)	.403 (100)[b]	.718 (56)
Average RAM read time (μs)		
BYTE	.401 (100)	.708 (57)
WORD	.401 (100)	.707 (57)
Average RAM write time (μs)		
BYTE	.401 (100)	.710 (57)
WORD	.401 (100)	.708 (57)
Average ROM read time (μs)		
BYTE	.401 (100)	.708 (57)[c]
WORD	.401 (100)	.707 (57)
Average video write time (μs)[d]		
BYTE	1.208 (100)	.886 (272)
WORD	2.415 (100)	.887 (272)
CPU clock rate (MHz)	8.0 (100)	6.0 (75)
Math coprocessor clock rate (MHz)	5.3 (100)	4.0 (75)
Refresh overhead (%)	7.1	6.1
RAM read wait states	1	2
RAM write wait states	1	2
ROM read wait states	1	2
Video write wait states (CGA)	8	3
ATFLOAT		
Performance as percentage relative to AT	100	80

[a] *The figures for the IBM AT are the average results from several machines, whereas the results from the AT coprocessor are taken only from the review sample model.*
[b] *Figures shown in parentheses represent the relative performance expressed as a percentage compared to the* PC Tech Journal*'s baseline machine, the 8-MHz, 30MB AT.*
[c] *Note that there is no ROM in the AT coprocessor; ROM reads are actually redirected to RAM.*
[d] *The IBM AT was tested with the CGA configuration. The RT AT was tested with Enhanced Monochrome Display with no CGA emulation.*

IBM's AT coprocessor option for the RT delivers approximately 60 percent of the performance of an actual 8-MHz AT (or 80 percent of a 6-MHz AT).

actually using system memory. This is due to the additional overhead of virtual address translation in the MMU and competition with the host processor for access to system memory.

Another negative performance factor is imposed when the coprocessor is using an APA display to emulate a PC character mode display, especially the PC Color Graphics Display. This emulation requires more time than the native displays and also steals most of the host processor resource.

Table 2 shows the results of the *PC Tech Journal* AT Evaluation Suite (these compatibility and performance tests were originally prepared for the *PC Tech Journal* series on AT compatibles; see "Out from the Shadow of IBM," Steven Armbrust, Ted Forgeron, and Paul Pierce, August 1986, p. 52). The tests were run on a Model 20 RT with 512KB I/O channel memory, using the RT Advanced Monochrome Display without color/graphics emulation. Note that the AT coprocessor environment has no ROM; ROM reads are redirected to RAM and take the same amount of time as RAM reads. Memory access times doubled when the tests were run with the I/O channel memory removed. The results are consistent with IBM's predictions, in that the coprocessor delivers 60 percent of the performance of an 8-MHz AT, which is 80 percent of the performance of a 6-MHz AT.

THE ADJUNCT AT

To provide a compatible AT environment in a host system architecture so radically different from a real AT is an ambitious undertaking. IBM has managed to produce a solution that is almost indistinguishable from a real AT for most applications. The only drawback is in the slower performance.


While few would consider an RT system with the AT coprocessor pri-


TimeWand™ - Gathering Information














Bar Codes, Computing, and the TimeWand… a Closer Look.

"A successful business runs on accurate, timely information." An obvious statement perhaps, but one that every personal computer user must keep in mind. In order to get the reports we require, we must ensure that the information on which we base our decisions is as up-to-date as possible. This is where a bar code reading system such as the TimeWand can be used to improve efficiency in the office or workshop. The TimeWand provides a convenient way to ensure that your computer has all the facts, all the time.

Let's use inventory control as an example. Once an inventory system is set up on the computer, you are faced with the important task of keeping the inventory up to date. The TimeWand gives you a quick and efficient method of getting information into your computer system. To enter an item into inventory (such as the copper elbows shown above), all you need to do is scan the item, the quantity, and transfer the data to your computer. By using TimeWand, you bypass the time-consuming steps of writing down every transaction, deciphering hand-written notes, typing in each inventory transaction by hand, and searching for transcription errors that might have occurred. The TimeWand is an ideal tool for gathering information for use in your business.

From time-billing to tracking work orders to monitoring security, the TimeWand provides an inexpensive solution for your data collection needs. Call or write Videx today for more information about how the TimeWand can help in your business.

TimeWand (2K version) **- $198**
Recharger - $149
TimeWand Communication Software (IBM) **- $299**

Software available for the Macintosh, Apple // family, and Tandy (Model 100 and 200).

Videx®

1105 N.E. Circle Blvd., Corvallis, OR 97330-4285
503-758-0521

Videx is a registered trademark and TimeWand is a trademark of Videx, Inc.

CIRCLE NO. 192 ON READER SERVICE CARD

Is LISP Right
for Your Expert System?

Find Out — FREE

You can explore LISP by examining a complete sample problem. Call and we will send you a free source listing of "SELECTWP".* It prompts users for criteria and helps them choose which micro word processor to buy.



Look over the TransLISP syntax (COMMON LISP compatible). Your application will probably have similar characteristics.

Power & Flexibility

Do you get flexibility in PASCAL and C? Of course, but examine the listing of SELECTWP to see how much more power and flexibility you get. The LISP advantages:

- forward references make program flow fit the problem
- manipulate data structures of varying sizes
- create your own language to fit the problem domain
- avoid mundane, busy work required with traditional procedural languages
- powerful function and macro building facilities provide better data abstraction

TransLISP gives You the Advantage

Using TransLISP for your expert system has several advantages over other AI tools. And you will see SELECTWP illustrate:

* the ability to control how decisions are made
* the freedom to assign weights and react to user choices
* the complete control you have over how a problem is solved, and interaction with the user

Nothing to lose

Examine LISP carefully by studying a practical program *free.*

Or buy TransLISP risk free. SELECTWP is just 1 of over 20 sample programs in the complete TransLISP system. The other sample programs include: an adventure game, a program to read dBASE SDF files, "Job Counselor" and more. Use the modular tutorial, the complete 300+ function LISP interpreter, and the online help, to get started in LISP in only a few hours.

Develop programs of up to 12000 lines on a 640K system or use TransLISP on a floppy only, 256K RAM machine. MSDOS.

Call 800-821-2492 for SELECTWP FREE. Or order the complete TransLISP system risk free for only $75.

Solution Systems

335 Washington St., Norwell, MA 02061 (617) 659-1571

Full refund if not satisfied in 30 days.

*SELECTWP includes 512 lines of LISP code and 335 lines of comments.

CIRCLE NO. 126 ON READER SERVICE CARD

Complete Communications for Programmers & Engineers for $95

Turn Your PC or AT into a Communicating Workstation

ZAP gives you all the communications features you need, plus emulation of graphics and smart terminals. And at a reasonable price! You can use the full capabilities of almost any computer — a mainframe, mini, or just using a BBS . . . unattended. Accessing existing data shouldn't cost you a lot of money.

ZAP is the most versatile communications package you could ask for. I communicate with a number of mainframe and mini systems and use ZAP to download everything. It is very easy to use.

I've bought 4 communications packages. All cost more, and none come close to ZAP's performance. ZAP is now the only package I use. — Larry Cole, President
PC Powerware Corp., Chicago, IL

ZAP is a phenomenal product at a very reasonable price. To think I was ready to settle for VT100 emulation for $195!
— Hank Streeter, Owner
Integrated Software Development, Houston, TX

Requires an IBM PC or close compatible and 128K RAM.

VT100, 102, TEK 4010/14 ... It's all Here

- Emulate TEKtronix 4010/14 and DEC VT 100, 102, 52 including variable rows and columns, windows, full graphics, more.
- Reliable file transfer to/from any mainframes and PCs including KERMIT and XMODEM protocols (plus a full copy of KERMIT). 50-38,400 BAUD transfer speeds.
- Download and fully automated logon with Macro and Installation files (scripts)
- EMACS, EDT and VI

"Script" files are included. ZAP also supports products like DISSPLA and SAS/GRAPH.

- Configurable to the communications and terminal features on the "other end"; 1, 2 stop bits; 5, 6, 7, or 8 data bits; parity of odd, even, none, mark and space; remap most keys including the numeric pad. Set any screen size your hardware supports.
- DOS shell for full PC/MSDOS access.
- Supports 9 Comm ports and the IBM Monochrome, color, EGA, or Hercules Monochrome cards.

Call 800-821-2492 to order ZAP risk-free for only $95

Solution Systems™

335-P Washington St., Norwell, MA 02061 (617) 659-1571

Full refund if not satisfied in 30 days.

CIRCLE NO. 129 ON READER SERVICE CARD

THE NEARBY AT

marily as an AT replacement, it is very convenient to have an AT equivalent, complete with favorite and familiar software, only a keystroke away. This is especially true at this point because the availability of standard PC application software for the RT is limited. Even if that situation changes (and it is by no means certain that it will), the incremental cost of the coprocessor feature may be substantially less than the cost of replacing several applications.

The AT coprocessor is smaller and less expensive than a completely independent AT system, and the display and device emulation support provides flexibility that is not otherwise available. The concurrent execution of the coprocessor and host processor offer some intriguing possibilities, such as keeping a communications program running in the coprocessor, while performing workstation activities at the same time on the host processor.

Unfortunately, the AT coprocessor has some serious drawbacks. The best performance is obtained with dedicated memory in the I/O channel, and that is only about 60 percent of an 8-MHz AT. Using system memory only, performance is closer to that of an XT. Many applications require a dedicated display adapter for acceptable performance; the coprocessor and related adapters can occupy half of the available I/O channel slots. An RT is an expensive home for standard PC adapters supporting standard PC applications.

RT systems entirely dedicated to special applications such as CAD/CAM, publishing, data acquisition, or process control will not benefit from the coprocessor; neither will multiuser systems that support small departments or work groups using AIX for UNIX-based applications or development. In these systems the coprocessor is likely to be irrelevant or to produce too much of a drain on system resources.

RT systems used as *personal* workstations are another matter. Here the availability of familiar software tools can be a real productivity advantage. The AIX DOS Services software provides convenient, direct access to DOS format files on diskettes or minidisks for sharing data between AIX and coprocessor applications. The AT coprocessor may not be *better* than the real thing, but in some cases it can be a useful adjunct to the RT workstation.

Thomas V. Hoffmann, a consulting editor for PC Tech Journal, *is manager of systems development at RoadNet Technologies, Inc., located in Baltimore, Maryland.*

Some irresistible reasons to buy Revelation® before any other network database:

	Network Revelation	dBASE III PLUS®	R:base 5000 Multi-User™
Product Features:			
Maximum Characters per Record	65,000	4,000	1,530
Maximum Fields per Record	65,000	128	400
Maximum Files per Database	Unlimited	Unlimited	40
Variable-Length Fields	•		
Multi-Value Fields	•		
Programmable Data Dictionary	•		
Network Operating Systems Supported:			
IBM® PC Network	•	•	•
3COM EtherSeries™ (2.4/3+)	•	•	•
Nestar Plan 3000/4000	•		
All Versions of Novell NetWare™	•		
Tapestry	•		
Alloy NTNX	•		
Networking Features:			
Full Record Locking During Relational Operations	•		•
Application Generator Automatically Creates Locking Statements	•		
Network DBMS Can Span Multiple Volumes or File Servers	•		
Network Run-Time Module	•		
Minicomputer Communications[1]	•		

1) From original manufacturer.

These are just a few reasons why Network Revelation is the leading database applications environment for local area networks.

That's because only Network Revelation has the tools to create applications worth sharing.

Like a program generator that builds locking statements, automatically, so you don't have to; a fourth-generation query language and report writer; plus a robust version of BASIC with a high-speed compiler.

And unlike single-user databases pretending to run on networks, Network Revelation doesn't lock everyone out during routine sorts, joins, and math operations.


Sample the power of Revelation. $24.95 gets you a comprehensive Demo/Tutorial. A phone call gets you complete information.

COSMOS™

Cosmos, Inc., 19530 Pacific Highway S., Seattle, WA 98188 (206) 824-9942, Telex 9103808627


IBM is a registered trademark of International Business Machines Corporation. NetWare is a trademark of Novell, Inc. EtherSeries is a trademark of 3COM Corporation. dBase III PLUS is a registered trademark of Ashton-Tate. R:base 5000 is a trademark of Microrim, Inc.

CIRCLE NO. 112 ON READER SERVICE CARD



The key components of the IBM Cabling System are ready and awaiting the delivery of IBM's Token-Ring Network. Users can begin to install cabling according to individual communications needs.

Underlying Connections



J. SCOTT HAUGDAHL


The IBM Token-Ring Network, a 4-Mbps (megabits per second), token-passing local area network operating over twisted-pair wiring, is the result of years of research and prototyping. The principal research was conducted at IBM's laboratory in Zurich. There, scientists developed the concept, the architecture, a prototype (the infamous "Zurich Ring"), and did the initial performance modeling. The work done at IBM/Zurich was continued by engineers and programmers at IBM/Research Triangle Park in North Carolina where the Token-Ring was developed into a commercial offering.

IBM broke with tradition regarding the Token-Ring. Historically, it has remained aloof from IEEE standard-setting, electing to create its own proprietary product standards. This time, IBM was involved in shaping the IEEE 802.5 standard for the token-ring access method. This alignment with the standard leaves the IBM Token-Ring system open for use with non-IBM products.

IBM/Research Triangle Park was responsible for the hardware and software necessary for the first Token-Ring products: the IBM PC Adapter and the Multistation Access Unit (MAU). These two packages, in conjunction with the IBM Cabling System (already released), comprise a complete LAN for IBM PCs. The chip set developed for the PC Adapter board by IBM at Burlington, Vermont, is the foundation for current generation IBM Token-Ring attachments. This article examines that cabling system; a subsequent article will provide a look at the PC-related Token-Ring products and operation.

The IBM Cabling System, introduced in May 1984, is the underlying wiring system for the Token-Ring Network. Key components of the system are: twisted-pair wire, MAUs, connectors, distribution panels, patch cables, and faceplates. The connection is made as follows: The wire runs between the office and a central wiring closet. The wire end in the office has a data connector attached to it that is mounted into a faceplate. The cable in the wiring closet also has a data connector attached and is mounted on a distribution panel. The distribution panel, in turn, is mounted in a distribution rack above the MAUs. Patch cables link the data connectors on the distribution panel to the MAUs, creating the physical link between the cables. In the case of a small network—fewer than eight stations—the

ILLUSTRATION • ANDY LEVINE




wires can be connected to a common point; the MAU is mounted on a wall instead of in a central wiring closet.

IBM designed the wiring to be a structured system for all (IBM) communicating devices, thus bettering its previous ad hoc approach and helping to avert the future need for rewiring. The physical topology created by wiring for the Token-Ring resembles interconnected stars, in which all devices share the same dual twisted-pair bus that, if followed from device to device, forms a ring that eventually wraps back upon itself (see figure 1). The cable can be used for more than simply Token-Ring devices; it can function in a point-to-point manner to support the connection of terminals to hosts.

The IBM Cabling System also supports existing nontoken products through the use of baluns (balanced-unbalanced cable impedance matching devices). The system can support existing point-to-point 3270 coaxial-based devices, System/36 and Series/1 twinaxial-based devices, 5080 graphics systems, and loop systems, such as the finance communications system, programmable store system, and multiuse communications loop (based on a different token protocol) applications. These connections have nothing to do with the actual Token-Ring and still function as independent devices. The idea is to migrate devices such as 3278-type terminals to a token-attached cluster controller such as the 3174.

FIGURE 1: *Token-Ring Topology*



The physical topology created by wiring for the Token-Ring Network resembles interconnected stars in which all devices share a dual twisted-pair bus, that if followed from device to device, forms a ring that eventually wraps back upon itself.

CABLE TYPES

For Token-Ring products, devices attach directly with one of six types of cable: 1, 2, 3, 6, 8, or 9 (with one exception when type 3 wire is employed).

Type 1 is an overall, shielded, data-grade cable with two solid twisted-pair (#22 AWG—American Wire Gauge) wires. Type 1 is available as an indoor version with a braided shield or as an outdoor version with a corrugated metallic shield. Type-1 indoor is also available in plenum and nonplenum versions. Type 2 is basically a type-1 indoor cable, but with four solid twisted pairs of telephone-grade (#26 AWG) wire added around the outside of the shield. Type 2 is not available in an outdoor version. This incorporation of telephone and Token-Ring cable may make possible a system that accommodates all of a building's voice and data needs in a single wire type.

Type 6 is a data-grade wire with two twisted-pair wires of stranded #26 AWG and is used for short runs as flexible patch cable. This type often is used to connect a PC to a faceplate that in turn connects to a type-1 or -2 cable. In a small system, type 6 can be used to attach a PC to an MAU directly.

A latecomer to the Cabling System (added when the Token-Ring was announced in October 1985) was support for telephone-type wire. Presumably, this type-3 cable addition is cost-competitive with AT&T's Premises Distribution System (PDS); however, it sacrifices LAN size (roughly one-third the total network size when using type-1 wire) and the number of devices it can support (72 versus 255 for type 1). These limitations are not dependent upon the token protocol or capacity of the system; instead they result from an electrical phenomenon known as "jitter." The amount of jitter depends upon the number of devices passed through by the data signal in the ring, and the length and quality of the wire.

Type 3 can be used where unused telephone wire is already in place. At the wiring closet, a special jumper cable, consisting of type-6 wire, a filter, and a data connector, must be used to connect type 3 to an MAU. A type-66 connection block (also called a *punch-down block*) is used to connect the type-3 wire to the jumper. The jumper filter removes high-frequency components to meet FCC requirements.

IBM's support of type 3 may not have been intended solely as an effort to counter the lower-cost AT&T PDS. Apparently, many IBM customers already had miles of unused type 3 in place. The Token-Ring type-3 support is designed to be ad hoc and temporary, with a migration path to the data-grade wire that will be required by future 16-Mbps Token-Rings. If type 3 is not already installed, IBM is discouraging its installation in favor of types 1, 2, 5, 9, and so on. In fact, two categories of Token-Rings will be available—type 3 or Cabling System—because type 3 cannot be mixed with other cabling types. Types 1 and 2, however, can be used to connect type-3 wiring closets together.

Patch cables are made with type 6 cable, and are available in lengths of 8, 30, 75, or 150 feet. A special 8-foot version is used to connect the IBM PC Adapter to a faceplate.

Type 8 is a #26 AWG twisted-pair data-grade wire with a plastic ramp used to make under-carpet installation as unobtrusive as possible. Although type 8 can be used similarly to type 1, it can service only half the maximum type 1 distance. The type-9 media specification (added in April 1986) is designed to offer a low-cost alternative to type 1 plenum cable. It consists of two twisted pairs of overall shielded #26 AWG copper wire and can operate at up to two-thirds of the distance specifications of type 1. Further, unlike type 3, type 9 is certified for use as high as 16 Mbps.

Another cable type, type 5, is a 140/100 micron-fiber cable designed to

interconnect wiring closets via repeaters. IBM has not yet announced support of fiber at the PC-interface level.

Table 1 summarizes the capability variations among the data-grade types 1 and 2 and the voice-grade type-3 wire. The drive distances are relative to type 1. The maximum drive distance (recommended by IBM) for type 1 is 300 meters from a wiring closet to a work area and 200 meters between wiring closets. These are absolute maximum distances that become shorter as the physical ring wiring becomes larger (as more and more wiring closets, MAUs, lobe wiring, and devices are added). The *IBM Token-Ring Network Introduction and Planning Guide* provides tables and formulas that can be used to calculate the maximum distances.

Designed specially for the Cabling System, the data connector is the plug that terminates all twisted-pair wire. Two data connectors can join together by a 180-degree rotation of one connector. Thus, only one type of data connector is necessary to make the connections. When two connectors are used, one of the connections is contained in a faceplate. Faceplates that contain RJ-11 jacks, necessary for connection of a telephone to the additional telephone wire contained in type-2 cable, are available.

TABLE 1: *Performance Capabilities of Cable Types*

	1	2	3	5	6	8	9
Drive distance[a]	1.0	1.0	0.45	3.0	0.75	0.5	0.66
Data rate (Mbps)	16	16	4	250	16	16	16
Devices per ring	260	260	72	260	260	260	260
Closets per ring	12	12	2	12	12	12	12
Voice support	No	Yes	Yes	N/A	N/A	N/A	No

[a]*These numbers represent the relative length of cable used for each cable type for any given hardware.*

Although the Token-Ring will permit existing telephone wire (type 3 above) to be used for the cabling system, the performance and size of the network is limited.

MULTISTATION ACCESS UNITS

It is the design and operation of the MAU that gives the network its physical topology and suggests its "star-wired ring" name. The IBM 8228 MAU is a wiring concentrator that connects as many as eight stations to the ring via drop cables called *lobes*. A ring-in jack on one side of the MAU and a ring-out jack on the other side provide for a daisy-chained connection to other MAUs. The MAU provides for insertion/bypass of lobe segments and associated attaching devices. It can accomplish write/fault detection through the use of an attached device, such as the IBM PC Token-Ring Adapter. By configuring a ring that connects the last MAU to the first, a repetitive path is formed, because none of the MAUs is wrapping within the box. Under this configuration, any one cable between a pair of MAUs can be removed, and the ring will remain fully operational.

In order to increase the distances of the basic cabling system, IBM supports type-5 fiber media with the IBM 8219 Token-Ring Network Optical Fiber Repeater. This unit attaches to an MAU to extend the distance between MAUs to 2 kilometers. A repeater or copper-type media, the IBM 8218 Token-Ring Copper Repeater, extends the distance between MAUs to 750 meters (up from 200 meters). The fiber repeaters must be installed in pairs to convert copper to fiber, then fiber to copper. Two pairs are required if both the main and backup pair between MAUs will be driven. The copper repeater also should be operated in pairs, so that both the main and backup pairs are driven. Both types of repeaters amplify and reclock the transmission signal.

The attached device is responsible for activating a relay within the MAU to switch itself into the ring. This is accomplished by maintaining a "phantom" voltage component on the lobe wire. This voltage charges a capacitor on the relay, which then inserts the lobe into the network. When the device either fails or is turned off, the relay will deenergize and disconnect the device from the ring.

Although the relays automatically latch when devices are inserted or removed, a sudden jarring movement during the shipping of the MAU could cause a relay to be latched in the wrong state. IBM therefore includes a testing tool with the MAU. Insertion of the tool into the connected ring tests whether all relays contained are wrapping. If an anomaly is detected, the tool can be inserted into each lobe connection to test the associated relay's status and correct it if necessary.

Run Your Software 2 to 10 Times Faster!

No Additional Hardware (Cards or Chips) Required.

Introducing PolyBoost™
The Software Accelerator™

PolyBoost, a set of 3 memory-resident programs, speeds information flow to & from your computer's processor. 1, 2 or all 3 programs can be in loaded in memory. Operation is totally automatic & transparent. Only PolyBoost speeds up all three processor input/output (I/O) paths:

Requires DOS 2.0 or higher

For the IBM PC, XT, AT & Compatibles

Boost Disk Speed
A memory-buffer (disk cache) automatically speeds up hard or floppy disks by storing in RAM the data your software uses most often. You can set the cache size from 5K to 500K. Caches of up to 4 Megabytes each can reside in Expanded or Extended Memory. Unlike a RAM Disk, PolyBoost immediately writes all changed data to your physical disk to prevent data loss.

Boost Display Speed
Text scrolling & screen updates are FAST! You select the speed. Eliminates flicker in CGA cards. Also works with monochrome, EGA, & Hercules cards. (Uses only 4K RAM.)

Faster & Enhanced Keyboard
Adjust repeat rate for cursors & other keys. Increase size of type-ahead buffer. Optionally generate key clicks. Recall, edit & execute DOS commands. (Uses only 3K RAM.)



VISA/MC ORDERS
1-800-654-5301
In CA (213) 493-2471 ext. 202
POLYTRON Corp.
1815 NW 169th Pl., Suite 210
Beaverton, OR 97006
(Sales Agent CSSI)

Get a Grip on Assembly Language.

The award winning Visible Computer: 8088.



The Visible Computer is a book and software combination for mastering the elusive skills of assembly language. PC Tech Journal took one look and made it their September '85 "Program of the Month."


It's an animated simulation of the PC's microprocessor that lets you see with your own eyes how assembly language works. You'll be using it as a debugging tool for years to come.

It's a tutorial. A lot of people think the 350 page manual is the best book on assembly language ever written.

It's 45 demonstration programs you'll execute with the simulator, from simple register loads to advanced programs that manipulate interrupts and perform file I/O. And what you'll learn applies to all 86 family processors, including the 80186 and 80286.

$79.95 not copy protected

The Visible Computer for IBM PC/XT/AT and true compatibles. If your dealer doesn't have it, order direct: Software Masters, 2714 Finfeather, Bryan, TX, 77801. (409) 822-9490. Please include $3.00 shipping. Bank cards accepted.




TVC takes you inside the processor as it executes programs.

Software Masters™

CIRCLE NO. 168 ON READER SERVICE CARD

FIGURE 2: *Multistation Access Units*



These two examples show how the MAU can be used to set up different physical configurations with the ring. In the first case (top), the MAUs are contained within a single room; in the second example, the MAUs are more widely distributed.

The MAU can be rack- or wall-mounted. The wall-mount feature requires an optional wall-mount housing, also available from IBM. Networks with eight or fewer nodes can use a single wall-mounted MAU with a maximum 150 meters of type-6 cable connected directly to the device or wall plate.

An interesting variation of the MAU is the 3Com RingTap, which is, essentially, a single-port MAU—that is, the physical topology could be configured as simply a ring, rather than a star-shaped ring. Although the wiring is simplified in the ring arrangement, it becomes difficult to manage (because it has no centralized isolation points) and adding new taps can prove disruptive.


At the other extreme, Ungermann-Bass offers an intelligent MAU called the Distributed Wiring Concentrator (DWC). The DWC offers 10 ports (excluding ring-in and ring-out) and can operate in active or passive (IBM MAU-compatible) mode. In its active state (power applied), the DWC allows the Ungermann-Bass Network Management Console (NMC) to perform problem determination, fault isolation, and, when appropriate, station removal from the ring.

WIRING CLOSETS

The MAU can be used to set up many different configurations of the ring. Figure 2 shows two examples of offices with PCs connected to two MAUs. In the first, the MAUs are located within one room (or wiring closet), forming a star-wired ring. In the second, the MAUs are more widely distributed.

A PC can be attached to an MAU using a type-6 patch cable and PC adapt-

Adapted from IBM Token-Ring Network Introduction and Planning Guide



NOW—SOFTWARE AUTOMATED PERIPHERAL SHARING.

Introducing Crosspoint 8—the first data switch that links any combination of peripherals and PCs up to 8 by software control. PC offices can access RS232c serial devices for about $100 per port—a lot less than duplicating peripherals for each PC.

Crosspoint 8 means greater productivity with fewer peripherals, and more output from each. Set programs to run automatically on your choice of peripheral: Assign Lotus 1-2-3 to a dot matrix printer; Auto CAD™ to a plotter; WordStar to a laser printer; communications to a modem. Use Crosspoint 8 for multitasking programs like Microsoft Windows.™ Each user can store up to 16 application configurations.

The Crosspoint 8 package includes all necessary hardware to interface PCs and peripherals—like easy-to-connect data phone jacks and cable. Compatible with IBM and other PCs, it allows file transfer, LAN, and simultaneous user access. Add peripherals or change output in a flash with pop-up menus, or automate your applications with batch file execution.

Link to a leader for support you can count on. We're committed to reliability with a 100% 1-year parts-labor warranty. A step-by-step manual starts you off—fast.



Solo PC power users: Get 7-peripheral software control with Crosspoint AB+—for under $500.

TO FIND YOUR NEAREST CROSSPOINT DEALER, CALL 1-800-232-7729 OR 503-485-4254.


Crosspoint Systems

Copyright © 1986 by Crosspoint Systems, Inc., 1710 Willow Creek Circle, Eugene, OR 97402. Prices and specifications subject to change without notice. Lotus 1-2-3, AutoCAD, WordStar and Microsoft Windows are trademarks of Lotus Development Corp., Auto Desk, Inc., MicroPro Int'l., and Microsoft Corp., respectively.

A SOLUTION IN A BOX:
HARDWARE AND SOFTWARE TO LINK PCS AND PERIPHERALS BY SIMPLE MENU COMMANDS.

CIRCLE NO. 161 ON READER SERVICE CARD

FIGURE 3: *A Complete Cabling System Example*



Adapted from IBM Token-Ring Network Introduction and Planning Guide

The wiring closet contains the distribution panel with the MAUs and patch cables providing the link between the various lobes.


er cable if it is within 150 meters of the MAU. If the MAU is rack-mounted in a wiring closet, as shown in figure 3, then a patch panel is needed to jumper from type-1 or -2 cable (originating at the work area and terminating at a rack panel) to type 6. (Recall that if type-3 wire is used from the work area to the wiring closet, a special filter jumper is required to patch from a punch-down block to a panel or MAU.)

Part of the network/cabling planning process is to identify (and label) all components in the cabling system; a set of charts or tables should be kept that identify various components. Figure 4 shows a sample labeling scheme, as recommended by IBM. Cabling components are identified by an eight-digit number: a four-digit location code, the rack number, the panel number, and a two-digit *x-y* rack coordinate. IBM Token-Ring components are identified by an eleven-digit number: the first five digits are the same as the cabling scheme; digits six through nine indicate the unit number; the last two digits identify the receptacle. Implementing these labeling procedures in the planning process and throughout the installation can help ensure an uncomplicated maintenance of the system.

CONNECTING THE TOKEN-RING

The IBM PC is connected to the Token-Ring by supplying a type-6 adapter cable (available from IBM) with a cabling system data connector at one end and an industry-standard DB-9 connector at the other (pins 1 and 6 are receive, 5 and 9 transmit—the shield is connected to the metal shell). This cable attaches to the back of the IBM PC Token-Ring Adapter I or II (which will be discussed in the subsequent article). For type 3, a different adapter cable (not available from IBM) is used that has the DB-9 connector at one end with a built-in filter housed in its shell, and a 6-pin modular plug at the other.

Internal diagnostics in the IBM PC Token-Ring Adapters test the internal circuitry, ring interface drivers and receivers, and external cable and lobe wiring. To insert itself into the ring, the internal diagnostics goes through five phases. In the first phase, the lobe wiring to and from the MAU are checked via a wrap mode. The second phase involves activating the phantom DC signal to drive the relay at the MAU, then waiting for an active ring monitor frame. If one is not detected, that PC becomes an active monitor. The third phase serves to make certain that a duplicate address does not exist on the ring. The fourth phase is neighbor notification, in which all adapters become aware of their upstream neighboring adapter's address. In the final phase, to become active, the diagnostics request parameters in the passing of tokens and frames.



UNIFY DBMS/DOS. The UNIX World Leader Brings A New Dimension To DOS Application Development.

What happens as the DOS world expands? As a new generation of hardware takes over? As networking becomes more important? The potential is enormous. But until now, the tools to achieve it have been limited.

Now a leader from another world unleashes that potential: UNIFY® DBMS. The leading relational DBMS in the UNIX™ world. And now, the most advanced set of application development tools in the DOS world.


With UNIFY DBMS, DOS developers have new power to build more sophisticated applications than ever before possible.

The power to write high performance "C" programs that will access the data base, using Unify's Direct Host Language Interface.

The power of an industry standard query language—SQL.

The power of unmatched speed in production applications. Only UNIFY DBMS is specifically engineered for transaction throughput. With unique performance features like PathFinder™ Architecture multiple access methods, for the fastest possible data base access.

The power of comprehensive program development and screen management tools. Plus a state-of-the-art fourth generation report-writer.



What's more, with UNIFY DBMS, the potential of networked applications becomes a reality. Unlike DBMS systems which were originally single-user (and which have a long stretch to accommodate more users), UNIFY DBMS is a *proven* multi-user system.



And because UNIFY DBMS/DOS is the best of two worlds, it offers you the most powerful benefit of all: DBMS applications that can grow as your needs grow. From single user DOS. To networked DOS. To multi-user UNIX. All without changing your applications.

Call the Unify Information Hotline for our free booklet: The New DOS World.
(503) 635-7777

UNIFY
CORPORATION
4000 Kruse Way Place
Lake Oswego, OR 97034

© 1986 Unify Corporation. UNIX™ is a trademark of AT&T Bell Laboratories.
CIRCLE NO. 156 ON READER SERVICE CARD

ANNOUNCING High performance APL Interpreter using MC68000 32 bit coprocessors and NS32081 floating point processors totally integrated with DOS and Novell Netware hardware and software environment. MultiAPL offers up to 5.8 megabyte APL workspaces per node and the fastest APL processing facilities available under DOS or Netware.


MULTIAPL

EXPLORE

- Full component multi-user files
- Btrieve file interface
- No restrictions on object size
- Shared variable interface
- 68000 Assembler interface
- Uses standard DOS files
- Overlays (packages of functions/ variables)
- 10-12-15MHZ coprocessors available
- Extended superset of IBM's VSAPL
- Includes several APL2 enhancements
- Full screen facilities available
- Enhanced version of APL.68000
- Run time versions available

COMPARE

BYTE Magazine
Calculations Benchmark
Double Precision Numbers
(All systems with one user)



Netware version $ 1495
Single-user version $ 995
Coprocessors priced seperately


Order direct: MO, Certified Check, COD
or Credit Card
VISA / Mastercard / American Express

SPENCER
ORGANIZATION, INC.
P.O. BOX 248 WESTWOOD, N.J. 07675
(201) 666-6011

Netware is a trademark of Novell, Inc.
APL.68000 is a trademark of MicroAPL Ltd.
MultiAPL is exclusively licensed by Spencer Organization, Inc. Copyright © 1985
Btrieve is a trademark of Softcraft, Inc.
APL*PLUS is a trademark and service mark of STSC, Inc.

CIRCLE NO. 232 ON READER SERVICE CARD

FIGURE 4: *Component Labeling System*



Adapted from IBM Token-Ring Network Introduction and Planning Guide

IBM Cabling System components are identified by an eight-digit number (top). The IBM Token-Ring Network components are identified by an eleven-digit number.

Once active, the adapter detects errors on the signal path via loss of signal, burst error detection, signal code violation checking, 32-bit checksum validation in frames, and Media Access Control (MAC) frame checking.

In some situations, the amount of time taken by a token to traverse the ring may be critical. The token-passing time is a function of the interface delay plus propagation delay in the wire. The interface delay is less than 2 bits per adapter, plus 24 bits for the active monitor station (which must buffer 24 bits to ensure that the ring can pass the minimum number of bits—the three-byte token—in a single circulation). Propagation delay in copper wire is about 5 microseconds per kilometer, which yields a delay of approximately 1 bit per 1,600 feet in a 4-Mbps ring.

COST CONCERNS

In the process of calculating the cost of the physical components in a wiring system, consider that the cost of labor often can far exceed the cost of the physical components. Cable that costs 20 cents per foot can cost hundreds of dollars to test. Even when head-ends, amplifiers, splitters, and so on, are added in, these costs can be substantially lower than the labor to install and test the broadband cabling system.

The average cost of installing the IBM Cabling System (including copper—no fiber optics—cabling, MAUs, wiring panels, and faceplates, but not the drop cables to the PCs and no repeaters) is about $3 to $4 per foot. Some approximate IBM pricing is as follows: type-1 cable retails for $.40 per foot, type-5 fiber for about $3 per foot; faceplates are less than $3; the eight-port IBM MAU $660; and eight-foot patch cables for use in wiring closets can be had for $34. Type-6 cabling by itself is $.45 per foot; the PC adapter cable (using type 6) costs about $35.

Installation of a cabling system involves four basic steps: planning, ordering, installing, and testing. To plan cabling for a token-ring requires understanding all of the components of the system. Cable choice will be largely dictated by building codes and whether or not the cable will accommodate voice (telephone) service in addition to Token-Ring data. Voice service accommodation also will dictate which faceplates are selected for the user work area.

If outdoor type-1 wire is employed, IBM strongly recommends the use of surge suppressors to guard against damage from voltage surges. Caution must be exercised because of the possibility of an excessive ground potential difference between two power services' grounding systems. This could become a hazard between two buildings that are powered by different service entrances (multiple transformers); it also could occur in a very large facility.

The work area is a good place to begin planning. A survey of the types and quantities of PCs will help to determine the accessories needed. The work area location will determine the cable type, version (plenum, nonplenum, or outdoor) and length (distance from the

Imitation is the sincerest form of flattery.

But for *fast* backups, FASTBACK* is still the only choice

It seems that everyone with a floppy-based hard disk backup program is comparing themselves to **FASTBACK*** these days. Well, we're flattered.

The Industry Standard

After all, with the majority of *Fortune 500* companies *standardized* on **FASTBACK***, it's only natural for our competitors to compare themselves to us. Problem is, there's no comparison.

The *fastest* backups, period.

FASTBACK* can back up a *full* 10-megabyte hard disk in less than 8 minutes flat on standard 360K floppy diskettes! *No other program can even come close to matching our speed.* So when a competitor says they can make "average" daily backups in two minutes, they're talking about a small (1 meg) *incremental* backup that **FASTBACK*** can make in *less than a minute!* And on the IBM-AT & compatibles, we're even *faster:* **20** megabytes in 8 minutes on high-density 1.2 meg diskettes.

Simple power.

You won't find **FASTBACK*** cluttered with "file management" utilities and complex options to slow you down. **FASTBACK*** is a sleek, powerful program designed for *one purpose:* to safely back up and restore the vital data on your hard disk *as fast as possible.* Easy-to-understand prompts, interactive screen display and full wildcard naming conventions give you total flexibility to make full, partial or incremental backups quickly and easily.

Error-correction vs. "disk mapping"

Some of our erstwhile flatterers try to make a virtue of the fact that they use standard DOS disk format for backups and "map out" bad sectors. But that won't do anything for disks damaged *after* the backups were made. **FASTBACK***'s special brilliance is a proprietary format that not only allows each disk to receive *more* data *much* faster than DOS, it also encodes Advanced Error Correction information that allows your vital data to be recovered *even if you staple, scratch or mutilate your finished backup* (tolerates up to 80 damaged sectors per disk)!

You get what you pay for.

The one thing *all* our imitators say is, they're *cheaper* than **FASTBACK***. And they are. So we ask you: since **FASTBACK*** continues to sell more copies than all the copycats put together — even at a higher price — don't you suppose there's a reason?

Find out for yourself why the first name in fast backups is still the last word on the subject. Get **FASTBACK*** today.



© 1986 HST

Fifth Generation SYSTEMS

Innovative Products Using Today's Technology

909 Electric Avenue, Suite 308, Seal Beach, CA 90740
7942 Picardy Avenue #B-350, Baton Rouge, LA 70809
1-800-225-2775 or (213) 493-4483



*This product is in no way associated with or has origination in Fisher Scientific or Allied Corporation. IBM-AT is a registered trademark of International Business Machines Corporation.

CIRCLE NO. 134 ON READER SERVICE CARD

wiring closet) needed. Cable choice will determine the support system needed. For type 3, extra care must be taken to avoid intercoms, fluorescent lighting, power cables, arc welding equipment, heating equipment, electric motors, or any high-voltage equipment.

Concurrently with determination of work area requirements, potential wiring center sites should be identified. Trade-offs can be made between one or two large centralized wiring centers or several smaller, decentralized centers. While the choice of fewer wiring centers can mean easier maintenance of the cable, it also may require larger amounts of cable. If the system is small, wiring closets may not be necessary. A system could be made up of a couple of MAUs with patch cables.

With the exception of the actual wire, components can be ordered through IBM or a third-party independent contractor. Many third-party contractors also offer site survey and planning services. All ROLM parties are authorized cable installers (ROLM is a wholly owned IBM subsidiary).

Wire installation probably will be the most time-consuming task in the process. Factors that will affect installation time and cost include accessibility of the work area and path back to the wiring center, whether the installation must be done by union personnel, and the time spent stripping wires, crimping connectors, and so on.

Once the cable is installed, testing should be performed before any devices are connected. IBM produces a cabling system tester that detects faults in copper data and telephone wiring by measuring continuity in the cabling system. For fiber optics (type-5 cable), a separate tester is available.

Managing the cabling system involves the assignment of MAU ports to PCs (while ensuring that the cabling plant remains operational) and developing the system as PCs are added or moved. Not all work areas can be predetermined and prewired.

A good system design will facilitate testing in the event a component should fail. In the case of a single wiring closet, the manager can create a test ring consisting of a single MAU. MAUs are added to the test ring until the ring fails, thus identifying the failed MAU. In the case of multiple wiring closets, the wiring closets can be isolated from each other, followed by isolation of the MAUs within each closet. The ring test is performed while connecting the MAUs one at a time, then they are connected to another wiring closet and its MAUs, until the offending MAU is isolated. Further resolution is provided by unplugging the lobe wiring from the MAU that connects a certain PC.

FUTURE CONNECTIONS

As noted, AT&T's PDS is an alternative to the IBM Cabling System. PDS is a multifunctional distribution system that supports voice, data, graphics, and video communications on premises. It uses fiber-optic and twisted-pair media and is suitable for single-building, multitenant, high-rise, or campus environments. PDS supports all AT&T products (such as the ISN and STARLAN networks), as well as other vendors' products. (For example, with the use of adapters and the AT&T Premises Lightwave System, PDS supports IBM 3270 terminals).

PDS consists of six distribution subsystems and a grouping of equipment: campus, backbone (riser), horizontal wiring, work location wiring, equipment wiring, and administration. It is based on an AT&T model that allows a distribution system to be divided into subsystems that can be individually

MicroSoft provides the CodeView - Atron provides the ProbeView

Now you can get hardware assisted software debugging support from Atron for the CodeView debugger you may already have. Atron, maker of the debugging tools used by 9 out of the top 10 software developers in the PC market has expanded its debugging support to let you use Microsoft's new Codeview software debugger with all of Atron's hardware PROBES.

with CodeView's debut -MiniProbe too!

$395



Now Atron PROBES have a little brother, MINIPROBE. MINIPROBE inherits its hardware assisted software debugging features from Atron's other PROBES the AT PROBE and PC PROBE, but is lower in cost. What can MINIPROBE do:

MINIPROBE can trap events like reading and writing to memory or IO devices in real time with its hardware assisted breakpoint. This solves the most common problem in software development today - out of range pointers which overwrite the program code or data. This problem is particularly insidious in that it normally overwrites in a different place after each new compile of your program.

MINIPROBE'S hardware breakpoint can also be on a range of memory locations. This helps trap events like uninitialized pointers.


When the computer is locked up, you're locked out from debugging. MINIPROBE has a crash recovery switch box that lets you regain control to see what went wrong.

So why waste more time slaving all day over a nasty software bug get an Atron debugging PROBE today!. (408)-741-5900

Atron
THE DEBUGGER COMPANY
20665 Fourth Street • Saratoga, CA 95070

Trademarks: CodeView - MicroSoft, MiniProbe,AT Probe - Atron

CIRCLE NO. 249 ON READER SERVICE CARD



WRITE BETTER C PROGRAMS.

C TOOLS PLUS

Programmer's Connection is pleased to present *C TOOLS PLUS*, one of the most complete C language function libraries available today. It combines the general purpose capabilities of C TOOLS and C TOOLS 2 (two packages that receive rave reviews for quality, organization, usability and documentation) with extensive new windowing capabilities.

Windows

For the first time, you can get full functioned window support in a general purpose library. The routines are easy to use for pop-up menus or windows and can give you some very advanced capabilities. Windows can be stacked, removed and can accept user input. There is no limit, other than available dynamic memory, to the number of windows you can construct and use.

Video Support

C TOOLS PLUS has fast direct video access for efficiency that will not constrain good program design. You can write directly to the video adapter for efficiency or use only BIOS calls if you're working in a TopView-like environment. It fully supports EGA text modes including 43-line mode and multiple display pages.

Memory-resident DOS Access

Blaise Computing's C TOOLS 2 package is well-known for effectively allowing you to write interrupt service routines in C. *C TOOLS PLUS* takes these capabilities even further. It demonstrates how to access DOS functions from within an interrupt service routine, so now you can write memory-resident routines that access the disk.

General Purpose Functions

C TOOLS PLUS consists of over 200 carefully written functions that are easy-to-use and supplied in source code and pre-built library form. These tools isolate hardware dependence, are small and are written predominently in C.

Some of the areas covered are: • extensive string handling • screen handling • graphics interface • general utility and keyboard functions • DOS memory management • external program and DOS internal command execution • DOS file handling and directory maintenance • and much more.

All Blaise Computing products come with complete, fully documented source code as well as a complete comprehensive, indexed reference manual.

Requirements

C TOOLS PLUS requires an IBM personal computer (PC/XT/AT) or compatible, although many of the functions require only MS—DOS Version 2.00 or later. *C TOOLS PLUS* supports the Microsoft and Lattice C compliers (versions 3.00 or later).

Other Products

Other quality products for C from Blaise Computing include:

ASYNCH MANAGER — provides the crucial core of hardware interrupt support needed to build applications that need asynchronous communication facilities. It also includes routines for XMODEM file-transfer protocol and support for Hayes-compatible modems.

VIEW MANAGER — a development system for building data entry screens and menus. Begin by designing on-screen what the operator will see, then call upon library functions from your program to display the screens and retrieve data.

BLAISE COMPUTING INC.

YOUR QUALITY CONNECTION...

Blaise Computing products are available from Programmer's Connection at these low discount prices with FREE UPS shipping for all US customers (express services are available at the shipping carrier's standard rate with no extra rush fees).

	List	Ours
C TOOLS PLUS	175	135
ASYNCH MANAGER Specify C or MS Pascal	175	135
C TOOLS	125	99
C TOOLS 2	100	79
PASCAL TOOLS for MS Pascal	125	99
PASCAL TOOLS 2 for MS Pascal	100	79
PASCAL TOOLS & PASCAL TOOLS, 2	175	135
TURBO ASYNCH PLUS for Turbo Pascal	100	83
TURBO POWER TOOLS PLUS Turbo Pascal	100	83
VIEW MANAGER Specify C or MS Pascal	275	199

Please refer to our main advertisement in this journal for more information about our services as well as the largest advertised selection of programmer's development tools specifically for IBM personal computers and compatibles.

PROGRAMMER'S CONNECTION — QUALITY INTEGRITY Service SUPPORT PRICE

U.S.
800-336-1166
CANADA
800-225-1166
OHIO AND OVERSEAS
216-877-3781
CUSTOMER SERVICE **216-877-1110**

programmer's connection
136 SUNNYSIDE ST. HARTVILLE, OHIO 44632

CIRCLE NO. 175 ON READER SERVICE CARD

designed according to user needs, communication system requirements, and building topology. This approach also facilitates logical and economical distribution system upgrades. The IBM Cabling System is similar in concept, but its overall view currently is not as well developed as that of AT&T.

One interesting aspect of the IBM Cabling System was the introduction of a new data connector, one referenced in an appendix to the IEEE 802.5 MAC standard. Technically speaking, cables and connectors usually are not defined as part of the ISO (International Organization for Standardization) layer-1 reference model. (See "SNA Strategies," Art Krumrey, July 1985, p. 40 for an explanation of this seven-layer structure.) This connector terminates all twisted-pair wire, from the wall plate to the wiring racks. Two data connectors can join together by a 180-degree rotation of one connector. The connector also shorts itself if it is not connected to anything. However, the device costs about 20 times more to manufacture than the RJ-style modular jacks used in PDS.

Overall, the cost of components for the AT&T technology is less than that of comparable IBM components. Aside from the aforementioned IBM data connector, the cost of AT&T baluns, for example, is only about 75 percent of the cost for baluns from IBM. Moreover, the AT&T parts seem to be available in greater quantity. Overall, the average cost of AT&T's ISN is about $400 per connection while the IBM Token-Ring Network (with the standard PC Adapter) is about $900 per connection.

IBM itself has withdrawn from the cable installation business, leaving the job to third-party vendors and ROLM (although the company continues to provide wiring specifications to ensure compatibility with its equipment). This indicates that AT&T is more of an ISO level-1 company than IBM, which is more of a level-7 concern.

At three IBM facilities in Raleigh, North Carolina, fiber to support a Token-Ring Network was installed by AT&T using AT&T-specification, 62-micron fiber. The official IBM specification calls for 100-micron fiber; however, the new IBM Token-Ring Network Optical Fiber Cable Options documentation describes how to use non-100-micron fiber and what the limitations are. Perhaps this is the first step toward AT&T PDS/IBM Cabling System integration or even an ISN/Token-Ring merger.

Another IBM Cabling System enhancement seems imminent. Nearly every IBM paper contributed to a publication or conference that discusses the Token-Ring mentions additional (but as yet unavailable) Token-Ring requirements. One such item appears to be a device similar to 3Com's RingTap MAU: in one paper ("The IBM Token-Ring Network Technology, IBM), the company mentions the "fan-out connector," which can be used to expand an MAU tap. This connector does not replace the MAU, but can be used to expand an area in which only a single data tap exists and more devices must be added to that tap. This connector would ensure that the phantom signal required to drive the MAU relay would come from only one active station and that turning stations (connected to the fan-out connectors) on and off would not be disruptive to the MAU relay.

What does IBM hold for the future? Greater variety in host attachment, as evidenced by the trend in its announcements for the indirect connectivity of larger hosts to the Token-Ring from the original PC base; a 16-Mbps bandwidth for graphics; file transfer; backbone rings; and processor-to-processor (dis-

REQUIRED READING FOR ALL IBM PC SYSTEMS EXPERTS

If you're a systems expert, microcomputer specialist, or MIS/DP professional working with IBM PCs, you need the comprehensive information PC TECH JOURNAL provides 13 times a year!

It's the only magazine that provides you with the technical information to help you increase the performance of your multi-component system. It talks to systems experts and systems designers in the language you understand—about the applications and products you have to know about!

As part of your annual subscription to PC TECH JOURNAL, you'll receive the special PC TECH JOURNAL Directory issue published in November, the most comprehensive guide and index to the products in the PC marketplace and PC TECH JOURNAL's coverage!

Don't leave a gap in your required reading, subscribe to PC TECH JOURNAL now and *save 50%!*

For faster service call Toll-Free 1-800-852-5200 today!

TECH JOURNAL *P.O. Box 2966—Boulder, CO 80322*

Send me PC TECH JOURNAL for: **SAVE 50%!**

☐ One year (13 issues) for $26.70.
☐ Two years for $53.35.

Savings based on annual single-copy price of $53.35.

Mr./Mrs./Ms. _____
(please print full name)

Company _____

Address _____


City _____ State _____ Zip _____

☐ Bill me ☐ Payment enclosed

Add $6 per year for postage outside USA, US currency only. Please allow up to 60 days for delivery of first issue. Annual Basic subscription price is $34.97.

4Z585

EGA Goes On A Rampage!




AST Introduces Rampage/EGA For The AT.®

Now AST offers single-slot expanded memory and EGA graphics for the IBM® PC AT and compatibles.

Rampage/EGA for the AT combines 2.0 Megabytes of expanded memory together with compatibility for every major PC graphics standard—IBM EGA (Enhanced Graphics Adapter), IBM CGA (Color Graphics Adapter), IBM MDA (Monochrome Display and Printer Adapter) and HGC (Hercules™ Graphics Card).

Graphics For Today And Tomorrow. Rampage/EGA's graphics flexibility lets you use a monochrome, color or enhanced color graphics display. So, it's easy to upgrade to the EGA standard at anytime. And with an EGA monitor you're assured of downward compatibility with all popular applications.

Expanded Memory For AT Power. With AST's Enhanced Expanded Memory Specification (EEMS), Rampage/EGA gives your AT the power to run new, Expanded Memory Specification (EMS) applications like Lotus® 1-2-3® Releases 2.0 and 2.1, Symphony® 1.1 and Framework® II.



Business/Presentation Graphics

And together with Rampage/EGA's EEMS operating environment software, you can maintain applications in memory throughout the day. This allows you to move instantly between applications, as well as execute multiple tasks simultaneously.

Rampage/EGA's memory can also be used as extended memory with protected mode operating systems like XENIX®.

And included is AST's SuperPak™ utility software that utilizes conventional, expanded or extended memory for RAM disk emulation and print spooling.

Follow The Rainbow To Rampage/EGA For The AT. For more information on AST's single-slot memory and graphics solution call (714) 863-1480. Or send the coupon to AST Research, Inc., 2121 Alton Avenue, Irvine, CA 92714-4992, Attn. M.C.

YES, send me information on the single-slot Rampage/EGA for AT today!

Name_____ PCTJ 12/86

Title_____

Company_____

Address_____

City/State/Zip_____ 01PCTB072ARE

Send to: AST Research, Inc.,
2121 Alton Avenue,
Irvine, CA 92714-4992,
Attn. M.C.




AST RESEARCH INC.

AST markets products worldwide—in Europe call: 44 1 568 4350; in the Far East call: 852 0499 9113; in Canada call: 416 826 7514.

Rampage registered and SuperPak trademarks AST Research, Inc. IBM and AT registered trademarks International Business Machines Corp. Hercules trademark Hercules Computer Technology, Inc. Lotus, 1-2-3 and Symphony registered trademarks Lotus Development Corp. Framework registered trademark of Ashton-Tate. XENIX registered trademark Microsoft Corp.

ISN'T IT A PITY...



Everything Isn't As Accommodating As

c-tree™ / **r-tree**™

FILE HANDLER — REPORT GENERATOR

Performance and Portability

For all the time you devote to developing your new programs, doesn't it make sense to insure they perform like lightning and can be ported with ease?

c-tree: Multi-Key ISAM Functions For Single User, Network, & Multi Tasking Systems

Based on the most advanced B+ Tree routines available today, **c-tree** gives you unmatched keyed file accessing performance and complete C Source Code. Thousands of professional C programmers are already enjoying **c-tree**'s royalty-free benefits, outstanding performance, and unparalleled portability.

Only FairCom provides single and multi-user capabilities in one source code package, including locking routines for Unix, Xenix, and DOS 3.1., for one low price! In addition, **c-tree** supports fixed and variable record length data files; fixed and variable length key values with key compression; multiple indices in a single index file; and automatic sharing of file descriptors.

r-tree: Multi-File Report Generator

r-tree builds on the power of **c-tree** to provide sophisticated, multi-line reports. Information spanning multiple files may be used for display purposes or to direct record selection. You can develop new reports or change existing reports without programming or recompiling and can use any text editor to create or modify **r-tree** report scripts including the complete report layout. At your option, end users may even modify the report scripts you provide.

Unlimited Virtual Fields; Automatic File Traversal

r-tree report scripts can define any number of virtual fields based on complex computational expressions involving application defined data objects and other virtual fields. In addition, **r-tree** automatically computes values based on the MAX, MIN, SUM, FRQ, or AVG of values spread over multiple records. **r-tree** even lets you nest these computational functions, causing files from different logical levels to be automatically traversed.

Unlike other report generators, **r-tree** allows you to distribute executable code capable of producing new reports or changing existing reports without royalty payments, provided the code is tied to an application. Your complete source code also includes the report script interpreter and compiler.

How To Order

Put FairCom leadership in programmers utilities to work for you. Order **c-tree** today for $395 or **r-tree** for $295. (When ordered together, **r-tree** is only $255). For VISA, MasterCard and C.O.D. orders, call 314/445-6833. For **c-tree** benchmark comparisons, write FairCom, 2606 Johnson Drive, Columbia, MO 65203.

Complete C Source Code & No Royalties!

Xenix is a registered trademark of Microsoft Corp. Unix is a registered trademark of AT&T.

CIRCLE NO. 119 ON READER SERVICE CARD

tributed) applications. The estimate of 16 Mbps as the logical bandwidth increase developed both from the need for a bandwidth greater than 4 Mbps and from the fact that IBM test results on types 1 and 2 show that the cable is satisfactory up to that speed.

Also likely is additional network management of performance, configuration, operations, and authorization. This is indicated by the announcement of NetView/PC, and by the added requirements for the Token-Ring in IBM literature, which show a single point of control for interconnected rings. Gateways to X.25 packet networks probably will begin to appear as the X.25 protocol becomes supported on larger hosts. ISDN, non-IBM LANs, and remote LANs also are likely to be supported; however, a direct connection to the ROLM CBX does not seem to be a short-term priority in terms of Token-Ring product development. As evidenced in the IBM literature, the migration path for ROLM CBX users is to interface the ROLM CBX through an asynchronous server. (ROLM announcements have played a minor role thus far in the unfolding of the Token-Ring, but users eventually might expect to see a direct connection between the two systems.)

IBM has devoted many pages to the key components and aspects of the cabling system discussed here. Recommended publications from IBM include: *IBM Cabling System Planning and Installation Guide* (GA27-3361), *IBM Token-Ring Network Introduction and Planning Guide* (GA27-3677), *IBM Token-Ring Network Telephone Twisted-Pair Media Guide* (GA27-3714), and *IBM Token-Ring Network Optical Fiber Cable Options* (GA27-3747). These publications are available from IBM Distribution Center (717/691-2000). The components for the Token-Ring can be purchased from any authorized IBM supplier. A few of the larger suppliers are Anixter Brothers (Skokie, Illinois), John B. Rudy Company (Long Beach, California), and AMP, Inc. (which refers inquiries to a local distributor), and General Electric. All ROLM distributors and installers are authorized as well.

As the IBM Token-Ring system comes into better focus, users who have taken an early look at their cabling and work area needs will be in the best position to put the power of this advanced network technology to use.

J. Scott Haugdahl is a senior systems specialist at Architecture Technology Corporation, a Minneapolis-based consulting, publications, and seminar firm for data communications.

C spoken here...

High C™

Do you want to use a C compiler that


- was chosen by Ashton-Tate for dBASE III® Plus, and CAD Leader AutoDesk for AUTOCAD and AUTOSKETCH "with a twenty percent code savings over Lattice C."
- was well rated in ***Computer Language, Feb. 86:*** "Then there is High C, the most powerful compiler of all..." and ***Dr. Dobbs Journal, August 86***
- "would have saved me three weeks of porting time had I had High C instead of Microsoft's new C" *Mike LeBlanc, compiler developer, Sky Computers*
- "is the *only* C compiler for the IBM PC capable of compiling NYU's Ada/Ed compiler" *Dave Shields, research scientist, New York Univ.*
- has a complete run-time library
- has structure assignment, **enum**, **void**...
- supports nested functions as in Pascal
- supports pcc and full K&R C *plus* some latest, nifty extensions from the new ANSI-proposed C standard
- "is the highest quality C compiler for large-scale software development." *Randy Nielsen, Ansa (Paradox)*
- "saved 15% of code over five large modules of MultiMate relative to Lattice C" *David Beauchesne, Multimate International*

Pascal spoken here...

Professional Pascal™

Do you want to use a Pascal compiler that

- was chosen by Lifetree Software, Inc., for implementing Volkswriter Deluxe™
- serves as a systems and applications language at CAD/CAM giant Daisy Systems Corporation
- was well rated in ***Computer Language, May 86:*** "The clear choice for large-scale programming projects..."; and ***PC Tech Journal, July 86:*** "for team programming or for very large projects...stands absolutely alone." pg. 126 "documentation is certainly the best...a model of technical clarity." pg. 112.
- is the "howitzer" of Pascals and "could well be the most powerful Pascal compiler ever implemented on a microcomputer" ***PC Magazine, Oct. 29, 1985, p. 144***
- has 8-, 16-, and 32-bit integers; sets up to 64K bits
- has varying-strings of up to 64K characters
- has a full-fledged C macro preprocessor
- has many run-time library additions: UNIX™-like I/O, multiple heaps, interrupts, . . .
- has all the bit-pushing operators of C
- has *many* more extensions, getting you half way to Ada® for a non-Ada price



Power Tools for **Power Users**

Each compiler • generates **superb code**, with optimizations such as common-subexpression elimination and cross-jumping • sports no less than ***five* memory models** for the 8086 (Small, Compact, Medium, Big, and Large) • supports a unique implementation of register variables • supports the **8087/80287** in native mode, or **emulates** • supplies *three* floating-point formats • generates special instructions for the 80186/286 • generates code that runs in **80286 protected mode** • gives you **hundreds of error and warning messages**, helping you find those subtle bugs *before* you need a debugger's help • lets you **overlay *data*** as well as code (when used with PLINK86), for substantial space savings • lets you write **interrupt routines** directly in high-level language • lets you get "close to the machine" with built-in move/scan/compare operations • is supported by equivalent **resident and cross** compilers for the 80286 (UNIX V.2, Xenix, Concurrent DOS 286), 80386 (DOS, UNIX V.3), 68010/20/68881 (UNIX V & 4.2, GEM-DOS™), 32032 (UNIX 4.2), VAX (UNIX 4.2, VMS), RT PC, IBM 370,... • contains a **multi-modular cross-referencer** • produces ROM-able code for embedded applications • can talk to those **other languages** by those other vendors • gives you **64K run-time stack** space that can be shared with the heap • is endowed with an **amazing number of pragmas** (compiler controls) for customization to your application • has a compiler start-up **profile** • supports direct access to MS-DOS; library supports DOS 3.X file-sharing • generates symbolic debugger information for use with all known MS-DOS debuggers • allows **exec**-ing subprocesses • was designed for professional software developers, not hobbyists • comes with great technical support by a company that specializes in compilers • comes with extensive **typeset documentation** • and *more*... call or write for your information packet today...

Not recommended for casual use, but for applications needing **industrial-strength tools**, contact

MetaWare™ **INCORPORATED**

903 Pacific Avenue, Suite 201, Santa Cruz, CA 95060-4429
(408) 429-6382 (429-META), TELEX: 493-0879

Abroad:
ABC Software, The Netherlands
Microsoftware, Tokyo
Grey Matter, United Kingdom
Buchdata, Frankfurt

Professional Tools Since 1979

High C V1.3: $495 —on any MS/PC-DOS system— **Professional Pascal** V2.6: $595

OEMs: Contact us about porting our professional compilers to your systems.


TWS: Professional Compiler Developers and competitors, ask about our Translator Writing System compiler toolbox; see the review in ***Computer Language,*** *December, 1985.*

DOS Helper™: Powerful UNIX-like utilities to enhance MS-DOS, for $49.95—included free with MetaWare compilers: FIND, TAIL, MV, LS, CAT, UNIQ, FGREP, and WC.

C Validation Suite: Used by some of our competitors and many others. $2,000/Plant Site

• MetaWare, High C, Professional Pascal, and DOS Helper are trademarks of MetaWare Incorporated • Other trademarks and their owners are: UNIX—AT&T, dBASE III—Ashton-Tate, Volkswriter Deluxe—Lifetree Software, GEM-DOS—Digital Research, Ada-DoD. © 1986 MetaWare Incorporated.





Reconsidering BASIC

The current group of BASIC compilers are improved enough to earn renewed respect among professional programmers.

MARTY FRANZ

Traditionally, BASIC compilers have suffered from a lack of respect. Faced with using a language that lacks block structures, definable data types, and sophisticated graphics, professional software developers have rejected BASIC out of hand and turned to C, Pascal, or Modula-2 to write their applications. Novice programmers considered BASIC compilers too difficult to use for running simple programs. Caught between an archaic language definition and serious ease-of-use problems, the few BASIC compilers available for the IBM PC have been a tool of last resort, a way to speed up or compress a large interpreted program.

That situation, however, is changing. Several versions of BASIC have been announced for the PC, many of which are good enough to make serious programmers once again consider BASIC. Five compilers (all but one including an editor and programming environment) are examined here. Though varying widely in features, BASICA compatibility, and price, all are competent compilers. (BASIC interpreters were reviewed in "Six New Shapes of BASIC," Ted Mirecki, June 1986, p. 52.)

The compilers reviewed here are: IBM BASIC Compiler 2.0, Microsoft's QuickBASIC 2.0, Pecan Software System's (formerly UCSD) BASIC 4.4, Softaid's MTBASIC, version 2.6g, and Zedcor's ZBasic 3.0. All of these products are classed as compilers because they can produce stand-alone executable object files (either .COM, .EXE, or, in the case of Pecan BASIC, .CODE).

Each of the compilers was evaluated using the following criteria:

Function. Does the compiler include enough of the BASIC language with which to write concise programs? Does it have extensions for structured programming, graphics, and sound?

Transparency. If a standard exists for BASIC on the PC, it is the BASICA interpreter included as part of DOS. Numerous commercial programs have been written in this dialect of BASIC. Does the compiler make conversion from BASICA easy? What restrictions are enforced on the user?

Ease of use. Is the compiler a DOS command invoked batch-fashion or a complete environment for programming? What amenities are offered to the programmer in the environment?

Documentation. Even though BASIC is a widely known language, subtle differences exist between compiled and interpreted implementations. Are these adequately explained in the documentation? Does the manual provide enough information for linking in assembly language or other object files? If the inter-

ILLUSTRATION • BOB PASTERNACK

preted BASIC is extended in implementing the compiler, are these additions adequately described?

Performance. How fast and small is the generated code? Does it run as a .EXE or .COM file? (.COM files have a 64KB size restriction.) Does it generate well-behaved programs? To help evaluate execution speed and code size, the benchmarks used in the June 1986 review of BASIC interpreters are repeated for the compilers. In addition, compilation times are measured, because this is a significant consideration in using a compiler instead of an interpreter.

EXTENDED FEATURES

The features of the reviewed compilers are summarized in table 1. They all have extended interpreted BASIC beyond its confining line orientation—by adding block structures (such as a LONG IF, where multiple statements can be used), making line numbers optional, or allowing defined functions to span more than one line. The IBM BASIC Compiler and Microsoft's QuickBASIC allow for separately compiled subroutines to use their own local variables. Despite these improvements, none of the compilers implements the ANSI standard in these areas (see "The ANSI Standard for BASIC," Jim Harle, June 1986, p. 72) and, in fact, only IBM BASIC and QuickBASIC are fully compatible with interpreted BASICA.

Four of the five compilers include some form of development environment in addition to the translation of BASIC from source to executable object code. The environment usually consists of a coresident editor and compiler, making it unnecessary to quit the editor in order to compile a program.

IBM. IBM was one of the first vendors to release a BASIC compiler for the PC. Its version 1.0 BASIC Compiler was developed by Microsoft and released in 1982. This initial version, though offering a great performance improvement over interpreted BASICA, had a number of bugs and limitations. A set of seven patches was needed to make the compiler work properly. Further, the memory model of version 1.0 restricted the programmer to 64KB of compiled code and 64KB of data (small model), which limited the product's usefulness.

The IBM BASIC Compiler 2.0 is a welcome improvement. Besides cleaning up the bugs, this new version is more powerful than 1.0. Programs written with version 2.0 can use all of available memory (large model) and can create large dynamic arrays. Many extensions to BASICA are supported, including labels, long function definitions, and separate subroutines with their own sets of variables. Even with these extensions, the compiler is highly compatible with the BASICA interpreter; the biggest exception is the stipulation that statements such as DIM and COMMON must precede references to their defined storage in the order in which lines are compiled as well as the order in which they are executed.

These exceptions are thoroughly explained. Documentation, which was skimpy in the original version, has been

TABLE 1: *Compiler Features*

	IBM	MICROSOFT	PECAN	SOFTAID	ZEDCOR
Model	BASIC 2.0	QuickBASIC 2.0	Pecan BASIC 4.4	MTBASIC 2.6g	ZBasic 3.0
Price	$539.00	$99.00	$79.95	$49.95	$89.95
BASIC FEATURES					
Recommended memory (KB)	128	256	128	128	128
DOS 2.x, 3.x path support	●	●	○	○	●
BASICA compatible	●	●	○	○	○
Separate compilation	●	●	●	○	●
.OBJ output	●	●	○	○	○
.EXE output	●	●	○	○	○
.COM output	○	○	○	●	●
User configurable	○	●	●	○	●
Not copy protected	●	●	●	●	●
PROGRAMMING ENVIRONMENT					
Development environment	○	●	●	●	●
Editor	○	●	●	●	●
Full screen	○	●	●	○	○
Block commands	○	●	●	○	○
Mouse support	○	●	○	○	●
Microsoft Windows support	○	○	○	○	○
LANGUAGE EXTENSIONS					
Optional line numbers	●	●	●	○	●
Labels	●	●	○	○	●
Long functions	●	●	●	●	●
Subroutines	●	●	●	○	●
Long IF	○	●	○	○	●
Block structures	●	●	○	○	●
Record structures	○	○	○	○	○
ISAM	●	○	○	○	○
Dynamic arrays	●	●	●	○	○
BCD math	○	●	○	●	○
Multitasking	○	○	[a]	●	○
ANSI standard	○	○	○	○	○
HARDWARE SUPPORT					
8087 math	○	○	●	[b]	○
Mouse calls	●	○	○	●	○
Light pen	●	○	○	○	○
Graphics	●	●	○	○	●
Support of other operating system hardware	○	○	●	●	●

● = *Yes* ○ = *No*

[a] *Concurrent routines written in p-System Pascal may be linked to nonconcurrent Pecan BASIC code.*
[b] *The 8087 version of MTBASIC is available for $79.95.*

Though they start with the same language (the so-called Dartmouth version of BASIC) the various types of extensions make each of these compilers unique.

expanded to two manuals: one that describes the use of the compiler and a language reference manual. Both are well-indexed and complete.

Of the five compilers reviewed here, IBM's is the only one limited to operating from the DOS command line instead of through an integrated development environment. A single module, BASCOM20.EXE, reads an ASCII source version of the BASIC program and produces an .OBJ file, which must then be linked with supplied libraries to produce a .EXE file. The program may be linked either to run stand-alone or to use a resident runtime module called BASRUN20.EXE, which is loaded separately and maintained in memory when the program is run. If the separate runtime module is used, overlay chaining is possible with the CHAIN statement. The runtime module, however, must be licensed through IBM if it is to be distributed with commercial software.

Within the source program, directives can be issued to the compiler with specially formatted comment statements. These directives can produce paginated listings and include library source files. Along with the directives, a myriad of command-line switches are provided to control compilation. Some, such as those controlling event trapping and communications, are sure to confuse inexperienced programmers. Omitting a necessary switch (such as not enabling error trapping in a program using ON ERROR) produces a diagnostic message and requires recompilation with the correct switch.

This traditional edit/compile/link method of operation has two advantages: first, the process of creating executable BASIC programs from large and complicated series of source files can be automated by using batch commands; second, third-party object modules written for use with IBM compiled BASIC programs can be linked into the final .EXE file. Unfortunately, the high-level language integration that Microsoft has built into its C, Pascal, and FORTRAN products (see "Language Integration," Product of the Month, Jeff Duntemann, July 1986, p. 29) does not extend to compiled BASIC, and subprograms written in those languages cannot be linked to BASIC. Routines written to certain requirements in Microsoft MASM 4.0 can, however, be incorporated into IBM compiled BASIC.

A unique feature of the IBM BASIC Compiler is the inclusion of an indexed sequential access method (ISAM) that allows data in files to be retrieved and updated using an alphanumeric *key* field instead of a record number. Previously, programmers who needed this capability from BASIC had to purchase third-party libraries. IBM's ISAM is implemented as a separate, resident module called ISAM.EXE, which is loaded into memory ahead of any compiled BASIC program. Calls are made from a compiled BASIC program into this module, which performs ISAM functions on behalf of the requesting program.

Unfortunately, no improved data structuring method is available to go along with this access method; BASICA's cumbersome FIELD statement must be used to define data records. While mainframe programmers should have no trouble using IBM's ISAM, PC BASIC programmers may find the documentation and concepts a bit foreign. Nonetheless, like a sort package, a functional ISAM is an important facility for business programmers to have.

Microsoft. Although version 1.0 of Microsoft's QuickBASIC was an uninspired repeat of the IBM BASIC Compiler 1.0, version 2.0 is a substantial and exciting improvement. More than a batch compiler, QuickBASIC 2.0 is an integrated, mouse-driven, windowed development environment. (QuickBASIC 2.0 was named *PC Tech Journal*'s Product of the Month, November 1986, p. 31.)

Like the IBM BASIC Compiler, QuickBASIC has many language extensions, including named subroutines and block structures. It still compiles normal BASICA with a few exceptions (DIM, COMMON). It now has a great deal of flexibility in compilation options. Programs can be optimized for size or speed, compiled to memory for immediate execution, and compiled with the inclusion of debugging information. These options are much easier to use than IBM's compiler because they are set from a single control panel displayed when a program is compiled instead of with the inconvenient switches IBM uses. Once the options are selected, the environment remembers them for future use. This makes compilation extremely fast and easy.

A Macintosh-style, full-screen editor is supplied as part of the QuickBASIC development environment. Remarkably, this editor is implemented in text mode, but clever use of the PC's special characters in displaying pull-down menus and windows gives the QuickBASIC editor the feel of graphics-oriented editors. Its mouse-driven cut and paste features work well, and it has a sensible (but not fancy) set of options. For those who insist, the QuickBASIC compiler also can be run batch-style.

New Version 2.0

Complete C Programs in Half the Time, with *Instant-C*™

You can create programs much faster with *Instant-C* than with conventional programming tools. How? Because *Instant-C* is a high-performance interpreter, there are **no compile or link delays.** Change your program, then test it immediately. No matter how large your program, the turnaround time is just seconds.

"Instant-C means instant gratification."—*PC Magazine,* **Editor's Choice** for best C interpreter. *10/29/85*

Powerful **source-level debugging** saves your time. Conditional breakpoints, single-stepping by statement, source code backtraces, data monitoring, and many other debugging features make it easy to wipe out bugs quickly. Direct execution of any statement or function makes testing a breeze.

"The resulting debugging and testing capabilities are fantastic and the detailed trace/debug/display commands make it easy."—*The C Journal, Summer/85*

Instant-C checks pointer references for reasonableness, and checks that array indexes are within declared bounds. This **run-time checking** stops your program as soon as errors occur, for easiest debugging.

Not only does *Instant-C* help you quickly change, test, check and debug your code, but it runs your program **fast enough for real-time** applications.

"It is much faster than any of the other products mentioned and was the only one able to complete the standard SIEVE in a reasonable time. Clearly, this high speed allows much more complex problems to be attacked with Instant-C than with any of the other products discussed."—*Computer Language, 2/86*

Immediate feedback and precise diagnostics make *Instant-C* great for learning C. Full K&R and the ability to **link compiled object code and libraries** (Lattice and Microsoft) makes *Instant-C* compatible with your existing programs.

Instant-C makes all parts of the programming task as fast as possible.

"Clearly, Instant-C is the performance champion."—*PC Tech Journal, 5/86*

Version 2 works with MS-DOS and PC-DOS, and has a full 31 day **money back guarantee.** *Instant-C* is only $495. Order today! Call or write for full information.

Rational Systems, Inc.
P.O. Box 480
Natick, MA 01760
(617) 653-6194

CIRCLE NO. 181 ON READER SERVICE CARD

At last! - Fast, On-screen

FLOWCHARTS

Finally! An on-screen flowchart processor that knows about flowcharts - not just another "screen draw" program that makes you do most of the work.

Interactive EasyFlow is a powerful full-screen graphics program dedicated to flowcharts and organization charts. With this program you can quickly compose charts on the screen. More important, you can easily modify charts so they are always up to date.


Features: • Text is automatically centered, character by character, within shapes as you type it • Text formatting controls allow you to over-ride the automatic formating where desired • Lines are created by specifying the starting and ending points - the program automatically generates the route • Cut and paste facility allows arbitrary chart fragments to be moved, copied rotated, reflected or sent to/from disk • Shape insert-delete and row/column insert-delete • Charts can be up to 417 characters wide by 225 lines high. Charts too wide for the printer are automatically printed in strips. • Charts can be larger than the screen - the window into the chart scrolls both horizontally and vertically as necessary • Works with many popular matrix printers including Epson, IBM graphics printer and compatibles. Full support for HP LaserJet and LaserJet Plus. Works with HP 7475A (& compatible) plotters. Can be used with ANY printer when non-graphic (character) output is acceptable • All standard flowcharting shapes included • Most shapes supplied in large, medium and small sizes • Extensive manual (100+ pages) includes many examples • Context sensitive "help" facility provides immediate assistance at any time • Any number of titles can be placed on a chart • Commentary text blocks can be placed anywhere in the chart • Fast: written in assembly language • Plus many more features than we can mention here

Requires at least 320K memory, DOS-2 or higher and an IBM or Hercules compatible graphics card. On EGA, full 640x350 resolution is used.

Order direct for only **$149.95** + $2.00 S&H (USA/Canada), $10.00 (foreign). Payment by MO, check, VISA, MasterCard, COD or Company PO. Rush orders accepted ($15.00 S&H; USA/Canada only). Rush orders received by noon will be delivered the next business day (to most locations).

Order Desk: 1-800-267-0668

The sample screen display shown below is typical of what you see while editing a chart. Other screen displays are provided for entering titles, changing options, getting "help" and so on.



HavenTree Software Limited
P.O. Box 1093-N
Thousand Island Park, NY 13692
Information: (613)544-6035 ext 48

CIRCLE NO. 113 ON READER SERVICE CARD

BASIC COMPILERS

At runtime, QuickBASIC programs have essentially the same structure as IBM BASIC programs, with a separate runtime module required to support chaining and data sharing among different modules. Compilation options can be selected to generate the object program to disk or to memory with automatic linking and execution, so the complete compile/link/run process can be accomplished in one step.

An important capability in QuickBASIC that is lacking in other BASIC compilers is the inclusion of a debugger and animator in the development environment. With them, the programmer can run a program in slow motion, stopping when necessary to change variables. QuickBASIC also is the only compiler tested that supports IBM's Enhanced Graphics Adapter in 640-by-350 color graphics modes.

Another feature of QuickBASIC that the other reviewed compilers do not have is that QuickBASIC easily allows a programmer to create and use libraries of compiled BASIC subprograms. User libraries are actually compiled QuickBASIC subroutines that are bound by the BUILDLIB utility into a USERLIB.EXE file that is loaded at start-up time, a very difficult task in an interpreted BASIC environment. Commonly used subprograms (such as screen I/O routines, report writers, database access) now can be written, compiled, and easily reused in countless programs. No third-party commercial libraries exist at this time, but that is likely to change.

QuickBASIC is not truly compatible with any of Microsoft's other BASIC implementations for non-IBM or compatible machines. It also does not implement any of the proposed ANSI standard for BASIC. Further, despite many conceptual similarities, QuickBASIC is not compatible with Microsoft Windows; without interfacing to assembly language, Windows services cannot be accessed from a QuickBASIC program. Because Windows is widely reported to be one of Microsoft's key products, this functional omission is a mystery. As a further annoyance, only a Microsoft-compatible mouse is supported by the QuickBASIC environment, although most current mice have a Microsoft-compatible mode. Without the mouse, the environment is not as fluid, but it still works correctly.

These problems are minor when compared to the strengths of QuickBASIC. On the whole, QuickBASIC is an efficient and carefully thought out BASIC development environment for the PC. With its fast in-memory compila-

tion and debugging facilities, QuickBASIC combines the best features of both a compiler and interpreter.

Pecan Software Systems. Like QuickBASIC, the Pecan BASIC compiler is a complete program development environment. The compiler is based on the p-System, which has been in use since 1978 when it was a public-domain development system that was created by the University of California at San Diego (UCSD). The system is founded on the concept of a p-interpreter, a small virtual machine that can be implemented rapidly on a variety of hardware systems. The rest of the development system, written to run on the p-machine, is therefore highly portable. The p-System has been ported to a variety of microcomputers. The development system consists of an editor, compiler, filer (file utility), librarian, and other ancillary programs. The p-System is stand-alone and once it is entered from DOS, the programmer does not need to return to DOS.

The Pecan BASIC compiler runs under the p-machine, as do other p-System utilities and languages. Although the p-System has adequate development facilities, it still represents 1978 conventions for disk management and user interface. In place of DOS's commands and newer-generation editing tools, the Pecan BASIC compiler uses a consistent set of single-character option menus. The system's editor is awkward and complicated, especially when compared to the QuickBASIC editor. At least the options and programs are consistent in their operation, so navigation of the system is straightforward. A DOS filer utility is included to allow files to be transferred to and from DOS and to allow single, large DOS files to be used as p-System virtual volumes for file storage. Further, Pecan BASIC has a DOS bridge feature that allows ordinary DOS disk files to be opened and manipulated from within the p-System.

Documentation from Pecan consists of one thick paperback manual that gives a complete, if somewhat poorly organized, description of the p-System, plus a separate set of loose-leaf pages addressing the BASIC compiler. The BASIC manual contains little more than language reference information. Example programs, especially in the important area of file I/O, are missing. The documentation lacks tutorial information. A disk contains information to supplement and correct the manual.

Installation instructions given in the manual differ significantly from the correct set of instructions obscurely provided in the README file stored on a p-System virtual volume rather than in the DOS disk file as might be expected. The installation process itself involves using the Library function to copy object modules needed by the BASIC compiler into the system object library, plus renaming the BASIC compiler program to be the current system compiler. Both of these steps require backtracking when the system's virtual volumes fill up and are needlessly complicated.

The initial installation of Pecan BASIC during testing for this review would not function with a Hercules-compatible graphics board; replacing it with the IBM Color Graphics Adapter (CGA) resolved that difficulty.

Pecan BASIC is only slightly compatible with IBM BASICA. Programmers writing pure, bare-bones BASIC programs might scrape by, but more complex programs would require extensive conversion. One aggravating quirk is that the PRINT statement, which in every other BASIC implementation directs output to the screen, instead sends output to the printer in Pecan BASIC; the DISPLAY statement must be used in its place. No graphics or sound commands are available, although Pascal modules with these facilities can be linked into BASIC programs. Pascal is the only language that uses the p-System's concurrency capability directly.

Pecan BASIC allows for FORTRAN-style optional line numbers, long function declarations, and subroutines with local variables. It also has a largely undocumented virtual array feature in which very large arrays can be placed in a random-access file and therefore overflow RAM memory. In short, Pecan BASIC is reminiscent of BASIC on large time-sharing systems.

The strongest feature of Pecan BASIC is that it is object-code-compatible across all machines that run on the p-System. Furthermore, output from the BASIC compiler can be linked with other p-System language object modules (Pascal and FORTRAN). Each implementation of the p-System includes a program for sending files across RS-232 links. This emphasis on true portability, facilitating transfer of files between media-incompatible machines, makes Pecan BASIC worth investigating by vertical market developers who do not mind a nonstandard environment if the benefit is reaching as wide a variety of machines as possible with a single version of their product.

Softaid. MTBASIC from Softaid is unique among the BASIC compilers reviewed here in that it implements multitasking. In an MTBASIC program, nine separate

FREE UNIX★ WORKALIKE

NEW!

C DYNAMO SCREEN PAINTER AND FORMS CREATOR

DOES IT ALL RIGHT FROM YOUR KEYBOARD

AUTOMATIC CODE GENERATION

Data or Help Screens & Windows

Data Entry Screens & Windows/Menus

FAST, FLEXIBLE, EASY

Save Man-Months of Programming

Full Control of Screen Attributes

Monochrome or Color

by Form, Screen, Window or Item

FAST EASY MENU GENERATION

1-2-3 Like, Many Others

Full Read/Write Security by Item

Requires Dynamo Data Entry

Screen painter & manual$129.95

C DYNAMO DATA ENTRY

UNIQUE, POWERFUL, NECESSARY

Full Validation of Each Keystroke

Range Checking

Data Security to Item Level

Scrollable Data Entry Forms with Fixed & Scrollable Parts

Allows Forms Larger Than Screen

Over 34 Item Types

Powerful "Picture" Capability

Unique: Mix Text, Data Entry Fields With Menu Items

Full source code. No Royalties

Code plus manual$129.95

C FUNDAMENTALS

C FUNCTION LIBRARY$129.95
POWER WINDOWS$129.95
SUPERFONTS FOR C$49.95
B TREE + ISAM$129.95
C-TERP$299.95

OPERATING SYSTEMS

Multi-User Multi-Tasking Networking, Full Source

PCNX™ UNIX WORKALIKE	*$99*	*FREE***
PCVMS™	*99*	*FREE***
O/S TOOL BOX™	*99*	*FREE***

COMBINE AND SAVE!

SCREEN PAINTER + DATA ENTRY BOTH for only *(A $260 VALUE)* **.$179.95**

C LIBRARY plus POWER WINDOWS BOTH for only$179.95
+ SUPERFONTS FOR C.$199.95
(A $310 VALUE)

C BUSINESS LIBRARY — INCLUDES C FUNCTION LIBRARY, POWER WINDOWS, SUPERFONTS FOR C, B-TREE LIBRARY, ISAM **ALL for$299.95**
(A $440 VALUE & FREE UNIX WORKALIKE)

C TOTAL LIBRARY — INCLUDES C FUNCTION LIBRARY, POWER WINDOWS, SUPERFONTS FOR C, B-TREE LIBRARY, ISAM and C-TERP C interpreter
ALL for.$499.95
(A $740 VALUE + FREE UNIX WORKALIKE)

C DYNAMO LIBRARY #1 — SCREEN PAINTER, DYNAMO DATA ENTRY, POWER WINDOWS, C FUNCTION LIBRARY, SUPERFONTS for C
ALL for *(A $570 VALUE)* **.$249.95**
PLUS B-TREE & ISAM$349.95
(A $700 VALUE + FREE UNIX WORKALIKE)

PLUS C-TERP.$549.95
(A $1000 VALUE + FREE UNIX WORKALIKE)

**FREE PC UNIX, PCVMS OR O/S TOOL BOX WITH ANY PURCHASE OVER $295.00 LIMIT ONE PER CUSTOMER OFFER EXPIRES 12/31/86. ™ WENDIN SOFTWARE ★™ AT&T IBM PC/XT/AT + COMPATIBLES

Entelekon

12118 Kimberley, Houston, TX 77024
713-468-4412
VISA-MASTERCARD-CHECK-COD

CIRCLE NO. 183 ON READER SERVICE CARD

The Advanced Programmer's Editor
That Doesn't Waste Your Time

EPSILON

- Fast, EMACS-style commands—completely reconfigurable
- Run other programs without stopping Epsilon—concurrently!
- C Language support—fix errors while your compiler runs
- Powerful extension language
- Great on-line help system
- Multiple windows, files
- Regular Expression search
- Unlimited file size, line length
- Supports large displays
- 30 day money-back guarantee
- Not copy protected

Only $195

Lugaru Software Ltd.

5740 Darlington Road
Pittsburgh, PA 15217

Call
(412) 421-5911

for IBM PC/XT/AT's or compatibles

CIRCLE NO. 125 ON READER SERVICE CARD

Attention **Realia COBOL** Users:

SCREENIO 2.0

Screen Manager for COBOL Professionals.

A strictly COBOL approach to screen management, written by and for COBOL professionals. Screen Design is easy with SCREENIO. You take care of your application. We take care of the screens! Fully compatible with Realia COBOL.

What does it do?

Interactive Screen Design, Full Feature Screen Painter, COBOL Data Field Specifications, Edit Masks, Automatic Error Detection, Data Validation, High Speed Video, Full Compatibility, Window Panels, Hot-Fields, Key Redefinition, Foreign Language Capability, Full Color Support, Cursor Management, PC Speaker Control, Screen Libraries, and Very User Friendly. We've thought of everything!

And Best of all:

No Runtime Facility, No Runtime Fees, Superb Support. Only $400 Plus Shipping.
Ask about our FREE demo pack and SCREENIO+Realia Package Deal!

NORCOM
NORTHERN COMPUTING CONSULTANTS

Post Office Box 020897
Juneau, AK 99802-0897
(907) 780-6464
Telex: 5106014951 (NORCOM)
- Amex MC Visa Check -

CIRCLE NO. 191 ON READER SERVICE CARD

tasks may execute concurrently, performing terminal I/O through separate screen windows. Besides this multitasking capability, MTBASIC offers no extended features—no colors, graphics, sound, or record I/O. This makes MTBASIC a niche product with applications in lab and process control.

A task is initiated in MTBASIC with the TASK and EXIT statements. Each task can be set to run periodically by dispatching it with the RUN statement (not the same RUN as that used to start BASIC program execution), with the period interval specified in PC timer ticks. The task then runs every time the specified number of timer ticks has elapsed. All tasks share the program's variables and are analogous to asynchronous subroutines (that is, subroutines of the GOSUB...RETURN variety).

To complement the multitasking facilities, MTBASIC contains some unusual features. An interrupt address can be assigned to a particular task so that the task is executed when the matching interrupt occurs. In-line machine language may be coded as part of a task, although no assembly language facilities are provided in MTBASIC; instead, a string of hexadecimal machine codes is placed in a statement after the CODE key word. Port I/O is available for direct control applications, and interrupts can be switched off during time-critical processing.

MTBASIC's limited programming environment is reminiscent of the first BASIC implementations for the early Altair and IMSAI computers: statement renumbering is not possible; loading ASCII statements containing embedded tab characters triggers a syntax error; system clock facilities are not available, so times for the benchmarks run for this article were obtained by attaching a timer task that counted ticks elapsed during the execution of the program; no extended DOS directory or path support is included. These limitations are explained in the Softaid manual.

Compilation is done with either the COMPILE or DISK COMPILE command, depending on where the source code is located. No other options are necessary or available.

The weakest part of the MTBASIC package is the documentation, which consists of a slim manual with no index. The differences between MTBASIC and BASICA are not summarized anywhere. More technical information, especially in the areas of multitasking performance and limitations, is a must for the type of programmer who will use this package. On MS-DOS, MTBASIC re-

quires that ANSI.SYS be installed. A CP/M version also is available.

MTBASIC is designed to provide multitasking capability to a BASIC programmer in a straightforward, no-frills package. It does this well.

Zedcor. At first glance, ZBasic from Zedcor looks like a flashy, compact BASIC styled after Borland's Turbo Pascal. Beyond normal BASIC statements and functions, ZBasic also supports device-independent graphics and many extensions. Block structures, such as LONG IF and DO REPEAT, and multiline function definitions are provided. Powerful screen input statements have been added that include the ability to position the cursor and control the length of the entered field. No true business programming facilities such as ISAM or record structures are available. The manual provides good documentation with a sensible organization for programmers who already know BASIC.

The development environment with ZBasic consists of a line-oriented editor with some extensions. It cannot be called a full-screen editor because the cursor cannot be moved with the arrow keys, nor a line edited just by pressing Enter, as in BASICA. Code can be saved in both ASCII and tokenized formats, with or without line numbers. ZBasic also provides indented listings with or without line numbers. However, code cannot be saved back to a file in its indented form for printing with DOS utilities. ZBasic only partially supports DOS paths and directories for files; the CHDIR command must be used, and ZBasic cannot load or save files to or from other directories. Like the language, the environment is portable; the editor key combinations can be used in every version of ZBasic.

Graphics in ZBasic are based on the idea of a virtual device. The screen is considered in all versions to be 768 by 1,024 pixels. ZBasic maps this screen onto the real screen depending on the current screen mode. The aspect ratio of the image stays the same in text and graphics modes—even on different machines. If no graphics mode is available on a given machine, graphics output will be mapped onto the text screen with character positions acting as pixel positions. (The resolution and overall quality deteriorates on text-only or low-resolution displays.) Notably missing in this scheme is BASICA's convenient DRAW statement, as well as the GET and PUT bit-pump statements that allow fast animation. ZBasic does include statements to draw boxes, circles, ellipses, and arcs. Conversion to this coordinate system and these plotting functions from BASICA is cumbersome, but their use in new programs is logical and easy. One nice touch is ZBasic's ability to write to and read from the CGA's extra display adapter memory through the DEF PAGE statement.

In fact, when considering low-level features, ZBasic has several worth mentioning: the program's DOS Ctrl-C address can be trapped and control passed to a ZBasic statement whenever Ctrl-C is pressed; the address of any line in the program can be obtained with the LINE function; a set of jump tables is provided for all of ZBasic's I/O, allowing patching by the programmer for custom hardware.

ZBasic generates .COM files that permit as much as 52KB of compiled code and 64KB of data. Overlays are supported, as are embedded machine-language routines.

The compiler also supports binary-coded decimal (BCD) math, with the precision set when ZBasic is configured. During configuration the user can set default variable types and determine whether direct screen or BIOS I/O is used. Once ZBasic has been configured, the compiler can be saved in its configuration. This allows the programmer to cut down on numeric precision for extra speed or to turn off array-bounds checking as soon as a program is thoroughly debugged and working.

ZBasic is only marginally compatible with IBM BASICA. File I/O and graphics are the potential trouble spots. An optional program is available from Zedcor to help convert from BASICA to ZBasic. This program was used to convert the HAT benchmark (see below). It attempts not only to convert BASICA statements into ZBasic, but also to produce a report specifying areas where further conversion may be needed. The ZBasic program produced by the conversion utility did not run correctly the first time; a syntax error was generated on the LINE statement.

ZBasic suffers from a few idiosyncracies. It places restrictions on string expressions, eliminating the need for reclamation of unused string memory during execution in the compiler; only direct string assignments and single string functions can be used in statements. Embedding key words in variables is forbidden; therefore, longer, more descriptive variable names cannot be used if they contain two-letter keyword combinations such as IF or ON. Console I/O occurs at a low level so

UNIX Tools on DOS

MKS Toolkit



HARVEST THE KORN

Over 70 programs bringing elements of UNIX System V.2 to the world of DOS. Our tools enhance your efficiency on machines like AT&T 6300, IBM PC, XT, AT and compatibles. We offer:

shell — Korn shell compatible — combines best features of Bourne & C shells

vi — a detailed implementation of the UNIX full-screen editor

awk — the only commercially-available version offering Bell Lab's latest published specs

cat	chmod	cmp	comm	cp	cpio	ctags	cut	date
dd	dev	df	diff	du	echo	ed	egrep	fgrep
file	find	head	help	join	lc	ls	more	mv
nm	od	paste	pg	prof	pwd	rm	sed	size
sort	split	strings	tail	time	touch	tr	uniq	wc

and much, much more . . .

Programs come with complete UNIX-style command-line file name expansion and are not copy protected. Phone support 9-6 EST. Full documentation is included.

Price: $139.00

Mortice Kern Systems Inc.
43 Bridgeport Rd. E., Waterloo, Ontario N2J 2J4

For information or ordering call collect: **(519) 884-2251**

MasterCard & Visa orders accepted. OEM & dealer inquiries invited.
UNIX is a trademark of Bell Labs. MS-DOS is a trademark of Microsoft Corp.


STREAMLINE YOUR PROGRAMMING

CIRCLE NO. 174 ON READER SERVICE CARD

9 TRACK TAPE

Our **"TAPE CONNECTION"** system is used by hundreds of companies for mailing lists, report filing, check processing, sales analysis, off-line printing, and exchanging large data base files with a mainframe. Our system features:

- **Attach to most IBM PC compatibles**
- **Cobol, Fortran, BASIC, and C support**
- **800 NRZI, 1600 PE, and 6250 GCR**
- **Transfer rate is 1-4 MByte/Minute**
- **Block lengths up to 65K**
- **ANSI, IBM, DEC, and DG supported**
- **Support for most record types**
- **Multivolume and labeled tapes**
- **Select specific records to transfer**
- **Record reformatting and translation**
- **Hard disk backup utility**
- **Support for many tape drive models**



The price for controller card, cable, and transfer software is **only $795.** The optional tape data reformatting utility is **$195.** Several model tape drives are available for **$2700 to $9200** depending on features.

Since 1982, we have installed thousands of diskette and tape conversion systems at customer locations around the world. Call us today for help in connecting a 9-track tape system to your IBM PC.


Flagstaff Engineering

1120 W. Kaibab • Flagstaff, AZ 86001 • Telephone 602-779-3341

QuickBASIC just got quicker with QuickPak

QuickPak is a superb collection of enhancements, subroutines, and instructional material designed to help you get the most out of programming in BASIC.

- Powerful assembly language routines to give your programs more speed, more power, and full access to DOS and BIOS services. SORT all or part of a string array with one command! FIND any string or sub-string within an entire array *regardless of capitalization* — accepts wildcards. READ directories into your programs from any drive or path. READ/WRITE disk sectors — create your own DOS utilities! CLEAR or SCROLL any part of the screen. MANY, many more programs included.
- Professionally written QuickBASIC routines and functions. Powerful input routines for text, dates, and numbers. Menus, scroll bars, date/time functions, and much more.
- The Assembly Tutor — a complete guide to learning assembly language *from a BASIC perspective.* Learn how to create your own routines and extensions.
- Tips and Tricks book — packed with clever ideas and techniques to help *you* be a better programmer.



You get all this, all of the source code for *every program included,* and a thirty-day money back guarantee for only $69.00.

No royalties are required for using any of the QuickPak routines in your programs. Not copy protected, of course.

by

CRESCENT SOFTWARE
64 Fort Point Street
East Norwalk, CT 06855
(203) 846-2500

QuickPak requires Microsoft QuickBASIC or BASCOM, DOS 2.0 or higher. Visa, M/C, C.O.D., or checks accepted.

CIRCLE NO. 145 ON READER SERVICE CARD

BASIC COMPILERS

Ctrl-C is not trapped at all times; to enable Ctrl-C trapping, a TRON statement must be added to the program. This allows removal of Ctrl-C trapping for better performance but can cause problems during development.

Tests showed that division by zero is not trapped in any way by ZBasic. Execution does not stop, and meaningless values such as negative infinity are propagated without warning through the real number variables involved in the erroneous expression. Also, all variables assigned values before the execution of a DIM statement are made zero when the statement is executed. Good practice says that all arrays should be dimensioned before the actual work of a program begins, but no warning of this destructive feature is provided in the ZBasic reference manual.

Versions of this BASIC compiler exist for the Apple II, Macintosh, and various CP/M, Kaypro, and Tandy machines. All are documented in a single, paperback manual with individual sections for the differences among versions. All versions are fully portable at the source code level. This claim was verified by the benchmark programs unchanged on the Apple II and Macintosh versions of ZBasic without difficulty. Zedcor offers a $400 developer's package that includes all versions of ZBasic.

BENCHMARK COMPARISON

Because of the wide differences in these BASIC compilers, a single set of benchmarks is, at best, only a rough comparison of their performance in actual programming. The benchmark programs used for evaluation are the same ones used in the June 1986 article, "Six New Shapes of BASIC."

FILEIO reads and writes a 30,000-record file using the FIELD statement and random files. This program tests the compiler's applicability in a business programming environment where large amounts of data are read to or written from files.

The ubiquitous Sieve of Eratosthenes is used for testing integer math and subscripting. It also provides a basis of comparison for programs that are written in other languages.

The HAT program draws a three-dimensional curve using graphics.

The MULDIV program tests double-precision, floating-point math functions, usually a good measure of number-crunching capability.

These benchmarks were run on an IBM PC with DOS 2.11, 512KB of memory, two diskettes, and an IBM CGA. The results are shown in table 2.

TABLE 2: *Benchmarks*

	IBM	MICROSOFT	PECAN		SOFTAID	ZEDCOR
Model	BASIC 2.0	QuickBASIC 2.0	p-Code	Native	MTBASIC 2.6g	ZBASIC 3.0
SIEVE						
Code file size	23,366	27,102	—	—	15,243	13,184
Without runtime module	1,831	3,472	1,024	1,024	—	—
Compile time	128.4	5.2	20.1	20.1	8.9	7.3
Execution time	2.0	2.0	19.0	2.0	10.0	2.0
MULDIV						
Code file size	24,280	28,022	—	—	—	13,184
Without runtime module	1,847	3,472	1,024	1,024	—	—
Compile time	132.3	4.8	18.3	20.1	—	7.3
Execution time	48.0	12.0	34.0	34.0	—	61.0
FILEIO						
Code file size	27,720	31,724	—	—	15,243	13,184
Without runtime module	1,815	3,440	1,024	1,024	—	—
Compile time	141.2	4.3	18.0	20.1	8.9	8.3
Execution time	385.0	263.0	1,584.0	1,769.0	315.0	86.5
HAT						
Code file size	31,260	38,196	—	—	—	14,080
Without runtime module	2,263	3,936	—	—	—	—
Compile time	166.7	6.2	—	—	—	7.4
Execution time	729.0	666.0	—	—	—	7,512.0

All times in seconds; code file sizes given in bytes.

Timings were taken on an IBM PC with 512KB of RAM, dual diskette drives, the IBM Color Graphics Adapter (CGA), and DOS 2.1. Wherever possible, all programs were compiled from disk to disk; only Softaid's MTBASIC required source to be in memory.

IBM's is the only product incapable of compiling to memory, and its timings point up one powerful advantage of a programming environment. Pecan's native code for MULDIV does not help execution speed because virtually all p-System real number support is in a p-code library and is not recompiled as native code.

MTBASIC was unable to run the MULDIV and HAT benchmarks because the compiler does not support double-precision numbers and graphics. A version of MTBASIC incorporating 8087 math support is available from Softaid for $79.95. MT8087 is a complete version of MTBASIC that does not require the presence of the non-8087 version. It does require that an 8087 coprocessor be installed at all times during both development and execution of code.

Pecan Software's compiler was unable to run the HAT graphics benchmark because no graphics statements are directly available to the p-System BASIC programmer.

Microsoft's QuickBASIC programs were run with no debugging support included and the type of compiler optimization set for *speed* for execution times and *size* for module sizes.

The IBM and Microsoft compilers consistently produced the fastest execution times with the curious exception of FILEIO in which MTBASIC and ZBasic turned in faster performances. ZBasic, however, was slow in executing the HAT benchmark because of its conversion from a small 320-by-200 coordinate system to ZBasic's much larger 1,024-by-768 virtual coordinate system.

When considering module size, IBM and Microsoft produced the largest stand-alone modules. The programmer has the option of compiling a module without the runtime code. These modules are extremely small, but require the presence of the runtime library as a separate file on disk in order to run. In a situation in which many compiled modules chain from one to another, this strategy can save a great deal of disk space. The IBM compiler's runtime module is 63KB, and QuickBASIC's is 68KB. The p-System modules for Pecan BASIC are extremely small, but require a separate p-machine interpreter and runtime library to execute. None of the compilers produces excessively large amounts of code that would pose problems to developers.

#1 C interpreter

C-terp

The professional C development environment

Your C compiler creates great final code . . . but as a programming tool, it's too, t o o s l o w.

With C-terp you can edit, debug, and run without the wait. Nothing, but nothing, is faster for developing professional C programs.

Choose the perfect C-terp companion for your C compiler

C-terp/Microsoft
C-terp/Lattice
C-terp/Mark Williams
C-terp/XENIX
C-terp/Aztec
C-terp/C86

Link in all your compiler's functions, your own functions, add-on libraries, assembly routines, and data objects. Get instant access to everything in the C-terp interactive environment.

Only C-terp offers all this and more

- **Full K&R with common ANSI enhancements**
- **Source level interactive debugging**
- **Software paging for your big jobs**
- **Complete multi-module support**
- **Run-time pointer checking**
- **Unsurpassed reconfigurable screen editor**
- **Dual display and full graphics support**
- **Large model**
- **Call-in**

ORDER C-terp TODAY (specify compiler)

C-terp runs on IBM PC, AT or compatibles.

Price:
MS-DOS 2.x and up - $298,
Xenix System V 286 - $498
MC, VISA, COD
30-day money-back GUARANTEE



Trademarks: C-terp (Gimpel Software), C86 (Computer Innovations), Lattice (Lattice, Inc.), Xenix, Microsoft, MS-DOS (Microsoft, Inc.), Aztec (Manx Software), Mark Williams (Mark Williams Company), IBM (International Business Machines, Inc.)

GIMPEL SOFTWARE

3207 Hogarth Lane, Collegeville, PA 19426

(215) 584-4261

The Pecan compiler's times were slower than the others, indicating the performance penalty the portable p-machine approach exacts on execution time. The p-System native code generator is quite good, as the improvement in SIEVE performance indicates. Performance in the MULDIV benchmark, however, was not substantially different under the native code generator because most real number support consists of p-code libraries that are called by the native code but are not native code themselves. An 8087 native code generator is included.

Also to be considered when using a compiler is compilation time. In everyday use, a slow compiler robs programmers of productivity by forcing them to wait for their programs to complete. All of the reviewed compilers performed respectably in this area. The entire compilation process (including linking, if any is required) was timed with a stopwatch. All compilers except MTBASIC were set up to compile source code from disk to disk-based object code files. A .BAT file was constructed for IBM BASIC because LINK is needed in order to produce a .EXE file.

Microsoft QuickBASIC is phenomenally fast in compilation. Moreover, once the desired compilation options have been set up, only a single key (F5) is needed to recompile and link the entire program, making the process not only fast but also convenient.

BASIC COMEBACK

Despite some of the problems mentioned for each product, especially in the areas of compatibility and intersystem portability, all of the BASIC compilers reviewed are adequate tools for software developers.

The IBM BASIC Compiler is recommended only to those programmers who must have ISAM and compatibility with previously compiled software. It is often cumbersome to use and is substantially more expensive than any of the other compilers.

Pecan BASIC is a competent product but limited in audience to p-System programmers. By itself, Pecan BASIC does not offer enough functions to induce a programmer to adopt the p-System, which still has a unique niche among PC development tools; it is a truly portable, multilanguage programming environment guaranteed to run on a variety of hardware.

MTBASIC is worth considering for multitasking applications. It is a solid, credible product despite its slim documentation and lack of features.

ZBasic is extremely portable across the most popular microcomputers and has adequate graphics for applications that do not require fast animation. It also includes an impressive number of system access features such as DEF PAGE. Of the compilers reviewed here, ZBasic was the most fun to use. It has a real "personality" and a solid feel, although its limitations make this recommendation conditional. Zedcor provides good support with a user's group, newsletter, and toll-free number.

Microsoft's QuickBASIC outstrips all of the other compilers. The only problems worth mentioning are that it does not interface with Windows in any way (bindings should be built right into the language to work in this important new environment); the environment is somewhat clumsy without a mouse; and it should support the ANSI standard for BASIC or address the real portability needs of Microsoft BASIC programmers. Aside from these quibbles, QuickBASIC is an excellent offering.

IBM BASIC Compiler 2.0: $539.00
IBM
P.O. Box 1328-S
Boca Raton, FL 33432
800/426-2468
CIRCLE 346 ON READER SERVICE CARD

QuickBASIC 2.0: $99.00
Microsoft Corporation
16011 NE 36th Way
Redmond, WA 98073-9717
800/426-9400; 206/882-8080
CIRCLE 347 ON READER SERVICE CARD

Pecan BASIC Compiler 4.4: $79.95
Pecan Software Systems, Inc.
1410 39th Street
Brooklyn, NY 11218
718/851-3100
CIRCLE 348 ON READER SERVICE CARD

MTBASIC 2.6g: $49.95
MT8087: $79.95
Softaid, Inc.
P.O. Box 2412
Columbia, MD 21045
301/964-8455
CIRCLE 349 ON READER SERVICE CARD

ZBasic 3.0: $89.95
Zedcor, Inc.
4500 E. Speedway #22
Tuscon, AZ 85712
602/795-3996
CIRCLE 350 ON READER SERVICE CARD

Marty Franz is a programmer for Allen Test Products, a division of The Allen Group, Inc., located in Kalamazoo, Michigan.



CIRCLE NO. 170 ON READER SERVICE CARD

ECOSOFT HOLIDAY SPECIALS



EVERYTHING FOR THE C PROGRAMMER

If you know someone (perhaps yourself!) that wants to learn the C programming language, have we got a deal for you. For a limited time, you get:

Eco-C88 C compiler	$59.95
CED Program editor	29.95
Developer's Library Source Code	25.00
ISAM File Handler	15.00
Flexi-Graph Graphics Package	39.95
Eco-Lib MSDOS Compatible Librarian	29.95
Ecosoft Windowing Library	29.95
C Programming Guide book (Que Corp)	20.00
C Self Study Guide book (Que Corp)	17.00
C Programmer's Library book (Que Corp)	22.00
Total:	$288.75
Holiday Special:	***$175.00***
Save Over:	$110.00!!!

The Holiday Special has everything you need for your C programming needs. Eco-C88 is a full K&R C compiler (less bit fields), with over 200 library functions, source code to our cc and mini-make utilities, and generates code rivaling compilers costing 10 times as much. You also get the source code to our library, an MSDOS-obj compatible librarian, one of the neatest graphics packages around, an easy-to-use windowing package plus a library of books to teach you the C language. An unbelievable package at an unbeatable price of only $175.00.

Microstat® Microstat Statistics Package

Since 1977, Microstat has been one of the most popular statistics packages available for microcomputers. Just some of its features include:

- Data Managment Subsystem
- Data transformations
- Convert External data (e.g. Lotus, Dbase II, etc.)
- Descriptive Statistics
- Hypothesis Testing
- Crosstabs and Chi-Square
- ANOVA
- Multiple Regression (with Stepwise)
- Correlation Analysis
- Time Series Analysis
- Nonparametrics
- Probability Distributions
- Scatterplots
- Factorials, Permutations

Holiday Special: $250.00

plus many other unique and easy-to-use features. Microstat is available for all MSDOS machines or any CP/M80 system using a Z80 CPU.

The regular price is a bargain at $375.00. At the Holiday Special price of $250.00, it's a steal!

To take advantage of these special prices, we must have your order in our offices by Jan. 15, 1987.
To order, call or write:

1-800-952-0472 (for orders)
or
1-317-255-6476 (tech. info.)


ECOSOFT INC.

Ecosoft Inc.
6413 N. College Ave.
Indianapolis, IN 46220

AMERICAN EXPRESS MasterCard VISA

Trademarks: Ecosoft: Microstat, Eco-C88; Microsoft: MSDOS; New Orleans General Data Services: Flexi-Graph

CIRCLE NO. 131 ON READER SERVICE CARD



QNX: With any other OS, your personal computer is asleep at the switch.

If real-time performance is the key to the next generation of small systems, task-switching is the key to real-time performance.

QNX task-switching has been measured using standard Intel benchmarks. Here are the results:

OS	Computer	Processor	Task Switches/ Sec
QNX™	IBM AT	8Mhz 80286	2800
QNX™	IBM PC	5Mhz 8088	787
XENIX™	Intel-286	5Mhz 80286	203
UNIX™	CODATA	8Mhz 68000	187
XENIX™	ALTOS	5Mhz 8086	96
UNIX™	FORTUNE	6Mhz 68000	95

The margin by which QNX outperforms UNIX-based systems is not accidental. QNX architecture is unique among multi-tasking small computer operating systems because it is modular, not monolithic. On the PC, this distinction is decisive: UNIX system overhead and processing demands sap any computer smaller than an AT.

Because QNX was developed specifically for smaller computers, not "kluged" from an OS written for larger computers, its structural advantages are apparent. QNX was the first multi-tasking, multi-user OS for the IBM PC (1982), the first again for the AT (1984) and the first networking OS for the PC and the AT (1984). For the forseeable future, QNX will remain the only real-time multi-user, multi-tasking OS for the PC, the AT and compatibles.

As a networking OS, only QNX provides integrated performance at the fundamental level of inter-task communications. The tasks need not be on the same machine: the messaging is network-wide.

A task responsible for handling an A/D converter on one machine can provide data and accept requests from tasks on any other machine. For this reason only QNX can implement true distributed processing, distributed file systems and distributed devices, with no need for a central file server.

Since QNX is modular, programmers can easily adapt and enhance the OS itself by adding their own system task. PC-DOS 2.1 or 3.1™ can run as one of QNX's many tasks.

With over 20,000 QNX systems installed worldwide, QNX is the undisputed standard for real-time microprocessor applications.

Multi-User	10 serial terminals per PC, AT.	**C Compiler**	Standard Kernighan and Ritchie.
Multi-Tasking	40 (64) tasks per PC (AT).	**Flexibility**	Single PC, networked PC's, single PC with terminals, networked PC's with terminals. No central servers. Full sharing of disks, devices and CPU's.
Networking	2.5 Megabit token ring. 255 PC's and/or AT's per network. 10,000 tasks per network. Thousands of users per network.	**PC-DOS**	PC-DOS runs as a QNX task.
Real Time	2800 task switches/sec (AT).	**Cost**	From US $450. Runtime pricing available.
Message Passing	Fast intertask communication between tasks on any machine.		

For further information or a free demonstration diskette, please telephone **(613) 726-1893.**

The only multi-user, multi-tasking, networking, real-time operating system


QNX for the IBM PC, AT and compatibles.

By Quantum Software.

XENIX is a registered trademark of the Microsoft Corporation. Unix is a registered trademark of AT&T Bell Labs. IBM PC, AT, XT and PC DOS are trademarks of IBM Corp.

Quantum Software Systems Ltd., Moodie Drive High Tech Park, 215 Stafford Road, Ottawa, Ontario, Canada K2H 9C1

CIRCLE NO. 239 ON READER SERVICE CARD



End-to-End Design

Part 2

The layout end of PCB-3 from P-CAD takes the user through to the production of PCB designs, although the course is not as clear as it was at the schematic front end.

RICHARD ANGELL

The essence of any electronic CAD system is its ability to automate printed circuit board (PCB) layout. Some systems provide only the front end—the schematic part of the process; others offer only the layout end. Some packages that include elements of both do so with limitations on flexibility that can render them ineffective. Other products may lack internal integration for data transfer from the front end to the back end, or they may not perform back annotation of schematics.

PCB-3 from Personal CAD Systems, Inc., or P-CAD, provides both. In the November 1986 issue, the schematic portion of the system was reviewed (see "End-to-End Design," Richard Angell, p. 96). The focus here is the second half of the system, PCB design, including PC-CARDS, the interactive editor; PC-PLACE, a placement program; and PC-ROUTE, an autorouter. PC-PHOTO, the utility for producing photo plots, is also examined.

PC-CARDS is similar to PC-CAPS (the schematic editor central to the front-end design). The initial sign-on, first-choice, and configuration screens are nearly identical, as are the main editor menus and status lines. PC-CARDS also operates like PC-CAPS, except that it is not hierarchical. The major difference between the two is that the objects PC-CAPS handles are logical entities called *symbols*, whereas PC-CARDS manipulates *parts*. Table 1, a list of PC-CARDS commands, can be compared to table 2 in the first article.

The selection of commands also differs, although the main command menu still resides on the right side of the screen. The SCMD/PNLC command is dropped from the SYMB (symbol) mode, but SCMD/SPKG, for entering the package data into a part file, is added. The LEVL command is replaced by SWAP since PC-CARDS does not support hierarchical PCB construction. SWAP has a submenu for choosing COMP (component), GATE, or PIN swaps.

PC-CARDS also includes commands to manipulate vias. A *via* is a plated through-hole in a PCB that establishes electrical conductivity from one layer to others. PC-CARDS supports the manual entry of *ratsnest* lines (or airlines) to show the direct point-to-point connection between pins on the parts transferred from the schematic to the PCB

PHOTOGRAPH • MARC DAVID COHEN

database. The status line area carries an *R* that alternates in color to indicate whether ratsnest displays are on or off.

Finally, PC-CARDS adds the DRAW/FLSH command to support photo plotting; specifically, it is used to enter data. The flash itself is represented by a default graphic dot. Users need to understand the photo plotting process in order to gain a mastery of PCB-3. A sidebar on the subject, entitled "Photo Plotting," accompanies this article (p. 164).

PARTS AND PART LIBRARIES

The standard layer structure in PC-CARDS, in both the libraries and the manuals, is different from that of PC-CAPS (see table 2). In many respects the structure is parallel to hand-taped PCB layouts: some layers serve as pad masters, some as trace masters, some as silk screens, and so on.

The first 14 layers of the database are used for data that support the two output methods. For pen plotting and dot matrix printing of the pads, thermal reliefs or straps, and planar clearance information, true graphics symbols are required. The flash information for photo plotting is stored in a different manner. This results in a dualism of data to describe these entities, because the pen plotters and dot matrix printers do not have a means of interpreting PCB-3 photo plot flashes.

P-CAD offers an extensive set of parts libraries. Their use makes the creation of a part using PC-CARDS simple, even though some areas of the procedures are rigid. The P-CAD libraries use a scale of 1 DBU (database unit) to 1 one-thousandth of an inch. Although another scale may be used, this one will accommodate most of the work for through-hole design and reduce inaccuracies caused by creating libraries from scratch. However, it may not be adequate in some design sectors. (Users may generate their own libraries, but the development requirements of such a task are immense.)

The parts creation process suggested by P-CAD begins with the layout of the pins. Then the silk-screen outline is added. Following that, the device type identifier (device name) is placed and the part's intelligence assigned using the SCMD command set. Drawing the silk-screen image is easy: the same set of handy drawing commands is used in PC-CARDS as PC-CAPS.

The operation of entering pins must be given strict attention. PC-CARDS automatically assigns the pin number as pins are entered. Unlike PC-CAPS, PC-CARDS does not automatically select layers for entering the pins or other data. The user must set the layer status manually. If he makes an error in the pin entry and catches it immediately, that pin can be deleted and the process continued. Otherwise, all pins should be deleted and the pin entry process started over.

This autonumbering of pins does not allow for the irregularities present in the real world. One example is chips such as oscillators that are contained in packets the size of a 14-pin, dual-in-line package (DIP). Convention may dictate that the four physical pins of such a part be numbered 1, 7, 8, and 14, but P-CAD numbers them 1, 2, 3, and 4. The PCB-3 system sees that only four physical pins are present and is designed to consider industry naming conventions as incidental. Another problem surfaces with dense pin grid array (PGA) or connector parts that use alphanumeric numbering schemes—P-CAD does not accommodate such problems.

The system lets the user specify the pin type and logic equivalency at entry or in a batch mode later. The user is prompted for a pin name location. Many times the pin names are not shown, so P-CAD allows the user to escape this prompt (via ESC) and enter the pin name only. If pin names are displayed, the text attributes can be changed during the process.

Setting the pin type in a batch mode is accomplished using the SCMD/SPAT command. This enables the user to specify which pins are logical equivalents to the pin in the part. The ability to later swap pins depends upon these equivalency data. The parts file also defines the gates, using SCMD/SPKG. This command invokes a prompted data entry routine that asks for the number of gates, the number of pins per gates, the name of each pin in the gate, and the location of each pin in each gate. The ability to swap gates at a later time depends upon these data.


Another point in parts file creation is the assignment of a component type ID. P-CAD supports only the major classes of components, grouping the remainder into three inexplicit categories. Distinct, conventional types are assigned to DIPs (chips with *U* reference designator class letters), resistors (*R*), capacitors (*C*), inductors (*L*), and transistors (*Q*). The other three component classes

TABLE 1: *PC-CARDS Command Set*

LAYER NAME	FUNCTION
PADCOM	Component-side-pad graphics data
FLCOMP	Component-side-pad photo (flash) data
PADSLD	Solder-side-pad graphics data
FLSOLD	Solder-side-pad photo (flash) data
PADINT	Internal-layer-pad graphics data
FLINT	Internal-layer-pad photo (flash) data
GNDCON	Ground-plane-strap graphics data
FLGCON	Ground-plane-strap photo (flash) data
CLEAR	Universal-clearance graphics data
FLCLER	Universal-clearance photo (flash) data
PWRCON	Power-plane-strap graphics data
FLPCON	Power-plane-strap photo (flash) data
SLDMSK	Solder-mask graphics data
FLSMSK	Solder-mask photo (flash) data
DRILL	Fabrication-drawing-drill symbol or number
FLDRIL	Drill-target photo (flash) data
PIN	Pin- or via-color-select layer
BRDOUT	Board-outline graphics layer
FLTARG	Reference targets for film alignment
SLKSCR	Silk-screen shapes or data
DEVICE	Device number graphics
ATTR	Attribute data
REFDES	Reference designators
COMP	Component-side traces
SOLDER	Solder-side traces
INT1	First internal layer traces

The major editors available in PCB-3, PC-CAPS (on the schematic end) and PC-CARDS (on the PCB layout end), have fairly similar command sets. Thus, the user can operate both editors without having to completely relearn the program.

Alsys launches PC AT-TO-370 ADA Cross-Compiler at November ADA Expo; 80286 Debugger also introduced.



A new Alsys cross-compiler permitting Ada programs to be written on an IBM-PC AT and executed on an IBM 370 was introduced at the November Ada Expo in Charleston, W. VA. The cross-compiler, pre-validated to AJPO test suite 1.7, is priced at $2,995 and includes a 4 MB RAM board.

Two compilers, the Alsys validated PC AT self-hosted compiler, and the AT-to-370 cross-compiler, are offered as an option at $4,995. One RAM board serves both compilers.

The cross-compiler, and especially the two-compiler option, implements a "distributed programming" environment for which the Ada language and its "package" concept is particularly suited. The two-compiler option permits developers to program in Ada and test their results at their workstations before uploading 370 object code to the mainframe.

Alsys also introduced its PC AT debugger called AdaPROBE at the Expo. AdaPROBE combines a unique Ada-VIEWER with regular debug facilities.

alsys

ALSYS, INC.,
1432 Main Street, Waltham, MA 02154
PCTJ 12/86
ADA NOW. Tell me more about the cross-compiler.

Name/Title _____

Company _____

Address _____

City/State/Zip _____

Phone/Ext _____

In the US: Alsys Inc., 1432 Main St., Waltham, MA 02154 Tel: (617) 890-0030

In the UK: Alsys Ltd., Partridge House, Newtown Rd., Henley-on-Thames, Oxon RG9 1EN Tel: 44 (491) 579090

In the rest of the world: Alsys SA, 29, Avenue de Versailles, 78170 La Celle St. Cloud, France Tel: 33 (1) 3918.12.44

*Ada is a registered trademark of the U.S. Government (AJPO). Alsys is the trademark of Alsys, Inc. References to other computer systems use trademarks owned by the respective manufacturers.

CIRCLE NO. 141 ON READER SERVICE CARD

Ada now

TABLE 2: *Layer Structure for PC-CARDS*


MAIN COMMAND	SUB-COMMAND	SYMBOL MODE	DETAIL MODE	DESCRIPTION
SYMB		●	○	Sets symbol mode environment.
DETL		○	●	Sets detail mode environment.
FILE		●	●	Invokes FILE subcommand menu to perform filing and memory clear operations.
	SAVE	●	●	Saves current file. Prompts \path\file name. Remembers the previous entry during session to save keystrokes for updates.
	LOAD	●	●	Loads a file into RAM. Prompts like SAVE.
	ZAP	●	●	Clears current database memory.
SYS		●	●	Invokes system subcommand menu.
	DOS	●	●	Invokes a DOS shell limited to the following functions: CHDIR (CD), CLS, COPY, DATE, DEL, DIR, ERASE, FIND, MKDIR (MD), PATH, RENAME (REN), RMDIR (RD), SET, TIME, TYPE, VER, VERIFY, and VOL. Returns to main editor screen.
	PLOT	●	●	Prompts for opposite corners of a plot window and then the plot \path\file name. The last \path\file name of the current session is remembered. Can be a help or a hindrance.
	STAT	●	●	Displays window with statistics on current database. Returns to main editor.
SCMD		●	●	Invokes subcommand menu for the current mode.
	SCAT	●	○	Prompts for component attribute number. Used for reference designator, simulation, package status, and so on.
	SPKG	●	○	Prompts to set the logical packaging and pin assignments enabling packaging of schematics. Sequential operation, must step through all prompts to use.
	SNAT	○	●	Prompts to set global net attribute, for example, PWR, GND. Has no valid use in PC-CARDS.
	GSSF	○	●	Calls or removes user-defined pad-stack graphics.
ENTR		●	●	Invokes subcommand menu for current mode selected.
	PIN	●	○	Prompts for the pin location, pin name location and pin name. Allows nonplacement of name. Stays in mode until new command is selected.
	ORG	●	○	Enters symbol origin *(0,0)* from which all other data is then made relative. Usually is on lower left pin in libraries.
	COMP	○	●	Prompts for file name of symbol to be entered, then prompts for placement. Allows scaling of symbol in *x* and *y* axis as well as rotations and mirroring. Default reference designator assigned by system, not displayed here. Pressing F4 during process allows user to assign component name. Stays in mode until new command is selected.
	WIRE	○	●	Prompts user for starting, then next points on wire. Assigns default net name automatically. User can press F3 to assign actual name during process. Wires are intelligent, checks for shorts or merges during input. WIRE layer is selected automatically. Allows style variables to be changed. Entry by pointing or direct coordinates.
	RATN	○	●	Defines a net or net segment between two points or more with a ratsnest line.
	UCOM	○	●	Uncommits a pin from a placed net. Helpful edit tool.
DRAW		●	●	Invokes subcommand menu. Stays in mode until new command is selected; subcommands also operate this way. Line style and widths can be changed when operating subcommands. Entry by pointing or direct coordinates for subcommands.
	LINE	●	●	Same as WIRE without net intelligence. User selects layer for placement.
	RECT	●	●	Prompts for opposite corners, draws rectangle.
	FREC	●	●	Fills rectangles.
	CIRC	●	●	Prompts for center and radius points, draws circle.
	ARC	●	●	Prompts for center, radius, and end point. End point snaps to arc radius on any defined radial line.
	TEXT	●	●	Prompts for location and text string. Allows attributes to define size, orientation, justification, and mirroring.
	FLSH	●	●	Prompts for location of flash number attribute and graphics. Flash number is set on the status line.
NAME		○	●	Invokes subcommand menu.
	COMP	○	●	Prompts to select component symbol and enter name (reference designator or other text).
	NET	○	●	Prompts to select net and enter name. Checks for violations and prompts for merges.

MAIN COMMAND	SUB-COMMAND	SYMBOL MODE	DETAIL MODE	DESCRIPTION
ATTR		●	●	Invokes subcommand menu.
	SCHG	●	●	Prompts to select and change attribute.
	ACOM	●	●	Attributes a component or a schematic as a whole.
	DATR	●	●	Prompts to select and delete an attribute.
EDIT		●	●	Invokes subcommand menu for the mode selected. Stays in mode until new command or subcommand is selected. Used for wire and line manipulations.
	ADDV	●	●	Adds a vertex
	DELV	●	●	Deletes a vertex
	MOVV	●	●	Moves a vertex
	MOVA	○	●	Moves whole wires only.
	DELS	●	●	Deletes a segment.
	LAYS	●	●	Changes the layer of a segment.
	MOVS	●	●	Moves a segment. Does not detach intelligence for wire segments moved.
	AVIA	○	●	Adds a via at a vertex.
	DVIA	○	●	Deletes a via.
	MVIA	○	●	Moves a via.
MOVE		●	●	Invokes subcommand menu, but can be used to move single objects except wires. MASK command observed also. Stays in mode until new command or subcommand is selected.
	WIN	●	●	Prompts to define a rectangular window of objects for moving. Rubberbands wires not entirely in the window. Moves net names on moved wire segments.
	IDEN	●	●	Identifies objects, except wires, and moves them.
ROT		●	●	Invokes subcommand menu for WIN and IDEN actions like MOVE. Allows single object rotation without subcommand selects. Rotates at 90-degree increments from user-defined origin.
COPY		●	●	Invokes subcommand menu for WIN and IDEN actions like MOVE. Allows single object copy, including wires. Wire copy includes net name text location but deletes text and net associativity. Single-point pick-up includes all wire segments on the wire that are merged to it. COPY/WIN does not observe MASK settings and requires all wire or line segments to be in window during copy.
DEL		●	●	Same as COPY, except performs deletes.
	UNDO	●	●	Undoes last delete action. Does not apply to EDIT/DELS actions.
CLYR		●	●	Same as COPY except performs change layer actions to selected layer.
SWAP		○	●	Invokes SWAP submenu.
	PIN	○	●	Swaps logically equivalent pins.
	GATE	○	●	Swaps logically equivalent gates.
	COMP	○	●	Swaps component placements. The ratsnest of each component is displayed before and after swap.
ZIN		●	●	Software zoom in, multiple levels, accepts multiple zoom steps before redraw according to timed entry of execute commands. User defines center of view by pointing or coordinate entry. Stays in mode until new command is selected.
ZOUT		●	●	Reverse of ZIN.
VWIN		●	●	User defines rectangular view to be redrawn on display.
REDR		●	●	Redraws the display. Requires a higher-level command change to display new information in some cases.
PAN		●	●	Pans display window to center on user-defined location. Stays in mode until new command or escape is entered.
LPAN		●	●	Produces screen for selecting long range pan in the database.
STO		●	●	Stores nine views and a map view of portions or all of the database.
RCL		●	●	Recalls stored views and map.
VLYR		●	●	Views and alters layer structure.
MASK		○	●	Masks components and/or wires from some command actions.

● = *Yes* ○ = *No*

The information required for the photo-plotting process is stored on separate layers to the graphics data that would be required for traditional pen plotting of PCB masters. The PC-CARDS structure is more parallel to hand-taped PCB layout.

PARALLEL PROCESSING for the PC!




Have two PC's in one!

Run two applications independently!

Add the I-Bus IQ188 Parallel Processor to your system and have a computer within a computer. The IQ188 has its own 7.35 MHz 80188 processor, BIOS, ST-506 hard disk controller, 1 Megabyte dual-ported RAM, 2 serial ports, a parallel port and a clock/calendar. It runs on its own copy of your PC/MS/DOS operating system and communicates with the PC through shared memory.

The IQ188 includes all the software utilities you need to get up and running with your programs. Once you've used the I-Bus Parallel Processor, you'll never be without it!

- Run dBASE™ sorts in the background while analyzing 1-2-3™ spreadsheets on the PC!
- Assemble or compile applications in the background while editing in the foreground!
- Call today for details:
 (800) 382-4229
 in Calif. (619) 569-0646



1-2-3 is a trademark of Lotus Development Corp.
dBASE is a trademark of Ashton-Tate, Inc.

I-BUS

The Full Service PC Bus Company
9235 Chesapeake Dr., San Diego, CA 92123
(619) 569-0646 Telex: 910 240 0290
CIRCLE NO. 202 ON READER SERVICE CARD

offered by P-CAD deliver essentially meaningless letters for parts classified as other discretes, connectors, or miscellaneous. Because these letters are used to annotate and back-annotate schematics, the schematics will require manual correction for adherence to the ANSI Y32.2 industry-wide standard.

The final item to consider with regard to parts is individual file size. The PCB-3 system takes up a larger file size than many of its competitors.

PADSTACKS

Correctly sized pads are a key to creating successful PCBs. The holes needed to mount the parts on a particular PCB, and their associated pads, will be a variety of sizes. The PC-CARDS scheme uses the pin type number as a reference for importing data to create the pads in the PCB database. These imported data are called a *padstack*.

A padstack is a graphics and data overlay file, similar to a parts file of a single pin part, without the pin. It contains the graphics and flash data located on each of the necessary pad layers. The data are located by centering them on the same coordinates in each layer as if a pin were there.

The principal means of letting the system know which padstack data are to be overlaid (and where) is the pin type number. In PC-CAPS, the pin type number specifies the electrical activity of a pin—input, output, or both. PC-CARDS uses the pin type with a cross-reference file to determine which padstack data will be assigned to the pin at every occurrence of the pin type on a part (and later in the PCB database). P-CAD offers 25 types (type 0 is reserved for vias).

Situations will arise outside the limits of the padstack scheme. Thus, the user needs to be able to send the pad data to the design through the parts file in the library. This is necessary also to get around the numerical limitations of the 24-position Gerber system. The user can embed data to be pen-plotted for pad construction or flashed by a photo plotter in the parts file. These data may be additional to, or replacement for, the data to be imported from the padstacks later. Nevertheless, the assigning of padstacks to a pin type allows for flexibility in the use of the libraries. It averts, for example, the need to produce a library of parts files for each customer who requires a different pad style for pin 1 on DIPs. These specifications can be met instead with a single parts library and different padstacks.

The relationship of padstacks to pin types is stored in a cross-reference file with the extension .SSF (special symbol file). The SCMD/GSSF command imports the padstack data, which it links or unlinks from the database. This feature enables the user to create several sets of padstacks that are referenced by various .SSF files for various purposes, such as different customers or design rule checking. The .SSF allows for different padstacks for the same pin type, depending on the connectivity of the pin to a net. For example, by creating different graphics for a pin that is connected and one that is not, unused pins can be recognized easily during the PCB creation cycle.

LAYOUT IN PC-CARDS

PCB-3 can work in a variety of ways to generate PCBs. PC-CARDS can be used by itself to produce PCBs, with or without data imported from PC-PACK. Alternatively, PC-PLACE and PC-ROUTE can be used in conjunction with PC-CARDS. Layout from within PC-CARDS is performed in DETL (detail) mode.

Users should note that PC-CARDS does not always display a complete image. The program draws portions of the image that are critical in most situations. The fact that it does not display them during the operation of PC-CARDS is sorely missed in the construction of wide traces or drawn planes. Worse, P-CAD does not document this limitation in the PCB-3 manuals.

Placement begins with the creation of a board outline. If the database has been packaged using PC-PACK, the user moves the components (via MOVE) into the PCB outline area. Placement of packaged parts is partially aided by the display of ratsnest lines of each connected pin. By studying the ratsnest pattern, the experienced designer can move parts around to shorten trace runs, alleviate congested areas, and create an easily routed design. Sometimes the displayed ordering of the ratsnest lines will produce a screen that is difficult to read. In the design of a PCB with power and ground planes, for example, the user may wish a means were available selectively to turn off nets.

PC-CARDS includes the PC-CAPS error-checking facilities, which check for unwanted net merges and connections to assigned pins. But seeing where the route is headed is also helpful. PC-CARDS displays this in the initial route of the points during the hook up of the net. If, however, the trace is edited—for example, by the deletion of a segment and addition of other segments later—PCB-3 exhibits another idiosyncrasy. When the user attempts to

SUBSCRIBE TO PC MAGAZINE AND SAVE 65%!



22 Ways to Get Out of the Information Jungle...

22 times a year, *PC Magazine* will lead you out of the jungle of competing product claims for IBM and compatible PC products, to the information that meets your needs.

YES! Enter my subscription to *PC Magazine*, as indicated below:

☐ One year (22 issues) only $24.97. 62% off the cover price!
☐ Two years only $44.97. A 65% savings off the cover price!

Name_____ 8HT10

Company_____

Address_____

City_____ State_____ Zip_____

☐ Payment enclosed ☐ Bill me later

Add $15 per year for postage outside the U.S.A., cash payment in U.S. currency only. Please allow up to 60 days for delivery of first issue. Savings based on the annual single-copy price of $64.90. Basic subscription price is $34.97.

PC MAGAZINE

For product reviews you can use.

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

First Class Permit No. 66 Boulder, CO

Postage will be paid by addressee

PC MAGAZINE

P.O. 2443
Boulder, Colorado 80321

PC MAGAZINE LEADS YOU OUT OF THE INFORMATION JUNGLE...



Exploring the PC market is a confusing, and often risky, endeavor.

Lose your way, and you lose valuable time. One wrong turn, and you can lose lots of money.

That's why IBM and compatible PCusers look to *PC* Magazine. *PC* Magazine eliminates the risk in purchasing decisions with comparative reviews and product evaluations from the PC Labs, where products are tested the way you use them every day. It's the pathfinder to products that meet your specific needs —and those of others in your company.


PC Magazine puts you on the trail to new applications with power tips and special reports that will help you make the most of your system.

PC Magazine goes one step beyond leading you through the microcomputing jungle. *PC* leads you *out* of the jungle to the PC environment that meets your daily demands.

Subscribe now and save 65%.
For fast service, call toll-free
1-800-852-5200 8ZF23


PC MAGAZINE For product reviews you can use.

PHOTO 1: *PC-CARDS Screen*



PC-CARDS includes commands to edit vias, which are not used in schematic layout. MOVA, for example, moves the vias along with their attached wire segments.

PHOTO 2: *PC-ROUTE Screen*



PC-ROUTE displays the status and the route; the status only; or the status, the route, and the wavefront that represents the position in which the router is trying to place the next net.

recomplete the route, the points on the net are highlighted, but they turn off after the second vertex is entered. Thus, a supposedly helpful feature becomes nothing more than a frustration.

When ratsnests are used, one is deleted from the full display of active ratsnests each time a net is completed. Thus, the user has a visual confirmation of the remaining unrouted nets.

With PC-CARDS, the preparation to route the board begins when the trace layers—COMP, SOLD, INT1 through INT*n*—are abled (using ABL). The ENTR/WIRE command enters the traces at the specified trace width, net name and line style, and grid size. ENTR/WIRE and DRAW/LINE remain nested and thus provide a means to continually enter traces with minimal effort. The pan and zoom commands are not automatic and must be selected from the menu. This limitation impairs smooth routing performance because it adds to routing time. An option to pan continually would be a good addition.

The user may have routing design rules that require all corners to be at 45 degrees, or 90 degrees, or to allow any angle. PCB-3 accommodates these designations, but the choice must be toggled from the status line.

P-CAD provides tools to erase traces or trace segments, to move or copy them, change their layer, or alter their configuration. In PCB design, however, the presence of vias adds another dimension. The EDIT subcommands provide for adding, moving, and deleting vias. The MOVA and LAYS subcommands can interact with vias; MOVA, for example, moves a via along with its attached wire segments (see photo 1).

LAYS changes the selected line segment to the active layer. If this results in both ends of the segment being connected to wire segments on other layers, vias are inserted automatically at the joining vertices. However, in some instances when a pin is at such an intersection, the via also is placed on the pin. The user then has to correct all instances of vias on pins, using the DVIA subcommand, before extracting film and pen-plot data from the database. An internal via-on-pin delete routine would alleviate this problem.

The system's handling of power and ground planes is not automated; even so, the end result works. The actual connection is made on the film plot using flashes for thermal reliefs and straps. The connectivity informa-

KEDIT™

The XEDIT compatible PC editor

★ Most XEDIT commands and features
★ XEDIT fullscreen layout
★ Multiple files, multiple windows
★ Interfaces with Personal REXX
★ Redefinable keys
★ Enhanced block operations
★ DOS command interface
★ And much, much more

Mansfield Software Group, Inc.
P. O. Box 532
Storrs, CT 06268
(203) 429-8402

Version 3.52: $125 plus $3 shipping
Demo Version $10
MC, VISA, AMEX, COD, PO, CHECK

XEDIT is IBM's powerful fullscreen editor for VM/CMS

KEDIT is a trademark of Mansfield Software Group, Inc.

CIRCLE NO. 262 ON READER SERVICE CARD

tion, therefore, is not entered into the PC-CARDS database because flashes are not recognized as wires. One way to ensure that the information does get entered and is shown as completed is to connect the points with wire on a database layer not used for the final film. Users should note, however, that this method does build in a potential for error, such as wires that are entered without an associated flash.

Another bug in PC-CARDS sometimes surfaces during frequent activity in one submenu. The user makes the first selection, then he may choose a second, and continue down the menu. When a second submenu item is selected, the first one retains its box, in a different color. This box can expand to include the entire subcommand menu; the user can lose track of which command is truly operating.

Although not a bug, an annoying quirk occurs when nets are entered using ENTR/RATN. As a net is entered from pin to pin, it overwrites itself and disappears. This same problem occurs during routing with ENTR/WIRE. Both of these situations can be reversed by selecting redraw, but that is an inefficient process at best.

Other than these difficulties, PCB routing with PC-CARDS is clean and easy. PC-CARDS accommodates a maximum of 500 components, limited to 300 unique types, and a maximum 6,000 pins, with 2,100 maximum in the buffer.

The pin limit provides that, in theory, a PCB of nearly 132 EICs (equivalent integrated circuits, which are based on 16-pin DIP ICs) causes paging to occur until the 6,000-pin or another limit is reached. The limits for other elements are 6,500 picture groups (2,100 cause paging), 47,000 picture elements (15,000 cause paging), and 1,000 nets in a database. Actually, databases with more than about 60 EICs become increasingly slower at posting information and redrawing as they near design completion. Then, as they approach 80 EICs, they go into paging, unless the balance of the other database elements has forced paging already.

One of the nicer end-to-end touches in PCB-3 is the operation of NAME/COMP on a database that has been packaged by PC-PACK in PC-CARDS. This command enables the user to make visible and place in the PCB layout the reference designator of a part as it was assigned in the schematic or during the packaging process. However, the package offers no equally easy method of accomplishing the reverse—that is, of transferring the reference designator renumbering that is commonly performed in PCB layout through back annotation to the schematic.

PC-DRC/NLC. Another key element in successful PCB-3 design is the PC-DRC/NLC (design rule checker/net list checker) utility, referred to here simply as PC-DRC. This program checks for design rule spacing and size violations and the continuity of wired nets in a design against the packaged net list. PC-DRC requires an input database that has acceptable padstacks attached.

PC-DRC enables the user to specify the spacings and layer groups to be checked. Spacings are stored in a file called a *rule set*; groups of layers to be checked together are called a *pass set*. These sets follow certain conventions in connection with each other: Each pass set has a rule set attached to it. The user may create a new pass set and attach an existing rule set to it, but when a rule set must be changed, it must be modified for each occurrence in the pass sets. Rule sets can be created, saved, edited, and deleted.

Each set has nine specifications that are checked: round pad size, nonround pad size, via size, trace width, and the spacing from pad to pad, pad to trace, trace to trace, pad to board edge, and trace to board edge. The pad size and trace width parameters establish the minimums for the check—any size or width under these is reported. Width violations are reported until a maximum of 50 is reached. The spacing parameters run from edge to edge of the objects tested. PC-DRC tests all objects, including drawn lines and text, for trace-spacing violations; however, it does not provide a much needed via-to-via check parameter.

The continuity of the wires of each logical net can be verified using the continuity checking option. This test is valid for layouts that were not functionally modified during the PCB creation, thus, the net list obtained from PC-PACK and the swap data together represent the true circuit.

The results of a PC-DRC check are generated in both graphic and report form. The graphic indicators are added to the database on two layers. The first layer, $DRC, reports the design rule violations by highlighting the object errors. The second layer, $CONT, uses airlines to highlight unwired or disjoint nets. Because $DRC displays all errors, regardless of the layer in which they occur, the user may find the information overwhelming in the case of dense designs that have many errors. The DRC report alleviates this situation.

Personal REXX
for the IBM PC

★ Interpreter for the full REXX language, including all of the standard REXX instructions, operators, and built-in functions

★ Sophisticated string manipulation capabilities

★ Unlimited precision arithmetic

★ Direct execution of DOS commands from REXX programs

★ Built-in functions for DOS file I/O, directory access, screen and keyboard communication, and many other PC services

★ Compatible with VM/CMS version of REXX

★ Uses include:

— Command programming language for DOS

— Macro language for the KEDIT text editor

— Can be interfaced by application developers with other DOS applications, written in almost any language

Mansfield Software Group, Inc.
P. O. Box 532
Storrs, CT 06268
(203) 429-8402

$125 plus $3 shipping
MC, VISA, AMEX, COD, PO, CHECK

CIRCLE NO. 263 ON READER SERVICE CARD

PHOTO PLOTTING

The traditional method of producing printed circuit board (PCB) layouts by hand-taping onto mylar, then photographically producing an image that is used as a mask for board, is now superceded in two ways.

With the introduction of computer-aided design (CAD), hand-taping has replaced pen plotting. The taped image is produced on mylar with a pen plotter; film for making PCBs is made by photographing pen plots of the PCB design. This method does not work well for many designs, however, and it is not always cost-effective. It is dependent upon plotter accuracy, board density, routing grid density, and board manufacturing tolerances.

An alternative method is to use a photo plotter. The data from a CAD package is output in a form that can be used to drive a photo plotter. The standard Gerber photo plotter uses a light source directed through a transparent image in a piece of developed precision film depicting a shape called an *aperture*: an aperture is a hole the shape of the desired image to be plotted. Depending upon the film media used for the PCB plot, either a positive or a negative image will be plotted. Apertures generally are round or square, but special apertures for making asymmetric pad shapes, thermal relief ties for planes, drill target symbols, and so on, also can be used.

Gerber photo-mechanical plotter systems support 24 apertures per wheel.

The aperture, mounted on a movable wheel, is positioned between the light source and the film. Each command to the photo plotter is either a *flash* or a *draw* of a particular aperture. For a flash, the machine moves the table holding the film to the position required, then the light is turned on and off. For a draw, the aperture is selected and the light is turned on at the initial position for the line, then the table is moved in the directions needed to produce the final image. Because the light is on continuously during drawing, the apertures for drawing have filters to impede the transfer of light through the aperture. This serves to control light bleed (or overexposure) of the film, which otherwise would distort the image.

Other photo plotting systems use similar schemes to produce the same results. Some do not "flash" a flash image, they draw it instead. The Gerber method of coding this information as flashes and draws is a de facto standard for transferring data even to non-Gerber systems, including rasterizing laser photo plotters.

A Gerber photo-mechanical system operator typically charges a designer for plotting time and materials. The time expense for plotting using this method is proportionate to the number of images plotted and the optimization of the plotting path to save bed movement time between flashes and draws. The photo-mechanical method is now getting competition from laser photo plotting technology, but from a cost standpoint only—the production quality is on an even par.

Laser photo plotters usually accept Gerber-coded files. These files are cross-referenced to aperture image files. The data are processed into a file that represents a rasterized image of the entire plot. This processing is fast and efficient. The image is plotted raster line by raster line on the film. Because a raster image plots faster for the majority of PCB film, and because it plots in a fixed time, the charges are fixed for each film size. (This usually works in favor of the designer.) An added benefit is that turnaround time from sending data out and receiving film back is shortened.

The cost of photo plotting is directly related to the efficiency of the CAD program that produces the code to drive the photo plotter. P-CAD's PC-PHOTO produces accurate, but not optimized, code. Although the coordinates to complete a draw are present, they are preempted by a MOVE command that *precedes* them, rather than trails them. This is unacceptable for such a high-priced program.

—Richard Angell

PC-DRC actually produces two reports, one for the continuity check and one for the rule check. Each report yields information to determine the rule set, DRC performance, database statistics, and type of error. The DRC report includes the type of error, the offending value, the entities involved (such as PAD, VIA, or TRACE), and their locations. DRC detects an error when text or an identification symbol is placed near the PCB edge. This may be acceptable for the design, but no means are available to exclude such items from space-to-edge checks.

PC-DRC does have reporting limits—the trace-width error limit, for example. Another limit is that for any one pin type, only the first pad or via size error is reported. If too many errors are discovered, the check aborts and the first error list is produced.

PC-PHOTO. Menu-driven PC-PHOTO takes an object from database plots to finished film. It accepts the plot file as input and processes it into a format for the end peripheral. This output is saved to disk files for the Gerber model 32, 33, and 41 photo plotters. PC-PHOTO can drive the GTCO FP1-1622 and Patek Philippe Flashscan photo plotters directly. The opening menu has the standard three choices: configuration, operation, or exit, with an additional selection to configure an aperture table. The configuration files are generated only if the user changes default values.

The operation menu allows specification of the input file and changes to the configuration for a particular plot. It lets the user see the maximum magnification that can be plotted (scale factor), select a suitable size in the range, and specify plot orientation: either normal or rotated 90 degrees.

PC-PHOTO generates an error file if it finds illegal information in the input. Such information would include lines drawn smaller than the smallest available aperture.


This completes the list of program modules necessary to create a PCB using PCB-3. For analog design, these programs may be all that is needed (they are available as PCB-2 for about one-third less than PCB-3). The other two PCB-3 modules, PC-PLACE and PC-ROUTE, are used mainly for digital circuits, but can be used for mixed digital/analog and analog designs.

PC-PLACE

Placement and placement analysis tools are provided by PC-PLACE in an environment that is similar to PC-CARDS, and with many of the same commands. PC-PLACE operates in the DETL mode environment. The first new item the user is likely to notice in PC-PLACE appears on the second screen—the added selection, Edit Part Footprints.

PC-PLACE requires an attribute, called a *footprint*, for each part in a database. This footprint is the class name of the part—for example, DIP 14

FREE PROGRAMMER IN EVERY BOX.



Enrich™ is the software that writes and runs your database applications for you.

So you can set up your own custom accounting, sales, financial, job costing and other business systems without a programmer.

And you'll personally do it in far less time than it would take programmers working with the older DBMS programming languages like dBASE, R:Base and Paradox.

Really.

The secret is that Enrich makes your PC do the work.

There's no programming because Enrich is menu-driven. You simply "paint" what you want done on the screen, then Enrich writes the DBMS programs to do it.

Enrich takes care of creating files and fields, setting relations (database-ese for combining information from more than one file), calculating values, indexing, programming and all the other technical details.

You can even "teach" Enrich to help make business decisions. Simply list the rules you use, then have Enrich do the analysis and recommendations for credit, personnel, profit and other similar evaluations.

And to make things even easier, Enrich imports and exports dBASE II, III and III+ and Migent's Ability™ files, and can import files from Lotus 1-2-3.

Even the experts love it:

"[Enrich is for] business users who wish they had the ability to just knock together an 8-cylinder database application once in a while without making databases a lifetime commitment." Michael McCarthy, INFOWORLD.

"...the future just came walking in the door with Enrich." Roger C. Thibault, Editor, ARTIFICIAL INTELLIGENCE TODAY.

"Editors Choice." M. David Stone, PC Magazine.

Check it out for yourself at your local computer or software store. And leave the programming to us.

Migent, Inc., P.O. Box 6062,
Incline Village,
NV 89450.
(702) 832-3700.

If your free demo disk isn't here, call (702) 832-3700.

MIGENT™

Enrich is a trademark of Migent Software, Inc. Ability is a trademark of Migent, Inc.
Other names and products trademarked by others. ©Migent, Inc. 1986

CIRCLE NO. 178 ON READER SERVICE CARD

for 14-pin DIP parts. The attribute then is assigned to parts with the same physical footprint. Selecting Edit Part Footprint invokes a menu and prompt editor to view, add, modify, or list parts footprints in the parts files in a library. To view the footprints, the attribute FP = <footprint class> must instead be assigned to each part in PC-CARDS. P-CAD recommends using a layer called FP for this purpose.

The main PC-PLACE editor screen resembles that of PC-CARDS, although it has no SYMB mode command or the familiar ATTR, COPY, CLYR, or MASK. DRAW/FREC also is gone, and SCMD has only the GSSF subcommand. This program adds the commands PLCE, HIST, ALGN, FIX, and QRY. These activate, respectively, autoplacement, aids and analysis tools, component alignment tools, and data inquiry commands. ENTR has a whole new set of commands, except for RATN and UCOM. Many new subcommands are added.

The ENTR subcommands include LATP, LATC, ASSC, CLR, PARM, and CUT. LATP invokes a series of prompts to define part placement lattices. A *lattice* is a regular set of points, at defined incremental (x and y) spacings, that are in a defined rectangular area. PCB-3 displays a lattice as intersecting orthogonal lines.


Multiple parts placement lattices can be defined; each lattice adds one more layer to the database. If the user does not establish the layers, then PC-PLACE creates and ables (via ABL) a layer it calls LAT1. When the user needs multiple lattices—LATMAJ for major parts (such as DIPS and connectors) and LATMIN for discretes and other minor components, for example—they must be created. The user ables (via ABL) the appropriate layer and uses ENTR/LATP to establish its lattice. The lattice must be within the PCB borders. Later, during the PLCE operation, the part origins (usually pin 1) will be placed on a lattice point if one is available and if it meets other criteria. A lattice that has, for example, too many points, causes PLCE to abort because of memory allocation constraints.

Other criteria in the ENTR command set establish which footprint class of parts is to be placed on which lattice (LATC). They define where a discrete can be placed relative to a major part (ASSC) using the selections ABOVE, BELOW, LEFT, or RIGHT and a clearance spacing. The CLR command permits the specification of x and y ordinal clearances for major parts.

ENTR/PARM allows parts to be sorted for placement based on height or width and a percentage index of the predominance of part footprints on the lattices in the database. This predominance, called a *constraint ratio* by P-CAD, is the quantity ratio of a footprint class to the available lattice points for their placement. For example, with 50 components in the class and 100 lattice points, the ratio 50:100 would be 50 percent. If the user establishes the *constraint index* (a cutoff constraint ratio value) for the whole database at 60 percent, these parts would be placed after those with a ratio of 60 percent or above. The higher the percentage ratio for a particular part, the more constraints on its placement. The ratios require manual derivation, which may discourage fine-tuning of this parameter.

With ENTR/CUT, the user can establish *cutlines* in the database; cutlines divide the PCB horizontally or vertically into partitions. PC-PLACE tries to place circuit-related components within the partitions and minimize the number of nets that cross the lines. The cutlines cannot be seen, but they are listed on one of the PC-PLACE reports. The sys-

Bringing It All Together



VAX and UNIX CONNECTIVITY

The Syntax SMBserver is high performance local area network software for minicomputers and super microcomputers.

The Syntax SMBserver is fully compatible with Microsoft **MSNET,** IBM **PCNET,** Ungermann-Bass **NET/ONE,** and 3Com **3Plus** LAN products.

The Syntax SMBserver Advantage:
- IBM PCs (and compatibles) can be integrated into the same LAN with DEC VAX/VMS and UNIX standard computers.
- Supports industry standards (Ethernet, SMB, XNS, TCP/IP).
- PC files (including spreadsheets, documents, data bases, programs, etc.) can be easily and concurrently shared among PC users.
- Minicomputer server peripherals can be used in addition to, or in place of, PC peripherals.
- PC applications can share files with VMS or UNIX applications.
- The PC client workstations have access to the powerful file systems, multi-processing capabilities, and database management facilities of the server host.

VMS CONNECTIVITY

The VAX computer can host a network of IBM PCs and DEC Rainbows. The Syntax VAX Interface Manager (VIM) allows DEC VAX and MicroVAX computers, IBM PCs (and compatibles), and DEC Rainbows to work together in a high-performance Ethernet Local Area Network (LAN).

VIM Benefits include:
- MS-DOS file service
- MS-DOS print service
- PC electronic mail
- File transfer between PCs and the VAX
- DECnet interface
- Network virtual terminals — VT100, VT220 from Walker Richer Quinn
- Program-to-program communications

Dealer and OEM inquiries welcome.

(206) 251-8348

SYNTAX

Syntax
Kent, WA
(206) 251-8438

Northland-Syntax
St. Paul, MN
(612) 644-4668

Southwest-Syntax
Phoenix, AZ
(602) 998-9613

DEC, VAX, VMS, RMS, and DECnet are trademarks of Digital Equipment Corporation. VIM, FileTransfer, SMBserver, VAXserver, VirtualTerminal, and SubroutineLibrary are trademarks of Syntax Systems, Inc. IBM PC is a trademark of International Business Machines, Inc. Ethernet is a trademark of Xerox Corporation.

©1986 SYNTAX

CIRCLE NO. 103 ON READER SERVICE CARD


DataFlex does windows!

The best DBMS just got better! Pop up help screens and pull down menus are now easy to accomplish in your DataFlex applications. Revision 2.2 gives you full and easily-programmed control over the size, color and location of every screen page and allows each to be displayed without disturbing other on-screen data. A new DataFlex command even allows you to temporarily suspend execution of your DataFlex application, run any other program or DOS command, and then return to DataFlex at the point you left it! But best of all, DataFlex applications can run flawlessly on over 30 single user, multi-user and LAN operating systems! See your nearest DataFlex dealer today or write us and ask for your free DataFlex demo kit.

GUARANTEED to run as specified on over 200 single-user and multi-user systems including IBM TOKEN RING NETWORK.

DATAFLEX®

Single-User • Multi-User • LANS • XENIX • UNIX V • VAX/VMS



DataFlex is a Registered Trademark of Data Access Corporation.
XENIX is a trademark of Micro Soft.
UNIX V is a trademark of AT&T.
VAX/VMS are trademarks of Digital Equipment Corp.

Data Access Corporation
8525 S.W. 129 Terrace
Miami, Florida 33156
(305) 238-0012

CIRCLE NO. 118 ON READER SERVICE CARD

tem can and will allocate and specify cutlines itself, and P-CAD recommends letting the system do the cutting. Cutlines are a feeble means of circuit segregation. Although useful in some designs, they are not likely to ease analog design placement needs.

One quite useful command is FIX, which allows the specification of parts that are not to be placed by the program, but are to remain in a user-designated location. The fixed parts are highlighted when the command is selected. A fixed part can be unfixed by selecting FIX again. This command is a necessity for connectors and critical components.

These manual placement tools are somewhat limited. They do not provide for the specification of discrete-to-discrete clearances, nor is there a way to identify special circuit groups. If such a means were available, it would logically start with schematic annotations in PC-CAPS. This missing ability can make it difficult for the system to place analog designs of any complexity.

PC-PLACE provides histogram and force vector methods of placement analysis. The force vector of a part (a vector summation for the part's nets) is another factor that can affect placement. Force vectors are placed in a layer called $FORC. They toggle on and off according to user input to a status line prompt. The visual image is a line vector from each part's center, terminated by a circle indicating the part's best position for short routes, based on the placement of other parts in the design. If the part is moved to such a location, this changes all parts vectors. Also, because the power and ground nets cannot be ignored or turned off, their force is added into the vector summation. This detracts from finding the true position of a component.

The histogram placement in PC-PLACE is loaded by selecting the HIST command from the main menu; it is configured using the CNFG subcommand. This sets up the basic configuration, including number of layers, routing grid, and channel resources for displaying the histogram and force vectors. The histogram is a graphic bar chart displayed on one vertical side and one horizontal side of the editor window. The bars are oriented in the direction of the channels that they represent.

The histogram display presents calculated usage for horizontal and vertical routing channels in a defined routing grid area. The display uses either narrow or wide bars to communicate the information: the narrow bars provide a clearer picture. The length and color of the bar also is significant. In the default color scheme, a green bar represents 0- to 35-percent channel usage; a yellow bar, 35- to 50-percent, and a red bar, over 50 percent. The length of the bar indicates the place in each range in which the channel usage currently falls. The histogram size can be set for 8- to 20-percent of the viewing area. At the common vertex of the histogram axis, a box with a numeric value (called the merit factor) is displayed. Each time the user makes a change, the histograms and merit factors are recalculated to show the effects. The merit factor is a number that is relative to the impact of the change: it must be compared to the last number to be meaningful.

Calculating and displaying each new histogram and merit factor takes time. The larger the design in terms of parts and nets, the more time is required. Such delays interrupt the process by distracting the user, and can leave an adverse impression of this powerful analysis. If the force vectors are being displayed as well, they also will take time to recalculate and display. The user can speed up this process somewhat by displaying force vectors from major components only.

FIX, a useful command, allows the specification of parts to a user-designated location, rather than their being placed by PC-PLACE.

The only other subcommand to HIST is STAT, which generates a report that the user can view or print through the PC-PLACE DOS window. The report contains values for the routing channel demands in vertical and horizontal directions, and it includes the merit factor. However, because the manual does provide an explanation of this report, its relative usefulness is unknown.

Placement lattices, discussed earlier, tend to create rows and column placement. To work around this constraint, the PC-PLACE ALGN command aligns a part or groups of parts to the farthest axis of the alignment point from the part or parts group. If a part is selected to be aligned and the alignment point is farther vertically from the part, the part will be moved and aligned to the *y* axis of the specified point. Thus, aligning a part or group of parts to a particular point can take two steps. ALGN has an UNDO subcommand that reverses the procedure.

The QRY command has a submenu of COMP (component), PIN (pin), or NET (net). Each command displays information about the particular items. The handiest QRY may be QRY/NET, although using QRY/PIN to discover pin type and logical equivalency assigned to a part will also be quite helpful (when it works in a future version).

The remainder of the commands are similar to those in PC-CARDS. Some add an UNDO function, and the MOVE command has a COMP subcommand.

The final task required of PC-PLACE is for it to place the parts optimally for ease of routing and circuit segregation. The PLCE command attempts to do this by invoking the automatic placement routine. PC-PLACE can be successful with smaller digital designs; however, as the design begins to include some analog or becomes all analog or otherwise very dense, autoplacement may become a less appealing elective.

A PC-PLACE report provides information about the placement effort. It includes statistical information about the PCB relative to chip; discrete and connector quantities; total component count; estimated total trace length to connect the design, EIC quantity, and EIC density. The report lists cutline coordinates, warning messages, and lists of placed and unplaced components. The placed components list includes the reference designator, parts name, and an *x,y* coordinate for the placement. The coordinate list bears little resemblance to the real placement of the part. It is apparently derived from the origin of the part, which may or may not be pin 1. Time performance statistics are included. Other reports include one for errors, one for swaps (for back annotation), and a command log file. PC-PLACE also can generate plot files.

PC-ROUTE

P-CAD suggests that if a design is to be autorouted, that PC-CARDS be used to place router restricted zones or *bars* into the database. This step is convenient to do just prior to placing the components into the design. The bars, which are drawn rectangles, go onto mnemonically coded layers, such as BARVIA, BARCOMP, and so on. PC-PLACE uses bars on a layer called BARPLC. Thus, the user can see the zones and avoid placing parts in them.

The bar information can be added to the database before PC-PACK is used.

Such a database is then used as the input layer structure to PC-PACK, so the information is in the database already. This makes sense for CAD operations using standard board configurations such as the Eurocard, Multi-bus, Std bus, and so forth.

PC-ROUTE is a batch mode autorouter, although it can be used (albeit awkwardly, and with induced aborts) as an interactive router. It offers on-line help during parameter set-up—a crucial ingredient, for although its operation is not complex, some extra attention is needed to prevent input errors.

The input database must be clean. If any routes have been made previously, they should be entered to complete their nets. Such routes are called *preroutes*. It is better for PC-ROUTE if all of the preroutes are on-grid, even though it can route off-grid. Any bar zones must be identified in order to prevent traces or vias from occurring within them. In addition, the border and parts placement requirements must be observed. PC-ROUTE requires that all nets in a database be named. If the user adds nets to the database following PC-PACK, they must be named; otherwise, PC-ROUTE will abort.

PC-ROUTE defines a routable area that is 0.1 inch inside the board outline on the BRDOUT layer. This would be fine except that it uses this area to define its routing coordinate grid system. If the PCB outline does not lend itself to a standard routing grid, such as the Eurocard outline, then a surrogate outline must be created. The actual board outline has to be placed on a different layer in the database. Although users will want the ability to set the border clearance zone to values other than the internal 0.1 inch, this is not possible. The PC-ROUTE reliance on board edges to define the routing grid requires more explanation in the documentation.

The PC-ROUTE main menu is a tree with numerous options; fortunately the choices follow logical paths. Rules and strategy are grouped together under the Edit routing strategy menu choice; the other choices are Route, Exit PC-ROUTE, and Edit router file maintenance. The last selection, which is activated by pressing the End key, permits the deletion of rule sets and files specific to a previously routed version of any of the input databases. The main menu screen also requests the entry of the database to be routed.

The routing strategy selection lets the user progress to more choices relative to a selected routing strategy file: Edit routing parameters, Edit wiring rules, Edit pad clearance rules, Help, or Escape to the previous screen.

The Edit routing parameters screen has a coarse set of rules and strategy parameters. Rules are design constraints for trace location, trace width, trace clearances, via placement, and clearances. Strategy involves several parameters: the type of routes, layers to be routed, direction of routes on a layer, area to be routed, and number of times to try routing a layer pair. Each parameter is assigned a factor that is used by the router to minimize expenses and maximize the chances for completion. The screen has provisions for specifying the main routing grid (x and y DBUs), the number of routing layers (an even number between 2 and 50), the route speed (fast or slow routing algorithms), route type (daisy-chain, Steiner, or minispan), the route order (short then long, or long then short—as explained below), and the displayed data (status only, status plus route, or status plus route plus wavefront). This menu also lets the user choose to view a detailed parameter screen.

PC-ROUTE is arbitrary in its selection of the layers that comprise a layer pair. It randomly assigns the predominant routing direction on each layer. The design can be rotated prior to

The HiCard Wins!



INSTALLS UP TO 896KB TOTAL MEMORY
ADD 64K ABOVE 640KB TO ALL DOS PROGRAMS
INCREASED DOS SPACE FOR NETWORKS, SPREADSHEETS and DATABASES
RAMDISKS and PRINT SPOOLERS INSTALL ABOVE 640KB

THE HICARD 256KB/512KB MEMORY BOARD FOR IBM-PC's AND COMPATIBLES...

- Expands DOS to 704KB
- Supports all your application software (no upgrades required)
- Works with EGA, networks, accelerators
- Compatible with Rampage, AboveBoard, and other memory expansion
- Fills conventional and extended memory
- Top off a PC-AT to 704KB of DOS... *plus*

Advanced Features

- Install and execute RAM resident programs, network drivers, and other control programs above 640KB
- Multiple print spoolers support up to 3 parallel printers simultaneously while you work
- Multiple RAM disks can be installed and sized as required
- **Programmers:** Install and execute Code in HiPage™ above DOS

It's not how much you have, it's how you use it! Take a closer look and see what the HiCard Memory Board can do for you.

2 Year Warranty on Parts & Labor
Made in U.S.A.
COMPATIBLE WITH IBM PC/XT/AT AND COMPATIBLES RUNNING DOS 2.0 OR LATER
*HiPage Utility Software included

Call your local computer dealer or

RYBS Electronics, Inc.
303-444-**RYBS**
303-444-6073
P.O. Box 4521
Boulder, CO 80306

CIRCLE NO. 146 ON READER SERVICE CARD

route to ensure the desired direction of routes on the final design. The layer pairs chosen are COMP and SOLD, INT1 and INT2, INT3 and INT4, and so on. In each pair the route direction is horizontal for the first layer and vertical for the second. Although this is acceptable in a PC router of this level of maturity, users sometime will want to specify the layer pairs themselves.

The terms *short* and *long* refer to the physical span length of a subnet (a part of a net). The subnet, usually the section between two pins, is a basic algorithmic unit that is used in generating wiring routes. Subnets are sorted from the shortest physical distance to the longest, or vice versa, according to the order that is selected. The router attempts to route each subnet in that order. The short-to-long selection typically connects more subnets, but may leave some very difficult, long subnets to route in PC-CARDS. In long-to-short routing, PC-ROUTE may not complete as many, but the short subnets left incomplete may be easier to connect. The user makes such a choice based on the particular design. The route speed parameter controls the time a router takes to search before either giving up on a subnet route or accepting an apparent solution. The trick is to determine if the quality of a board will suffer from the use of a fast route.

The *wavefront*, a display choice, describes an image of the router's search and decision pattern as it operates. The actual display always shows the status of the route and the current subnet vector. If the display is increased to show completed routes, the router slows down; if it also is requested to display the wavefront (see photo 2), it slows down even more.

The detailed routing parameters screen has seven sections: Routing grid definition, Via sites, Via lattice definition, Route search area size, Passes per layer pair, Costing, and Stub length. Selecting Routing grid definition allows the user to define the major routing grid and three acceptable offsets from that grid. This is to accommodate two or three traces between chip pads on grids that are not uniform. Any of these parameters can have different x and y specifications for nonuniform routing grids that predominate in a given axial direction. The concept is good, but three offsets is limiting.

Choosing Via sites permits vias to be placed on any grid point or only on a defined lattice (which is similar to a PC-PLACE lattice). This lattice must be incremented in subsets of the main routing grid, a limitation for dense routing designs. If the routing grid is 20 by 20 DBUs, a via grid of less than that is unacceptable. The limitations of three offsets diminishes the flexibility for positioning the via lattice.

The Route search area parameter designates the number of grid points outside of a rectangular area (or a straight, orthogonal line that is formed by two pins to be connected at the extreme corners) that the search can be conducted for a suitable pattern. This parameter could be increased as the router is used in successive trials to complete more routes on a partially completed design. P-CAD defaults this value to two grids—too many for the first pass. The router expands this area by two times the value for a second pass, four times the value for a third pass, and so on. Users might want to use zero expansion on the first routing pass, then change to one or two grid expansions and go for multiple passes.

The Pass per layer pair section defines the number of times the autorouter will continue to cycle through unrouted subnets in its attempt to route them on a given layer pair. The default is set to two; but the number the user sets will depend on the design itself and the user's experience with the tool.

SMILES FOR CHRISTMAS

Only the thrill of giving can rival the excitement and appreciation your favorite programmer will feel while opening your thoughtful gift of JACK™, The Resident Program Developers Kit.

JACK contains everything required to easily create RAM resident software without the problems of DOS re-entrancy, memory management or windows.

JACK FEATURES:

Virtually any EXISTING C or ASSEMBLER program can be made memory resident without any modification to the existing source code.

Screens are automatically saved when popping up and restored upon popping down.

Your choice of Hotkey and interrupt vector for program use.

You can issue DOS function calls and perform disk I/O in your memory resident program.

No more system crashes and lost data. All programs developed with JACK will peacefully coexist.

JACK applications can be loaded and popped-up in any order.

Programs developed with JACK will not become obsolete because JACK does not make any use of undocumented DOS calls. [JACK requires DOS Version 2.0 or higher]

And just in time for Christmas, CrackerJack would like to introduce BEYOND, a library of memory management and service routines for the Intel Above Board. Now all of your programs can take advantage of expanded memory. With our library and Intel's ABOVE Board, your programs can go ABOVE and BEYOND their previous limitations.

To Order, please send $199.95 [US] + S/H for JACK or $49.95 [US] + S/H for BEYOND by certified check or international money order to:



Crackerjack Microsoftware Corporation.
200 Bay Street PO Box 86,
Toronto, Ontario M5J-2J2
Canada.

(416) 865-9621.

When ordering, please specify either the assembler version or C version of JACK and indicate the vendor and release level of your compiler.

CIRCLE NO. 253 ON READER SERVICE CARD

JACK, CRACKERJACK and BEYOND are registered trademarks of CrackerJack Microsoftware Corporation, Intel is a registered trademark of Intel Corporation, Microsoft and MS-DOS are registered trademarks of Microsoft Corporation.

The Costing section is another important control. Here the user establishes factors that guides the router's decision process. PC-ROUTE has three cost variables—for right-way routes, wrong-way routes, and vias. Right way is the arbitrary routing direction for a given layer, either horizontal or vertical. Users may like the concept, but they will not like the process required to change the parameters in the middle of a route: the route must be aborted, changed, and restarted, or data must be reextracted from a completed route with a new strategy selected. This tends to require a deeper knowledge of the software than the manual provides.

Another control is the Stub length section. With this control, the user specifies the maximum length of a trace that will connect to a via or vertex when it extends from a pad with two connecting traces. The Edit wiring rules selection from the Edit routing strategy screen is also a two-tiered situation. The first tier is the wiring rules; the second is their application to discrete nets. PC-ROUTE lets the user create as many as 10 named rules that specify the trace width in DBU and clearances in grid units. If a rule that has a zero width trace and zero clearance is created and applied to a net, the net is not routed by the autorouter. The wiring parameter of a net is specified by net name and the corresponding rule name. A maximum of 10 nets may be specified. If the net is not listed, then it is routed with the rule that appears first on the rules screen (as a default).

The other area of rule specification is Edit pad clearances (from the Routing strategy menu). This is where pin clearances are defined for the pin types, 0 to 24. The user specifies, in graphic form, where the autorouter can place traces and vias in relation to a pin of a given pin type and, by extension, its final pad. These blocking rules are depicted as two 11-by-11 matrices of zeros denoting available grid points around a plus sign, in each matrix center, designating the pin location. One matrix is for trace blocking, the other for via blocking. The user changes the zeros to ones to block the grid point from use.

The pin blocking rules menu has another subset that allows the rules to be specified on the basis of pin type and database layer. The layers correspond to the layer pairs selected in the strategy. This provides the ability to restrict trace and via placements—for example, trace placement on the solder side—by blocking an extra channel on this layer. This alleviates any solder bridging at manufacture and assembly. These items, once set, are saved in a routing strategy file.

The next action is to route the PCB. Choosing Route invokes a menu to begin the router. This menu lets the user specify whether to extract the data from the input database; if the route is new, or a restart, or to be done at all; whether to save the results; and under what name they should be saved.

Upon first entry to the router, the user is generally not concerned with the choices of this screen. If this is to be a restart or other action, then the user has to toggle the selections. The manual, however, does not explain the impact of the Extract data, Route, or Create routed database choices. One Route choice, Restart, is mentioned, but only in the context of an aborted route later in the manual.

Any route that requires the extraction of data takes a substantial amount of time to execute. During this operation, PC-ROUTE passes messages to the user explaining what is happening. If no errors have occurred, it records this information to a report file and continues. Otherwise it aborts and posts the errors to the file. PC-ROUTE must be exited for the user to view the file and determine the corrective action.

C Cross Compiler 68000/08/10/20

Now Generates: Position Independent Code

Features:

- Full, Standard C
- Easy to Use Compiler Options
- Complete User Documentation
- Global Code Optimization
- Optional Register Allocation Via Coloring
- ROMable and Reentrant Code
- Comprehensive Royalty Free Run-time Library
- Floating Point Library Routines
- Intermix MCC68K C with ASM68K Assembly Language or Microtec PAS68K Pascal
- Optional Assembly Language Listing Intermixed with MCC68K C Source Line Number
- Symbolic Debug Capability

The Microtec MCC68K C Cross Compiler is a complete implementation of the 'C' programming language as defined in The C Programming Language by Kernighan and Ritchis with extensions.

MCC68K emits highly optimized assembly language code for the Microtec ASM68K Motorola compatible assembler.

The Microtec MCC68K package includes the compiler, relocatable macro assembler, linking loader, run-time library, and comprehensive user's guide.

Host computers include: DEC VAX, DG MV-Series, Apollo, IBM PC and PC-compatibles..

We're **Functional** and **Fast** and **Serious** about our products. We've been providing flexible and economical solutions for software developers since 1974.

Beginning with product concept, through development, quality assurance, and post-sales support - **Quality, Compatibility** and **Service** are the differences which set Microtec Research apart from others.

If you're a serious software developer, shopping for software development tools, call or write today for more information:

800-551-5554,
In CA call (408) 733-2919.

3930 Freedom Circle, Suite 101, Santa Clara, CA 95054
Mailing Address: P.O. Box 60337, Sunnyvale, CA 94088

MICROTEC® RESEARCH

A successful extraction then leads to the successive messages allocating model, building model, building maps, ordering routes, and the chosen display screen. Again, the process continues only if fatal errors are not encountered. If an error is encountered, the chances are good that the user will be prepared to handle it. The P-CAD documentation includes some 65 pages of error messages, covering 136 categories, with 86 fatal and 24 system errors that say simply, "Call P-CAD."

Once PC-ROUTE progresses to routing, the probability of an abort due to error is substantially reduced. The route status screen provides good information, informing the user of the total layer pairs, the passes for each layer pair, and the total subnets to be routed. It provides the elapsed time, the number of subnets that have been routed, and the percentage of routed subnets. The display lists the current layer pair, pass, and subnet route being attempted. The graphic display of the route, with its wavefront option adds a proportionate amount of time to the router performance. After the router has attempted to route the unrouted subnets, it seeks to minimize vias, a marginal effort, but it does help—this is not a "rip-up-and-retry" router.

When the route is complete or is aborted by the user, PC-ROUTE extracts the data from the route and creates the output database. This creation also adds a layer (called $CONT) or updates $CONT if it has already been created. This layer contains the ratsnests of any nets that failed to connect. Then the main menu is called.

PC-ROUTE cannot be confined to route the nets in a certain area, as some autorouters permit. The BARALL layer and net rules could force some such control, but this is not the best way to accomplish the job. For testing, several PCBs in the 60- to 75-chip range were routed using PC-ROUTE. Each PCB was tried multiple times with various strategies. The router easily completed more than 85 percent of the routes on one track designs. It completed more than 97 percent on a two-track version, having been stopped only by a lack of sufficient available memory from possibly achieving a 100-percent route.

The bottom line is that PC-ROUTE can perform usable routes. Considering that it is a "first cut" router on a PC, the power of this tool is noteworthy. It works with digital designs, especially smaller designs within the scope of PCB-3. It also can succeed with well-placed analog designs. Both PC-PLACE and PC-ROUTE, however, require significant improvement in their documentation to really unleash their power.

END TO END

PCB-3 is an end-to-end system in a limited sense—limited in that it requires the user to intervene with non-P-CAD tools, or extra design efforts in areas that should be automated for error-free results. These limitations include true GND and PWR plane support, incomplete reference designator support, incomplete power and ground support in digital schematic libraries, special requirements for modification of the back annotation files, incomplete graphics, the lack of direct Gerber support, and inadequate analog support in placement and autorouting. Without the intervention to add necessary changes, it is easy to lose the continuity required of true end-to-end CAD. The documentation, consisting of manuals and charts, examples and lessons, is not up to the caliber of a mature product. The inability to view Gerber data before committing to plot it on film is a particularly unfortunate omission since the film cycle is not usually controlled by the user.

In the final analysis, PCB-3 1.3 is a fairly mature product for a first-generation end-to-end electronic CAD system that works on a PC.

Some of the shortcomings of PCB-3, such as the inability to view part attributes, can be overcome with the use of P-CAD's PDIF product, available at an additional cost. However, the introduction of yet another module into the design cycle may be adding complications to a product that is already intricate.

The security device is a great inconvenience. It is attached to one of the serial ports, but the device is not always transparent to other applications. Sometimes this can be cured by removing the power supply cable and reinserting it. (In a few test instances, even a third security device supplied by P-CAD would not allow any other application to run at all.) It is unsatisfactory to have a copy-protection device so intrusive as to require the disconnection of cables on the back of the unit so that the computer can be used for other purposes.

PCB-3 is not cheap—about $15,000 before the cost of libraries and maintenance is added in. Some other systems cost the same or more. But a very capable crop of under-$2,500 systems is waiting in the wings; of course, they will have to mature, but it may be just a matter of time until they catch this product. Another aspect to consider is that maintenance and support should be included. The P-CAD standard warranty of 90 days includes free updates during that period. For a software product of such complexity, a minimum of two years should be the rule, five years if the company really believes in the product. P-CAD sells a maintenance agreement with the system. Without a corporate discount, the maintenance cost will be about 12 percent of the system cost per year. A maintenance agreement buys priority, high-level BBS access, discounts, and updates during the period. Considering the claims of software performance and quality, the supposed ease of operation, and that PCB-3 is still evolving to meet P-CAD promises, this is a usurious charge.

The training that should be free for such an investment instead costs $2,100 per user (plus hotel and airfare) and takes eight days. The classes are taught at the P-CAD offices, and include instruction on all PCB-3 programs.

P-CAD also needs some improvement in providing good maintenance to purchasers—not in handling customer inquiries or problems, but in notifying users when a program bug is discovered. The bugs are not listed on the user BBS. It would seem that $15,000 should be enough to ensure prompt notification of such problems.

Granted, P-CAD has invested a great deal of time and effort into this product, having spawned many unique and effective capabilities. The package has a lot of CAD ability, and it has maintained its integrated approach throughout its development to date. In the final analysis, PCB-3 release 1.3 is a fairly mature product for a first-generation end-to-end, electronic CAD system that performs on a PC.

PCB-3 1.3: $14,950
Personal CAD Systems, Inc.
1290 Parkmoor Avenue
San Jose, CA 95126
408/971-1300
CIRCLE 341 ON READER SERVICE CARD

Richard Angell is the president of Richard Angell Consultants, a firm that specializes in microcomputer CAD applications, operations, and management.

CUSTOM DESIGNED REPRINTS

When your product or company is covered by this magazine, you can order custom designed reprints* for use in promotional mailings, sales kits, press releases and point-of- purchase displays.

For more information on how you can take advantage of this wonderful promotional opportunity, call or write:
Jennifer Locke— Reprints Manager,
Ziff-Davis Publishing Company,
One Park Avenue, New York, NY 10016
212-503-5447.

*Minimum quantity—500 reprints.

VTEK™ 3.1

VT100/VT52 & Tektronix™
4010/4014 Terminal Emulator

Excellent emulation and the features you want:

- → use 4096 x 3120 resolution
- → zoom, pan, and window plots
- → high resolution printer dumps
- → choose text and plot color
- → transfer files with XMODEM and Kermit protocols
- → scroll last 4 pages of text
- → 132 column VT100 capability
- → 18 User-definable keys
- → capture plots and text on disk
- → full or half duplex
- → access to DOS commands
- → all VT100 keypad commands
- → command line editing
- → fast direct screen access
- → password security

VTEK makes your PC better than a terminal

$150 from Scientific Endeavors


GraphiC™ 3.0 in Color

Publication Quality Graphics for
Scientific and Technical Applications

- → linear, log, & polar plots
- → bar charts & Smith charts
- → contour plots with labels
- → 3-D curves, 3-D surfaces with hidden line removal
- → 4 curve types, 8 markers
- → 14 fonts, font editor
- → multiple levels of super/sub scripts
- → 4096 x 3120 resolution
- → zoom, pan, window plots
- → multiple plots on a page
- → high resolution printer dumps, full or half page
- → plotter support in COLOR

16 color plots on EGA, Sigma, TeleVideo & Tecmar boards
Over 100 routines can be called by your C program. $350. Demo $8.
SOURCE INCLUDED for private use only.
For DeSmet, C-86, Aztec, Lattice, and Microsoft C compilers.

Scientific Endeavors
Route 4, Box 79; Kingston, TN 37763
(615) 376-4146



For 256k IBM and Corona PCs, DOS 2.xx,3.xx.
Epson, Okidata, Toshiba, C. Itoh printers.
Hewlett Packard, Houston, Sweet-P plotters.
Corona Laser printer. IBM, IBM EGA, Sigma, TeleVideo, Tecmar, Hercules, Corona graphics.
A compatible assembler is required.
THIS AD WAS MADE USING GraphiC™

CIRCLE NO. 187 ON READER SERVICE CARD

NEW FILEMOVER
by California Jack Cassidy
$59.95 (IBM PC, XT, AT or clone, 256K min.)
Not copy-protected, includes Source Code

FILEMOVER™ is perfect for Copying or Moving all types of files from disk to disk (or directory to directory). Reorganize your disk library and make back-ups without hassle. FileMover is easy to use and menu driven. Hard disk compatible too. **Subdirectory structure is preserved** when files are copied. And, if your destination disk fills up, you can continue on another disk.

FILE SORTER: Automatically alphabetize directories by file name and/or extension. Transfer files to other disks in any order.

FILE DISGUISER: Hide/unhide files so only you know they exist. Alter file names, dates and times. Convert files to Read-Only status. Inspect files in Hex-ASCII format...

QUICKSORT: DOS's sorter is extremely s-l-o-w on anything but small jobs. FileMover's sorter is one of the *fastest* anywhere!


Bonus–FOREVER FILE DELETER


Did you know that files you have "deleted" often *stay on your disks*, just waiting for someone to snoop through or undelete? FileMover's Super-Deleter totally ZEROES OUT unwanted files so they don't exist. Period.

Free Turbo Command Chart

All of those *Turbo Pascal™* functions and procedures on one chart that always stays in front of you. A great PC programming tool.

NEW MINIPIX DISK#2
200 New Graphics for IBM PRINT SHOP™. . . $34.95






Beagle Bros MICRO SOFTWARE


3990 Old Town Ave. / San Diego, CA 92110
619-296-6400

Products available at Software Stores or by mail:
Order Toll Free (Mon.-Fri., 9am-4pm Pacific Coast time)
1-800-345-1750 (Calif: 1-800-992-4022)
Add $2.50 shipping ($5.00 overseas), $3 COD, 6% if Calif.
All items in stock and shipped immediately.

CIRCLE NO. 107 ON READER SERVICE CARD



The 3-in-1 applications development



Presenting the first database applications development tool that delivers the promises of 4th-generation languages on the microcomputer. Now you can develop business applications with a richness of features, the high-standards of performance, the ease-of-use, and the maintainability that you demand.

It's SIMPLE Software.

SIMPLE delivers the new absolute "best balance" of power and ease-of-use for everyone from users frustrated with the complexities of so-called powerful command languages to computer professionals harried by time-consuming procedural development techniques.

SIMPLER THAN EVER BEFORE.

You can jump right in at virtually any level of experience and unleash the full processing power of the PC easier than ever imagined.

SIMPLE has a totally non-procedural way of doing things that literally flattens-out the learning curve. Its unique and innovative user-interface makes you more productive from the word "go." You can automate everyday business tasks or prototype new applications without ever having to write a single line of procedural code.

If you are an experienced programmer, SIMPLE takes you farther faster. SIMPLE allows you to apply your skill and experience to achieve higher levels of productivity. And if you are developing mainframe applications, SIMPLE is the perfect prototyping tool. It combines ease-of-use, speed, and high-quality system documentation for your applications development on large systems.

YOU GET 3-IN-1.

SIMPLE stands for SYSTEM IMPLEMENTATION by EXAMPLE.™ It's an easy-to-use applications *design tool,* a powerful *relational database manager,* and a non-procedural, full-featured *applications generator.*

1. It's a Design Tool.

SIMPLE allows you to quickly prototype applications on the microcomputer. You can sit right down and draw, edit, and specify, processing logic with a few key-strokes.

SIMPLE's unique human engineering aids you in the process of structured design by organizing your development efforts in a building-block fashion. For less experienced developers, this built-in process literally guides you through the entire applications development process. This same structure enables experienced developers to move quickly and easily from task to task.

2. It's a Relational Database Manager.

SIMPLE offers exceptional speed performance because it is written in Assembler and incorporates a highly-optimized B-tree data access method that eliminates record sorting.

SIMPLE uses a dynamic single-record index. You can have an unlimited number of indices in any record. Each index may be either a single or concatenated key. SIMPLE's efficient, automatic up-date indexing schema optimizes record retrieval and minimizes development efforts.

SIMPLE's relational joins are easy to construct and the most efficient to process. Rather than a physical view, you get a logical view without the need to create an additional physical file at any time. Joins are accomplished dynamically at time of processing and support one-to-many and many-to-many relationships.

With SIMPLE, database management becomes more than just a question of "how many" files or "how many" fields, but a question of "how much more" you can do, and "how easily" you can do it.

3. It's an Applications Generator.

It is the most practically functional applications generator on the market today. SIMPLE is a completely non-procedural applications generator, never forcing you back to procedural methods, letting you accomplish even the most complex data-based applications in the most easy-to-use-and-understand fashion.

A SINGLE, VISUAL 4GL LANGUAGE.

Uniquely, every step in program development from input screens, to reports, to complex processing logic is accomplished in SIMPLE's three all-visual worksheets. It is fully non-procedural and totally picture-oriented. Design right on the screen, and SIMPLE's built-in pattern-recognition logic automatically generates all the application code for you. You never have to leave SIMPLE's 4GL non-procedural technique. SIMPLE creates solutions right in front of your eyes making it a picture-perfect application development environment.


POWERFUL & EASY-TO-LEARN WORKSHEETS.

Now, here's how to turn "do-it-tomorrow" backlogs into "done-yesterday" working programs.

SIMPLE provides three worksheets — a File Worksheet, Specify Worksheet and Design Worksheet. Developing a program in SIMPLE requires you only to define a file; SIMPLE creates the basic program for you. You can enhance the program on SIMPLE's Design and Specify Worksheets.

In the Design Worksheet, you simply paint or draw an example of the input screen or report you want. The Design screen may be painted exactly the way you want it using SIMPLE's built-in editor.

IBM PC is a trademark of International Business Machines. System Implementation by Example is a trademark of Software Merchants Unlimited.




tool for every Tom, Dick and Harriett.



For Example, Company Managers like Tom, Head of Customer Support for a Chain of Retail Outlets, easily develop customized applications. SIMPLE lets Tom develop a Branch Reporting System which reports information from support service calls. Tom wants a system which validates certain information and provides a customer history to improve the branch's support capabilities. With SIMPLE's Specify Worksheet on screen, Tom simply joins data from four different files and establishes their relationship. This enables the user to pull-up call classifications, also verify if the caller has been called on before.



For Example, Information Center Staff Members like Dick, who works for a major Computer Hardware Manufacturer, develop new microcomputer applications systems with SIMPLE. Dick is working with the Director of Marketing on a lead-tracking system. Today, they're reviewing the data entry screens developed with SIMPLE. Dick sits down to review the main data entry screen which shows the prospect demographic information, the media source and date from which the lead was generated, and the fulfillment literature to be sent.



For Example, System Analysts/Programmers like Harriett easily prototype design changes, interacting directly with department heads. Harriett has completed the prototyping with the help of SIMPLE of some previously requested changes in a large Insurance Company's Mainframe Payables System. She has built a test database with data imported from the mainframe and is going to review a check-ledger report in the Controller's office on her portable computer. Harriett shows the Controller exactly how the new system gives a report of all checks issued.

The full-screen editor offers a wide range of capabilities to aid you — including the ability to delete or insert a character or an entire line, move or copy blocks of information, lasso text or variables to move around the screen and window to other worksheets in one or two keystrokes.

Your design worksheet invokes powerful specification macros that provide your application user with a richness of features and functionality that you demand from a development tool. Pop-up a window and browse through another file, interrupt data entry to perform another program, provide context-sensitive help, and perform conditional processing based on the user's input.

SIMPLE's sophisticated, built-in pattern-recognition logic automatically creates your program.

In the Specify Worksheet, you implement your processing logic. No longer do you have to fall back to procedural programming to get the processing power you need. Range checking and data validation are easily implemented, visually. Conditional processing statements are quickly set up. Arithmetic operators, date operators, and a full set of string functions are available. You specify an example of how you want your data processed, and SIMPLE creates the program.

POWERFUL & EASY-TO-WORK-WITH MENUS.

SIMPLE gives you unlimited design flexibility in "point-and-shoot menu" creation. You have the total freedom to build menus before, during or after development, unmatched in other systems.

SIMPLE, SIMPLER, SIMPLEST.

The SIMPLE software package — with SIMPLE's Program Disk, Help Disk with an on-line tutorial, and easy reference User's Manual — is available for $395.00. It has a 30-day money-back guarantee and includes 90 days of the most user-friendly tech-support you'll find in the industry.

Ask for SIMPLE at your computer dealer. Or call us direct for the dealer nearest you and a full-functioning SIMPLE demo package with a Quick-Start manual for only $9.95.* Call 800-874-6753, in California 800-826-3069.

*Includes shipping and handling. California residents add sales tax.

SIMPLE

*SYSTEM **IMPL**EMENTATION BY **E**XAMPLE™*

Published by Software Merchants Unlimited

Software Merchants Unlimited
2252 Fillmore Street, Suite 401
San Francisco, California 94115
415-567-5071

CALL TODAY 800-8 SIMPLE

CIRCLE NO. **120** ON READERS SERVICE CARD

KORROS-DATA

PROFESSIONAL INDUSTRIAL COMPUTERS LOW PRICED YET HIGH RELIABLE

100% IBM compatible, Phoenix Bios



Technical Data : Professional 286-10


Intel 80286 Microprocessor 8/10 MHZ

- Math coprocessor (80287)
- Seven channel DMA
- 16 level interrupt
- System clock
- Three programmable timers
- 64 kB ROM
- One MB RAM on board
- CMOS RAM for system configeration
- Real time clock
- Battery backup for CMOSRAM
- Eight slots
- Two parallel printerports
- One serial port
- Floppy drive 1.2 MB
- Rugged hard disk drive 20 MB/30MB
- Enhanced graphics adapter 720 x 350/16 (64) colors
- EGA compatible high resolution monitor
- Membrane type keyboard IBM-AT compatible, 98 keys

80386 32 Bit AVAILABLE

- Without floppy drive
- With two floppy drives
- 3.5 inch disk drives available
- uninterruptable power supply
- Bubble memory
- Custom designed hardware add ons
- Special analog preamplifiers
- Power amplifier outputs
- Telephone modem for service
- LAN's available
- Air conditioning

Runs with MS-DOS 3.1 or higher and can handle all software products available for PC/AT systems



- Energy Management
- Laboratory automation
- Pressure Measurement
- Flow Measurement
- Level monitoring and control
- Product testing
- Data logging
- Process Control
- Servocontrol
- Robotics
- Chromatography
- Signal Analysis
- FFT
- Vibration Analysis
- Transient Analysis
- Your special application

12-bit to 14-bit AD/DA cards designed for industrial applications with I/0 lines, frequency counters and individual preamplifiers per channel are available.

KORROS-DATA delivers turnkey projects

KORROS-DATA of America Inc.
797 San Antonio Road
Palo Alto, CA 94303
Tel. (415) 858 2866
TLX 33-4959 APTECH PLA

Circle No. 226 on Reader Service Card

Registered Trademark: IBM-International Business Machines Corp.

Jump Searching Linked Lists

A method of jump searching allows programmers to create large, doubly linked lists in Pascal and perform rapid searches.




ILLUSTRATION • MACIEK ALBRECHT

When using dynamic variables to store sorted data, programmers often are faced with the dilemma of selecting an efficient storage and search process. They usually arrange the data items in a doubly linked list, because the code to add or delete items in a linked list is simple and fast. Unfortunately, search times for very large lists can become immense and impractical.

When fast searching is needed, programmers frequently choose a B-tree structure. Search times for even the largest tree are short, but the code required to manage insertion and deletion in a tree is bulkier and more difficult to code than that of a linked list. If many insertions and deletions are necessary, the tree becomes unbalanced and search times increase. The time and space needed to balance a tree often negate any speed-up in searching times, thus making trees unsuitable when large numbers of inserts and deletes are taking place.

A solution called *jump searching* can be used with any doubly linked list that contains sorted data. The performance of jump searching falls between that of sequential searching of simple linked lists and searching of trees. The benchmark results summarized in table 1 show jump searching to be an average of 40 times faster than a sequential search of a 10,000-element linked list. The set-up time for jump searching is very short, giving it an edge over trees for lists that are updated frequently.

The theory behind jump searching is simple. Imagine a 10-page list of sorted names. A purely sequential search of this list starts at the first name and then looks at each name on the list one after another. The search ends when the desired name is found, or when the search goes beyond the name in alphabetical order.

Most people do not search this way, however. They usually look at the first name on each page, jumping from page to page until they pass the name they are looking for. Then they back up to the previous page and scan down to find the desired name.

Jump searching works in just the same way. A linked list of *jump nodes* is created with each node acting as an imaginary top of a page. For maximum efficiency in a doubly linked list of **n** items, **sqrt(n)** pages or jump nodes should be created, each holding **sqrt(n)** separate items of the list. If **n**=10,000, there should be 100 nodes with 100 items between each node. A coarse search can be done by jumping from node to node, just as a person goes from page to page. Once the closest node is found, a fine search can be performed on individual data items—at most **sqrt(n)** of them.

Listing 1 demonstrates the code needed to implement jump searching. The program is comprised of three steps. First, a standard-sorted, doubly linked list is created. The jump nodes are then created so that jump searching can be used. Each node consists of a pointer to an actual data item in the list, as well as a pointer to the next jump node. This structure is illustrated for a 16-item doubly linked list (figure 1).

Once the nodes are created, the list can be jump searched. A coarse search moves from jump node to jump node, examining the data pointed to by the data pointer in each jump node. This is done until a jump node is found that points to a data item greater than or equal to the item to be found (equivalent to being one page beyond the desired item). A fine search then moves backwards through the actual data items, examining each list element in the normal manner until a match is found, or until the search data is discovered to be greater than the list data at the search point.

Once a set of jump nodes has been created, the linked list may be manipulated normally. Insertions are done just as in any doubly linked list. As the list is subjected to more and more insertions and deletions, however, the distance between jump nodes will become unequal and search efficiency for the larger regions between nodes will suffer. This is equivalent to the problem of an unbalanced tree and is remedied in similar fashion—by disposing of the list of jump nodes and generating it anew. As shown in table 1, the amount of time needed for this balancing is quite low.

Deletions are only slightly more complicated. No jump node should point to a specific data item that is being deleted. If it does, the data pointer in the jump node should be moved to an adjacent data item.

Can a small company with some exciting solutions for micro-mainframe communications take on a giant corporation like IBM and win?

Of course not. We'd be crazy to even try. IBM® is the standard. And it's becoming more so every day. That's why our powerful 3270-PC® Emulator is true blue. And that's why our emulator is the only system available that is compatible with IBM's 3278/79® Emulation Adapter.

Attachmate is IBM compatible and we plan to stay that way. But compatibility doesn't mean that we can't improve on a good idea. That's why our emulator does a few things that the industry standard doesn't do.

Our 3-N-1™ Adapter is IBM *and* IRMA® compatible. It also gives you multiple sessions, windows, file transfer, graphics and IBM-standard API. And with Attachmate, you can mix coax, remote SDLC, and LAN workstations in the same network and make it work.

There are some other things that we do to give you more than IBM. You can find them out by asking for our free *Quick Reference Guide for Micro-Mainframe Communications*—complete with a chart comparing IBM, IRMA, and Attachmate.

1-800-426-6283

Attachmate


Micro-Mainframe Technology:
We put our heart in it!

Attachmate Corporation
3241 118th S.E.
Bellevue, WA 98005
(206) 644-4010

Copyright ©1986, Attachmate Corporation. 3-N-1 is a trademark of Attachmate Corporation. IRMA is a registered trademark of Digital Communications Associates, Inc. IBM, 3270-PC, and 3278/79 are registered trademarks of International Business Machines Corporation.

CIRCLE NO. 165 ON READER SERVICE CARD

FIGURE 1: *Data Structures for Jump Searching*



The jump nodes are in a separate list of pointers linked into the doubly linked list of data to be searched. Efficiency is highest when the distance between the jump nodes is identical and equal to the square root of the number of items in the list.

TABLE 1: *Jump Search Benchmarks*

NUMBER OF ELEMENTS	SEQUENTIAL SEARCH TIME	JUMP NODE SET-UP TIME	JUMP SEARCH TIME	SPEED-UP FACTOR
100	.11	.05	.05	2.2
500	1.43	.11	.22	6.5
1,000	5.55	.17	.44	12.6
5,000	138.20	.55	4.89	28.2
10,000	552.86	.93	13.74	40.2
13,000	929.56	1.15	20.16	46.1


All times are in seconds. Tests run on an IBM PC with 640KB of RAM.

The time required to create the linked list of jump nodes (equivalent to rebalancing a B-tree) is negligible compared to the time required to perform the search, and could conceivably be performed before every search of a large list.

A jump search on a list of 10,000 elements would take, on the average, 100/2=50 examinations using jump nodes and then another 50 examinations of actual data items, for an average of 100 examinations. A purely sequential search would take an average of 10,000/2=5,000 examinations to find any data item. A balanced binary tree would take $\log_2(10{,}000)$, or approximately 14 examinations. The balancing time for very large trees can be quite long, however, and when trees are modified frequently, they become unbalanced very quickly.

Table 1 shows benchmarks comparing sequential-searching times with jump-searching times for variously sized lists. The table was created using the code in listing 1. This code creates a doubly linked list; each element in the list contains an integer. The integers start at 1 and increase by 1 to the total number of elements on the list. This doubly linked list is then searched, looking for every 11th item. For example, in the case of a 100-element list, 100 elements are created, each sequentially containing the numbers between 1 and 100. The program then searches for the numbers 1, 12, 23, . . . 100. The timings indicated that for large lists, jump searching is a significant improvement over sequential searching and close enough to B-tree searching to be worthy of consideration.

Marshall Brain, a graduate student in computer studies, is an instructor at North Carolina State University in Raleigh.



Introducing The Most Important Programming Development Since The Introduction Of C:

ADVANTAGE C++

Exclusively From LIFEBOAT For PC/MS-DOS

Finally there's a programming language that enhances C, instead of making it obsolete! **ADVANTAGE C++**, developed by AT&T, is a major programming breakthrough. By introducing the concept of classes, it enables C programmers to use object-oriented programming methods. **ADVANTAGE C++** gives you greater efficiency, flexibility and reliability than ever before—and allows you to more productively build large and sophisticated applications.

ADVANTAGE C++ All The Benefits Of C Without Its Limitations!

- Opens the door to object-oriented programming.
- Allows programs with greater resilience and fewer bugs.
- Lets you write reliable, reusable code that is easier to understand.
- Has many enhancements over C, yet maintains full compatibility with existing C programs.

Advantages Only ADVANTAGE C++ Can Give You:

- Operator Overloading—Allows simple, reliable user-designed types.
- Function Name Overloading—Simplifies function names and argument lists.
- Guaranteed Programmed Initialization—Ensures automatic initialization of all data objects before their use.
- Guaranteed Programmed Type Conversion—Ensures consistent conversions from one user-designed type to another.
- Optional Strong Type Checking—Weeds out type mismatches at compile time.
- Classes—Similar to structures; provide syntax for user-designed data types and encapsulation of access functions with data objects.
- Data Abstraction—Makes code easily reusable and more resilient.
- Data Hiding—Improves software reliability.
- Inheritance—Enables generic code written for more abstract types such as 'list' or 'windows' to be used by more specific types.
- Constant Data Types—Prevent inadvertent alteration of fixed values, such as hardware addresses.
- Reference Data Types—Improve the efficiency of argument passing.
- Inline Functions—Remove the overhead of calling external functions.
- Heap Management—Simplifies the use of dynamic memory.

Why be limited to just C...when you can have all these pluses! **ADVANTAGE C++** includes libraries for stream I/O and complex math—and versions are now available for Lattice C and Microsoft C. Call today to order or to obtain a complete technical specification sheet:

1-800-847-7078
In NY: 914-332-1875

LIFEBOAT

The Full-Service Source for Programming Software.

CIRCLE NO. 163 ON READER SERVICE CARD

New "WONDER" PLUS

The NEW STANDARD in the World of DOS "Shells"

FILE MANAGEMENT - "Power Beyond DOS"
1dir+ is the most powerful and flexible DOS utility available. Without customizing it at all, it gives you a set of tools that enable you to organize and manage your directories and files, beyond the limitations of DOS and other system utilities.

Its functions include all the necessary "standard" commands for copying, erasing, moving, renaming, viewing, editing, locating... files. **1dir+** also includes a Directory Tree making it easy to change, create or remove directories.

Regain wasted space by deleting ALL your BAK files in a single operation, or by finding and erasing duplicate copies of files in different directories. Back up and Restore directories by selecting them from the Directory Tree. The list goes on...

The "Faces" of **1dir+** gives you eight instantly available screens to display the information the way YOU want it. They range from the simple Menu Only Face, to the powerful Global Directory Face.

MENUING System - "Have it YOUR Way"
1dir+'s Menuing system enables you to customize YOUR system to suit your needs and applications. If you're a "power" user, the Menuing System Command Language, nicknamed MuSCLe, gives you the ability to program more powerful commands. (MuSCLe and its compiler are available for a nominal charge.)

VIEW / EDITOR - "Next Best Thing to a Word Processor"
1dir+'s powerful View / Editor enables you to view and / or edit files in ASCII, Extended ASCII and HEX modes. It includes block operations, string search capability variable speed bi-directional auto-scrolling, print options and more.

UNIQUE - "Customized Directory Displays"
The most unique thing about **1dir+** is its Directory Personality feature. Typically, directories include files that you don't need or want to see. The solution - Customize each of your directories with a Personality to show only the files you want, in the order that you want them and within a specified date range. Needless to say, these can easily be changed or disabled as the situation requires.


HELP System - "Making it All Easy"
Not only does **1dir+** provide instant access to context related and general system Help for all its commands, it also gives you the ability to develop your own comprehensive and instanly available Help for any commands that you create, using the Menuing System.

All this in one integrated package, **1dir+**.


SPECIAL INTRODUCTORY OFFER $89.00 + $5.00 shipping
Order before November 30, 1986 - Regular price $119.00

Dealer & Corporate Evaluation units available on written request.
For more information, call (208) 342-5849 or write Bourbaki, Inc.
P.O Box 2867 Boise, ID 83701


Some of the **1dir+** Faces




Menu Only Face



Quick Reference Face



Two Menu Face



Global Directory Face

"WONDER" PLUS

1dir+

BOURBAKI INC.

CIRCLE NO. 248 ON READER SERVICE CARD

LISTING 1: JUMPSRCH.PAS

```
program Jump_search;
{$u-,r-,k+,c-}
{ Marshall Brain       July 17, 1986
  This program implements the Jump Search algorithm.}


type
  num_pntr=^data_rec;
  jump_pntr=^jump_rec;

  {typical data record - forward and backward pointers and data}
  data_rec=record
     nextpntr,prevpntr : num_pntr;
     num  : integer;
  end;

  {A Jump Node consists of a single link forward and a
   pointer to a specific data item.}
  jump_rec=record
    nextjump:jump_pntr;
    data_pntr:num_pntr;
  end;

var
  tempdata,firstdata,lastdata:num_pntr;
  tempjump,firstjump,lastjump:jump_pntr;
  prevtimecx,prevtimedx,timedx,timecx:integer;
  list_size:integer;
  time:real;

  procedure fill_data_list;
  {creates a double linked list of list_size elements on the
   heap. Each record on the heap contains 2 pointers and the
   "data", it this case a single integer.}
  var x:integer;

    procedure append_to_list;
    {appends the next data record to the end of the list. In a normal
     program this would be replaced by insertion and deletion
     routines for the linked list.}
    begin
      {if no records in list, then make current record the first.}
      if firstdata=nil then
      begin
        firstdata:=tempdata;
        lastdata:=tempdata;
        tempdata^.nextpntr:=nil;
        tempdata^.prevpntr:=nil;
      end
      {otherwise append to end of list.}
      else
      begin
        lastdata^.nextpntr:=tempdata;
        tempdata^.nextpntr:=nil;
        tempdata^.prevpntr:=lastdata;
        lastdata:=tempdata;
      end;
    end;

  begin {fill_data_list}
    firstdata:=nil;lastdata:=nil;
    {This demo uses simple data in the linked list - a set of
     consecutive integers. Note that list MUST be sorted to use
     the jumping technique.}
    for x:=1 to list_size do
    begin
      new(tempdata);
      tempdata^.num:=x;
      append_to_list;
    end;
  end;

  procedure create_jump_list;
  {Given a sorted linked list, this routine will create a balanced
```


Get the fastest PC accelerator board in the world

FAST IS BEST

Independent tests of major computers proved that the new **STD PC-286 16-MHz** accelerator board's Dhrystone benchmark numbers were astonishing!

YOU CAN ALWAYS JUDGE A PRODUCT BY THE COMPANY IT KEEPS

HARDWARE	DHRYSTONE	ESTIMATED PRICE
PC-286 16-MHz MSDOS 3.0	**3,571**	**$2,995**
IBM 4341-II VM/SP3 WATERLOO C1.2	3,333	$200,000+
VAX 11/785 UNIX 4.3 bsd	2,135	$200,000+
APOLLO DN 660 AEGIS SR9/IX 3.12	1,666	$52,000+
IBM PC/AT 80286 6-MHz MSDOS 3.0	1,250	$5,295

Dhrystone: A set of benchmark tests used to compare the speed of different computers. The Dhrystone Benchmark program is available on disk in ADA, PASCAL and C. The IBM PC/XT which uses the 8088 processor, running at 4.77-MHz, achieves a Dhrystone score of 271.

STD also offers the PC-286 at 6, 8, 10 and 12.5-MHz, along with TOP BOARD the new EMS memory board. For maximum speed, the PC-286 communicates with the TOP BOARD on a 16 bit data bus.

FACTS ARE FACTS

STD has an inviting Corporate Demo Program. We invite you to experience speed. To get your hands on the NEW 16-MHz PC-286, CALL: (206) 820-1873

IBM is a registered trademark of International Business Machines. VAX is a registered trademark of Digital Equipment Corporation. APOLLO is a registered trademark of Apollo Corporation.

STD

Listening to Customers is Our Future

Seattle Telecom & Data, Inc./12277-134th Court N.E.
Redmond, Washington 98052-2429

(206) 820-1873

CIRCLE NO. 123 ON READER SERVICE CARD

```
  jumping list to use for searching.}
var y,x,jump_distance:integer;

  procedure create_jump_node;
  {creates and links in a new jump node.}
  begin
    new(tempjump);
   {point jump records data pointer at current data item.}
    tempjump^.data_pntr:=tempdata;
   {form linked list of jump records by appending onto end of
    jump list.}
    if firstjump=nil then
      firstjump:=tempjump
    else
      lastjump^.nextjump:=tempjump;
    tempjump^.nextjump:=nil;
    lastjump:=tempjump;
  end;

begin {create_jump_list}
  {determine optimal jump distance.}
   jump_distance:=trunc(sqrt(list_size));
   x:=1; y:=1;
  {start with first element of data list.}
   tempdata:=firstdata;
   firstjump:=nil; lastjump:=nil;
  {sequence through entire list.}
   while y<list_size do
   begin
     {every sqrt(list_size) create a jump node.}
     if x>=jump_distance then
     begin
     create_jump_node;
     x:=0;
   end;
   {get next data item in list.}
    tempdata:=tempdata^.nextpntr;
    y:=y+1; x:=x+1;
  end;
 {create final jump node at very end of list.}
  create_jump_node;
end;

procedure jump_search(num_to_find:integer);
var found:boolean;

  procedure coarse_search;
  {the coarse search jumps through the jump nodes looking for
   the nearest match to the data to be found. As soon as a
   jump node is found pointing to a data item >= the item
   to be found, the course search stops.}

  var done:boolean;

  begin
   {start at first jump node.}
    tempjump:=firstjump;
    done:=false;
    while not done do
    begin
     {stop when data item >= num to be found.}
     if tempjump^.data_pntr^.num>=num_to_find then
       done:=true
     else
     begin
       {Also stop course search at end of jump list (last
        element in data list).}
       if tempjump^.nextjump=nil then
         done:=true
       else
         tempjump:=tempjump^.nextjump;
     end;
    end;
  end;

  procedure fine_search;

  var stop:boolean;
  {fine search then goes backwards thru every element in data
   list itself until item is found or item can not exist.}

  begin
   {start looking at jump node coarse search stopped at.}
    tempdata:=tempjump^.data_pntr;
    found:=false; stop:=false;
    while not found and not stop do
    begin
     {if beyond possibility, stop search.}
      if num_to_find>tempdata^.num then
        stop:=true
      else
      begin
        if num_to_find=tempdata^.num then
          found:=true
        else
          tempdata:=tempdata^.prevpntr;
      end;
    end;
    if not found then write(' not found ');
  end;

begin {jump_search}
  coarse_search;
  fine_search;
  {at this point programmer decides what to do with the found data
   item. FOUND will be true if found, and TEMPDATA will point to
   found data item.}
end;

procedure sequential_search(num_to_find:integer);
{standard sequential search routine used
 for comparison in benchmarking.}

var stop,found:boolean;

begin
  tempdata:=firstdata;
  found:=false; stop:=false;
  while not found and not stop do
  begin
    if num_to_find<tempdata^.num then
      stop:=true
    else
    begin
      if num_to_find=tempdata^.num then
        found:=true
      else
        tempdata:=tempdata^.nextpntr;
    end;
  end;
end;

procedure beep;
begin
  sound(500);
  delay(1000);
  nosound;
end;

procedure get_time(var cx,dx:integer);

var result:record ax,bx,cx,dx,bp,si,di,ds,es,flags:integer; end;

begin
  result.ax:=0;
  intr($1a,result);
  cx:=result.cx;dx:=result.dx;
end;

procedure calc_time;
begin
  time:=(timecx-prevtimecx)*65536.0 +
```

```
        (hi(timedx)-hi(prevtimedx))*256.0 +
        (lo(timedx)-lo(prevtimedx));

  time:=time/18.2;
end;

procedure time_searches;

var a:integer;jtime:real;

begin
  write('  Jump Searching list.        ');
  get_time(prevtimecx,prevtimedx);
  a:=1;
  while a<=list_size do
  begin
    jump_search(a);
    a:=a+11;  {use prime number to avoid bias in benchmarks.}
  end;
  get_time(timecx,timedx);
  calc_time;
  writeln('    done. Time =',time:6:2);
  jtime:=time;
  writeln;
  write('  Sequentially Searching list.');
  get_time(prevtimecx,prevtimedx);
  a:=1;
  while a<=list_size do
  begin
    sequential_search(a);
    a:=a+11;  {use prime number to avoid bias in benchmarks.}
  end;
  get_time(timecx,timedx);
  calc_time;
  writeln('    done. Time =',time:6:2);
  writeln;
  if jtime=0 then jtime:=0.05;
  writeln('Jump Searching was ',time/jtime:4:1,
          ' times faster for a ',list_size,
          ' element list');
end;

procedure setup;

var error:boolean;

begin
  clrscr;
  gotoxy(1,5);
  writeln
  ('This program will produce a benchmark comparing the time to');
  writeln
  ('do a number of sequential searches with a number of identical');
  writeln
  ('Jump Searches. You will be asked to enter a number indicating');
  writeln
  ('the number of elements to be placed in the linked list used');
  writeln
  ('for this test.  Numbers greater that 1000 can produce very');
  writeln
  ('long sequential searches in this test, but results are');
  writeln('more dramatic for longer searches.');
  writeln;
  writeln('Enter the number of items to be in the linked list.  ');
  write('Please type an integer less than 30000 : ');
  readln(list_size);
  writeln;writeln;
end;

procedure make_linked_list;
begin
  writeln;
  writeln('List size for test = ',list_size);
  writeln('Number of searches for test = ',list_size div 11);
  writeln('All times are in seconds.');
  writeln;
  writeln('  Setting up linked list used for testing.');
  fill_data_list;
  writeln;
```

```
end;

procedure make_jump_list;
begin
  write('  Creating Jump Nodes.        ');
  get_time(prevtimecx,prevtimedx);
  create_jump_list;
  get_time(timecx,timedx);;
  calc_time;
  writeln('    done. Time =',time:6:2);
  writeln;
end;

  function size_ok:boolean;

  var x:real;

  begin
    if maxavail<0 then x:=maxavail+65536.0 else x:=maxavail;
    if x*16.0-(list_size*16.0+trunc(sqrt(list_size))*8.0)<0.0 then
      size_ok:=false
    else
      size_ok:=true;
  end;

begin {main}
  setup;
  if size_ok then
  begin
    make_linked_list;
    make_jump_list;
    time_searches;
    beep;
  end
  else
    writeln('Linked list created would be too large',
            ' for your available memory.');
end.
```


Hard Disk Drive Integration and Diagnostics Software

SpeedStor



Go Beyond the 32Mbyte DOS barrier . . .

EFFORTLESSLY!

- Integrate virtually ANY hard disk drive
- From 10 to 320Mbytes
- Into ANY PC, XT, AT or Compatible
- 100% DOS Compatible

$99

Dealer and distributor pricing available

Storage Dimensions
408-370-3304
14127 Capri Drive Suite 1 Los Gatos CA 95030

Here are a few of SpeedStor's many features:

- Friendly, menu-driven programs
- Select from internal table of over 100 drive types
- Increases data throughput speed up to 30%
- Replaces advanced diagnostics, FDisk and Format
- Up to 8 user-defined partitions
- Files as large as 160Mbytes
- Comprehensive diagnostics
- Batch mode for simple, unattended operation
- Flexible interleave
- Media analysis
- Park heads
- Data security features, install read-only partitions
- Custom file structure for improved disk performance
- Comprehensive, step-by-step manual

PC, XT and AT are registered trademarks of IBM. SpeedStor is a trademark of Hexis Design.



Some people need low price AND high performance in their LAN...

People like Resellers, Distributors, OEMs, VARs, End Users.

People who sell LANs, and people who use LANs will tell you: TiaraLink is the price/performance leader in local area networks for the IBM* PC market.

Their reasons are sound:

#1 TiaraLink supports DOS 2.0 through 3.2 and a complete NetBIOS.

#2 Thousands of TiaraLink networks are installed worldwide on IBM PC, XT, AT and compatibles.

#3 LanWare,™ the network operating system software, is a one-time purchase regardless of the number of servers on the network. So your cost-per-station decreases as your network grows!

#4 Gateways allow your networked PCs to operate both as terminals to a remote mainframe, and as network PCs.

Here's what they say about TiaraLink.

"TiaraLink is an excellent product for us to carry. ARCnet is a proven technology, around since 1978. Although ARCnet can be utilized with other companies' software, we still recommend TiaraLink. Tiara, the company, is great in terms of support, product availability, and margins. Customer reaction is super."*

—Bob Putignano
President, Access Data Products, Inc.
Mt. Vernon, NY

"TiaraLink is the only high performance LAN on the market with reasonable software pricing. That fact, combined with its ease of installation and operation, total reliability, fault recovery and multiple server capability is why we chose TiaraLink to distribute with our computers."

—Allan D. Dale, President
OnSite Business Systems, Inc.,
a division of
Dale Computer Corporation
Okemos, MI

"The TiaraLink network has allowed (us) to grow from 5 nodes to over 100 nodes with no problems. We continue to add disks, printers, and plotters easily . . . Even with over 400 megabytes of storage in 17 hard disks, user response time is great!"

—Gerd Hoeren
Senior Software Engineer
Integrated Measurement Systems, Inc.
Beaverton, OR

Join the knowledgeable network of Tiara resellers. Call us today for our reseller kit and more information. Dial **1-800-423-1268.** In California call **1-800-325-6223.**

TIARA
COMPUTER SYSTEMS, INC.

2685 Marine Way • Mountain View, CA 94043 • (415) 965-1700 • TLX 4996251 • FAX (415) 965-2677

*Trademarks/Owners: TiaraLink, LanWare are trademarks of Tiara Computer Systems, Inc. : IBM/International Business Machines Corp.; ARCnet/Datapoint Corp.

CIRCLE NO. 246 ON READER SERVICE CARD

Reviews and Updates



LOGIMOUSE C7
Logitech, Inc.



INTERACTIVE-C 1.41
Impacc Associates




PC TOOLS 2.03
Central Point Software

LOGIMOUSE C7

Logitech, Inc.
805 Veterans Blvd.,
Redwood City, CA 94063
415/365-9852

PRICE: Basic $99; Plus $119



CIRCLE 342 ON READER SERVICE CARD

Logitech's Logimouse C7 is a three-button, mechanical-optical serial mouse for the PC. The $99 basic package reviewed here includes the mouse, driver software, test program, and interface source code for Turbo Pascal, Microsoft C 4.0, and Logitech's own Modula-2 compiler. Several optional software packages are available at a discount along with the Logimouse, including Generic CADD 2.0 (Generic Computer Systems), PC Paintbrush (Z-Soft Corp.), and Reflex (Borland International). Logitech also offers a "Plus" package that includes a menuing utility and a multiwindow text editor.

In many ways, the Logimouse represents a melding of the best features of both its major competitors, the Microsoft Mouse and the Mouse Systems PC Mouse. The optical PC Mouse, with no moving parts, would seem to have an edge in reliability, but the precision-ruled optical pad is vulnerable to scratches. Furthermore, because it must provide continuous light, the PC Mouse cannot be run on power "stolen" from a serial port; a power supply and attendant cabling are required.

Unlike the Microsoft Mouse's entirely mechanical technology, the Logimouse incorporates a hybrid optical/mechanical design: a rubber-coated metal ball runs in an enclosed race, from which the ball can be easily removed without tools for cleaning. The ball turns against two perpendicular wheels connected to optical encoders that emit streams of pulses at a rate proportional to their rotation. Both mice incorporate low-power CMOS logic that can be run from power extracted from the signal lines of an RS-232 serial port.

Ergonomically, the Logimouse and the PC Mouse are very close; both have three-buttons and a flat, wide rectangular shape compared with the thicker, narrower Microsoft Mouse. Unlike the Microsoft Mouse, the Logimouse and the PC Mouse can be manipulated largely by the weight of the hand resting atop them; very little gripping is required. This becomes important when using a mouse-based graphics package for hours at a stretch.

Good mouse switches, like good keyboard switches, provide a positive, tactile snap action that indicates actuation of the switch. The Logimouse switches are very good—much better than the Microsoft Mouse's—but they feel slightly tight and bulky compared with those of the PC Mouse.

Like the Microsoft Mouse 2.0, the Logimouse is capable of resolving 200 lines per inch, whereas the PC Mouse is still limited to 100. The alignment of the sensors in a pad-style optical mouse becomes critical when the resolution climbs above 100 lines per inch; dropping an optical mouse with a higher resolution can misalign the sensors sufficiently to render it inoperative.

Logimouse software support is excellent. Three drivers are supplied: a resident driver run as a .COM file; a DOS installable device driver; and a Microsoft Windows driver in .DRV format. (The Windows driver is not necessary because current versions of Windows are shipped with the Logimouse driver on the set-up menu.) The current release of the driver implements all Microsoft Mouse driver 2.0 function calls through interrupt 33H. Earlier releases of the Logitech driver included nine proprietary function calls implementing extended mouse functions, but these were dropped to avoid incompatibility with what has come to be a de facto mouse interface standard.

The Logimouse is currently offered as a serial port device only. (The Microsoft Mouse is also available with a PC bus interface as a short card.) Its resident and DOS device drivers support either COM1 or COM2, specified when the driver is installed. Unlike the PC Mouse under Windows, the Logimouse does not require the user to specify which serial port will support the mouse when the Windows driver is installed; the driver automatically polls both ports when Windows initializes. This ability should be propagated to Logitech's non-Windows drivers as well.

Without any driver installed, the Logimouse is operationally identical to the PC Mouse. This was tested by installing both GEM (Digital Research, Inc.) and Microsoft Windows for the PC Mouse and then replacing the PC Mouse with the Logimouse; operation continued unchanged. The Logimouse driver functions with most current applications requiring mouse support. This compatibility was tested by running Logimouse with Reflex, Windows, GEM, Microsoft QuickBASIC 2.0, EGA Paint (RIX SoftWorks, Inc.), and Dr. Halo DPE (Media Cybernetics), all configured for the Microsoft Mouse. No differences in operation were observed.

One additional feature that would be very desirable is the ability to operate through serial ports beyond COM1 and COM2. Multiple serial port boards have become fairly common (see

"Beyond COM2," Augie Hansen, September 1986, p.68) and future mouse drivers should address the use of these additional serial ports.

The Logimouse documentation is well-organized and crisply written. Only about 25 pages of text, however, describe the mouse, its installation, and its use in the basic package. The remainder is devoted to the utilities and text editor provided with the Logimouse Plus package. The documentation fails to clearly distinguish the Plusus package from the basic package.

The Logimouse is a mature product: rugged, reliable, and well-supported. With a strong software standard in place, the choice between the Microsoft Mouse and the Logimouse comes down to one of aesthetics (the number of buttons, the feel of the switches, and shape of the case). Finally, there is price: at $99 retail, the Logimouse is the least expensive mouse that is currently offered, by a major vendor. If a serial port can be committed to its use, Logimouse C7 comes highly recommended.

—JEFF DUNTEMANN

INTERACTIVE-C 1.41

Impacc Associates
P.O. Box 93,
Guynedd Valley, PA 19437
215/699-7235

PRICE: $249



CIRCLE 343 ON READER SERVICE CARD

Like other C interpreters, Interactive-C from Impacc Associates exploits its interpreted architecture to improve the convenience and safety of creating new C code. At the core of its program development and debugging environment is a source interpreter, holding code in memory in tokenized form in a fashion similar to IBM BASICA. Impacc claims its product supports the full C language with no restrictions, even in the normally troublesome (for an interpreter) preprocessor; testing has borne this out. The product requires about 250KB of disk space, allowing use from a diskette, and will operate in a PC with 256KB. The basic specifications for Interactive-C are shown in table 1. (Interactive-C arrived too late for inclusion in *PC Tech Journal*'s review of C interpreters, "The State of C Interpreters," Marty Franz, May 1986, p. 153.)

Installation is not difficult. A configuration file is used to specify the type of display, the memory to allocate for functions and variables, and the limits of stack safety checking.

In operation, Interactive-C provides the programmer with four windows: for program output, editing, commands, and status. The program output window can be rerouted to a separate video adapter card and monitor for dual-screen debugging. With a single monitor, the FLIP command is used to switch the display between the program being debugged and Interactive-C.

Interactive-C supports the Lattice C library and "standard" (table 3). In fact, the interpreter itself is written in Lattice C. The large model is used, meaning that PCs with 640KB of RAM can be used to develop sizable programs given the interpreter's modest memory requirements (smaller than many new BASICs). New library functions can be added by compiling and linking them with an external library table module, XLIBDIR.C. This obviates the need to source-interpret library functions.

As table 3 shows, the editing facilities provided by Interactive-C are basic and sure to disappoint experienced programmers, who are used to having extras such as macro processors and multiple text windows. The editor is driven by the function keys and has the ability to edit multiple buffers. Only 16 lines of text can be displayed at any one time; the remaining lines of the screen are occupied by the interpreter's command and status windows.

Interactive-C has excellent debugging facilities as shown in table 3, including the ability to stop a program, alter its code, and resume execution. Variables also may be altered during execution from the debugger. Any legal C expression or library function may be executed from the debugger in immediate mode; however, functions contained by the program being interpreted may *not* be executed from the debugger. The editor and debugger are tightly coupled; moving between the two facilities is easy and intuitive.

TABLE 1: *Features*

Version tested	1.41
Disk space (KB)	250
RAM required (KB)	256
Full K&R language	●
Standard library	●
PC-specific library	●
Sample programs	●
Library source code	●
Memory model	Large
Editor	●
Debugger	●
Loadable libraries	●
Assembler interface	●
.OBJ output	○
.EXE output	○

● = *Yes* ○ = *No*

These features can be compared with those for other C interpreters in table 1 in "The State of C Interpreters" (Marty Franz, May 1986, p. 154).

Aside from its lack of .OBJ and .EXE file generation (which is difficult to achieve in a true interpreter), Interactive-C is a complete implementation of the C programming language.

TABLE 2: *Library Features*

UNIX STANDARD LIBRARY	
Stream files	●
Ato?? conversions	●
Ito?? conversions	●
Str?? functions	●
Random files	●
Memory management	●
Setjmp()/longjmp()	○
PC-SPECIFIC	
Bdos()	●
Int86()	●
Interrupt handler	○
Segread()	●
Communications	○
ADDITIONAL	
Math	○
Trig	○
Graphics	○
Sound	○
LIBRARY	
Availability	Good

● = *Yes* ○ = *No*

These library features can be compared with those for other C interpreters in table 3 in "The State of C Interpreters" (Marty Franz, May 1986, p. 156).

External libraries may be loaded if they are in the Lattice large model format. As many such libraries are available, this compensates for Interactive-C's lack of built-in support for graphics, sound, and other advanced I/O features.

TABLE 3: *Editing and Debugging Facilities*

EDITOR	
Full screen	●
Paging	●
Insert/overlay	●
Search/replace	●
Block move/copy	●
Multiple buffers	●
Automatic format	●
Shell facility	●
Go to last error	●
DEBUGGER	
Trace	●
Breakpoint	●
Single step	●
Side Step[a]	●
Pointer check	●
Display variables	●
Display memory	○
Alter variables	●
Alter program	●
PROGRAM PROFILER	○
SIDEKICK COMPATIBLE	●

● = Yes ○ = No

[a]*Single steps code but executes function calls at full speed.*

These features can be compared with those for other C interpreters in table 4 in "The State of C Interpreters" (Marty Franz, May 1986, p. 157).

Interactive-C's lack of an execution profiler is not a serious deficiency because the performance of the interpreted code is too slow to make profiler optimization worthwhile.

TABLE 4: *Benchmarks*

SIEVE.C	125.03
FILECOPY.C	5.54
PENTATH.C	
Floats	46.62
Functions	234.82
Strings	173.24
Chars	24.63
Files	492.05
Makefile	410.99

All times are in seconds. Timings were taken on a dual diskette drive IBM PC with 512KB of RAM running under DOS 2.1.

These benchmark times can be compared with those for other C interpreters in table 6 in "The State of C Interpreters" (Marty Franz, May 1986, p. 159).

Interactive-C's performance is on a par with other true C source interpreters, but it is slow compared to the C compilers that are customarily used in program development. Its rapid prescanning of the programs before running them serves to improve performance.

It is not well documented and not controllable by the user, but safety checking is performed on pointers. Any pointer reference outside the code or data areas will be intercepted and disallowed. Because this slows pointer operations down noticeably, it would be useful to disable pointer safety checking when program development is complete. Interactive-C includes the ability to set the program's stack size and specify a "warning area" that indicates when the stack is near exhaustion. Overrunning the stack is a common error, so this feature aids in debugging.

Interactive-C has two major drawbacks that must be weighed carefully by the prospective user. First, it is a source interpreter, and as a result, it performs poorly relative to intermediate or native code compilers (as the table 4 benchmarks indicate). This execution penalty is offset somewhat by Interactive-C's rapid prescanning of the program before it is run; movement between the editor and program execution is much

Command Plus: What Command should have been.

Command was fine when it came out. But when it came out again and again and again with few substantial changes, it became a real roadblock for efficient programming.

Well, we always thought the programmer should be in command. So we designed Command Plus. An eminently reasonable shell that replaces MS-DOS® Command.

You don't have to forget the commands you already know. And Command Plus gives you an enhanced DIR, COPY and DEL. Plus features like command macros, command recall, file browsing, and lots more that you can't get anywhere else. There's even LOG to help track the time you spend on projects.


You also get Script, a batch processor that's easy to learn and unbelievably powerful. Its Pascal-like language includes control loops, conditionals and variables which let you create unique system utilities. Hassling with batch files is a thing of the past.

If you think you'd get more done if you were in command of all this, get Command Plus. It's even within a programmer's budget at $79.95.

To order or for more information, call us at (800) 992-4ESP. In California, call (213) 390-7408. VISA and MasterCard accepted.

11965 Venice Blvd., Suite 309, Los Angeles, CA 90066

MS-DOS is a registered trademark of Microsoft Corporation.



ESP SOFTWARE SYSTEMS INC.

CIRCLE NO. 190 ON READER SERVICE CARD

TABLE 5: *Documentation*

Installation	Good
Set-up	Good
Tutorial	Poor
Editor	Fair
Error messages	Good
K&R differences	Fair
Library reference	Poor
Linking externals	Fair
Assembler information	Poor
Technical details	Poor
Source code	Poor
Updates	Fair
Index	N/A
Overall rating	Poor

These ratings can be compared with those for other C interpreters in table 5 in "The State of C Interpreters" (Marty Franz, May 1986, p. 159).

There is no rating for the index because there is none. Documentation is Interactive-C's greatest weakness.

faster than in several of the other interpreters. As a great deal of such movement occurs during interactive program development, perceived performance in actual debugging situations is not as bad as the benchmark times indicate.

The Interactive-C documentation is sparse and often confusing (table 5). An index is a necessity for a program of this complexity, and Interactive-C's manual lacks not only an index but also a clear organization. For example, nowhere is a list of the standard functions included in the "internal library." No examples are provided in the function reference section. The manual also lacks technical information: a scant five pages describe the assembly language interface and the linking of external libraries to user code, and no examples are provided of either.


Like most C interpreters currently on the market, Interactive-C falls between being a true C tutorial for beginners and a true C development tool for veteran programmers. Newcomers to C programming are better off with Computer Innovations' Introducing C, and fast interactive development can be done with a true native code compiler/interactive development environment, such as Mark Williams' Let's C, and at a much lower cost. Although technically sound and bug-free, Interactive-C needs better documentation and improved performance before it can be used by serious C developers.

—MARTY FRANZ

PC TOOLS 2.03

Central Point Software
9700 SW Capitol Highway,
Suite 100, Portland, OR 97219
503/244-5782


PRICE: $39.95



CIRCLE 344 ON READER SERVICE CARD

PC TOOLS is a memory-resident disk utility program with powerful, DOS-like features, such as the ability to copy, rename, and delete files. It also can be used to recover erased files, view the contents of files, and find specific text. All of these features can be brought to life at any time by pressing Ctrl-Esc from within another program.

9-TRACK MAG. TAPE SUBSYSTEM FOR THE IBM PC/XT/AT AND...



For information interchange, backup and archival storage, IBEX offers a 9-track, IBM format-compatible ½" magnetic tape subsystem for the IBM PC, featuring:


- **IBM format 1600/3200 and 800 cpi.**
- **Software for PC-DOS, MS-DOS.**
- **Also for DEC, VAX, VME, S-100, RS-232, IEEE 488.**

Write, phone or TWX for information.

IBEX

IBEX COMPUTER CORP.
20741 Marilla St.
Chatsworth, CA 91311
(818) 709-8100
TWX: 910-493-2071

CIRCLE NO. 149 ON READER SERVICE CARD



AT Memory Board NOW COMPATIBLE WITH 10 MHz ATs

MRB 2010 memory board that expands ATs to run multiple programs for multitasking operations is now capable of running at 10 MHz.

These upgraded boards enable AT systems to operate at higher speeds and are compatible with Xenix, Unix, and other multiuser systems.

MRB 2010 features include:

- *2 megabytes per board — use up to 3 boards*
- *Compatible with many other memory boards*
- *10 MHz. operation with IBM ATs*
- *Installation in less than 10 minutes*

Call now for information on how the MRB 2000 can expand the multitasking options of your AT system.

STAR GATE TECHNOLOGIES INC.
33800 Curtis Blvd.
Eastlake, OH 44094
(216) 951-5922

CIRCLE NO. 177 ON READER SERVICE CARD

The power implied by this program's concept is impressive. Having DOS utility services available at all times (and only a keystroke away) is quite convenient. For example, PC TOOLS would allow a user to copy a file from the hard disk while the computer is in the middle of a lengthy process that cannot be stopped indiscriminately.

The 68-page booklet supplied with PC TOOLS is well organized and written. Installation was accomplished with no difficulty. However, depending on the number of subdirectories a hard disk has, the user may need to vary the suggested command line parameter that specifies how much memory to set aside for PC TOOLS' use. This memory consumption can be set from 64KB to 136KB or more. For disk systems with many subdirectories, allocating sufficient memory is critical in determining whether PC TOOLS will work at all.

At installation, PC TOOLS builds an overlay file that it will draw upon from time to time. If a system contains expanded memory, PC TOOLS uses that instead for its overlay information, which improves performance but does not reduce the DOS memory requirements.

The initial PC TOOLS screen is called the File Functions menu, which offers these options: compare, copy, delete, move, print, rename, verify, view/edit, find a string of text within selected files, change a files attribute, and print or sort the directory.

PC TOOLS' second main menu, Disk and Special Functions, is accessed with the F3 key. This menu provides these diskette functions: copy, compare, find, rename, verify, view/edit, map, locate, and format. Also within this menu is access to undelete, a file recovery service. A directory maintenance submenu provides functions to rename, create, and remove directories and to change the current directory.

PC TOOLS displays a graphical representation of a hierarchical directory structure called *tree display*. The user can turn a subdirectory into the current subdirectory simply by pointing to it with the cursor. This could be an exceptionally powerful tool, but it is flawed; for example, on a system with 340 subdirectories, PC TOOLS stumbled while drawing the subdirectory interrelationships, positioned the cursor at random places on the display, drew lines where they should not have been, and finally locked up the PC. Central Point said this problem will be corrected with the next release.

An interesting attribute of PC TOOLS is its ability to relocate subdirectories (along with their child directories) to any other subdirectory not contained within itself. Files are not physically moved from place to place on the disk; all moves are accomplished by moving subdirectory entries only. The point-and-shoot interface described above makes the operation virtually effortless.

PC TOOLS may be too powerful for the typical user, because it is easy to get into serious trouble. For example, if PC TOOLS is invoked from within a program that is using files on which PC TOOLS operates, then the suspended program could fail, resulting in a loss of data.

Generally, PC TOOLS does what it claims to do, and aside from the subdirectory capacity bug, it is reliable. Its most serious weakness is the user interface, which lacks consistency and any semblance of careful design. Confirmation is requested for many commands, but the confirmation keys are not consistent from command to command. Screen design is very congested, particularly the help text at the bottom of each screen. With attention paid to user interface, PC TOOLS could become as easy to use as it is powerful.

—GUY QUEDENS

REQUIRED READING FOR ALL IBM PC SYSTEMS EXPERTS

If you're a systems expert, microcomputer specialist, or MIS/DP professional working with IBM PCs, you need the comprehensive information PC TECH JOURNAL provides 13 times a year!

It's the only magazine that provides you with the technical information to help you increase the performance of your multi-component system. It talks to systems experts and systems designers in the language you understand—about the applications and products you have to know about!

As part of your annual subscription to PC TECH JOURNAL, you'll receive the special PC TECH JOURNAL Directory issue published in November, the most comprehensive guide and index to the products in the PC marketplace and PC TECH JOURNAL's coverage!

Don't leave a gap in your required reading, subscribe to PC TECH JOURNAL now and *save 50%!*

For faster service call Toll-Free 1-800-852-5200 today!

4Z577

Send me PC TECH JOURNAL for:

☐ One year (13 issues) for $26.70. **SAVE 50%!**

☐ *Two years for $53.35.*

PC TECH JOURNAL *P.O. Box 2966 Boulder, CO 80322*

Savings based on annual single-copy price of $53.35.

Mr./Mrs./Ms. _____
(please print full name)

Company _____

Address _____

City _____ State _____ Zip _____

☐ Bill me ☐ Payment enclosed

Add $6 per year for postage outside USA, US currency only. Please allow up to 60 days for delivery of first issue. Annual Basic subscription price is $34.97.

Why this publication and more than 1,200 others let us go over their books

once a year.

Some publications, we're sorry to say, keep their readers undercover. They steadfastly refuse to let BPA (Business Publications Audit of Circulation, Inc.) or any other independent, not-for-profit organization audit their circulation records.

On the other hand, over 1,200 publications (like this one) belong to BPA. Once a year, BPA auditors examine and verify the accuracy of our circulation records.

The audit makes sure you are who we say you are. The information helps advertisers to determine if they are saying the right thing to the right people in the right place.

It also helps somebody else important: you. Because the more a publication and its advertisers know about you, the better they can provide you with articles and advertisements that meet your information needs.

BPA. For readers it stands for meaningful information. For advertisers it stands for meaningful readers. Business Publications Audit of Circulation, Inc. 360 Park Ave. So., New York, NY 10010.

MEDIA INTELLIGENCE

BPA

Programming for AI

Although they require unlearning traditional programming techniques, LISP and Prolog are tailored for developing artificial intelligence applications.




ILLUSTRATION • MACIEK ALBRECHT

In any discipline, the tools of the trade are usually customized to support the most common needs. In the artificial intelligence community, this process has led to development of specialized programming languages. Since the early 1960s, quite a few AI languages have been designed and implemented. Most of these—AMBIT, COGENT, COMIT, DYSTAL, FLIP, FORMAC, IPL-V, SLIP, and TRAC—were experimental and never developed much of a following. Two in particular, LISP and Prolog, have evolved into the most widely used languages for AI programming.

Both LISP and Prolog are general-purpose languages that contain a rich set of primitive functions and operations. PC versions have primitives to control screen input/output, read and write files, issue BIOS calls, and even call functions written in other languages. This column will address AI languages and the techniques they support, especially concentrating on the central ideas that distinguish LISP and Prolog from other computer languages.

A key aspect of AI languages is that they support rapid prototyping of experimental systems. In fact, certain LISP implementations offer complete development environments rather than simple compilers. Interactive editors and debuggers, performance monitoring tools, graphics packages, and version management software are often included within the environment. AI languages tend to be interpretive, allowing programmers to debug a program quickly in an interactive mode, then compile for speed afterward.

SYMBOL MANIPULATION

The primary emphasis of AI languages is on *symbol manipulation*, as opposed to "number crunching." Symbol manipulation can be described with the following analogy. Consider the difference between arithmetic and algebra. Arithmetic concerns itself only with computations on numerical data. Algebra, though, involves manipulations of symbols—moving variables from one side of an equation to another, factoring, and so on, according to certain rules.

Nearly all AI research concerns itself primarily with pushing symbols around—from controlling robots to playing chess. For this reason, all AI languages provide special support for symbol manipulation. This support has several key aspects, listed below.

Nonnumeric data types. Besides the usual support for numbers and strings, AI languages offer direct ways of building symbolic data structures, such as trees and sequences of symbols. For example, the LISP construct

```
(RED GREEN YELLOW)
```

denotes a list of the symbols RED, GREEN, and YELLOW.

Typically, automatic support is provided for allocating memory to store symbolic objects and for giving the memory back to a central pool when the user is done with the object. This "garbage collection" mechanism obviates the need for explicit allocation and freeing of storage (such as with the **alloc** and **free** functions in C).

In some AI languages, programmers can manipulate programs in the same way data are manipulated—in fact, programs are considered to be data for some purposes and are stored as lists.

Pattern matching. Much of AI problem solving is concerned with searching a large space of possibilities for certain patterns. A number of early symbol manipulation languages, such as SNOBOL, AMBIT, and COMIT, provided special features for this purpose. The tradition continues with Prolog, which directly supports a special pattern-matching algorithm called *unification*.

Recursion. A program that calls itself as a subroutine is said to be recursive. Recursive algorithms are ubiquitous in AI applications, because the data structures they operate upon tend to be tree-like and, therefore, easily described in a recursive manner.

As an example, suppose L represents a sequence of symbols, such as (A B C). Two functions, **First** and **Rest**, are defined, each of which takes a list as an argument. **First(L)** computes the first symbol in **L**, and **Rest(L)** computes the list that remains when **First(L)** is removed. Thus, if L = (A B C), then

```
First(L) = A
```

and

```
Rest(L) = (B C)
```

Now, suppose a function is to be defined that determines whether a

COPY II PC™

BACKS UP PROTECTED SOFTWARE.

The backup insurance you need to protect your software investment, COPY II PC makes a floppy backup of most protected software quickly and easily. (We update COPY II PC regularly to handle new protections; you as a registered owner may update at any time for $15 plus $3 s/h.)

RUNS PROTECTED SOFTWARE FROM YOUR HARD DISK.

COPY II PC makes using your hard disk as convenient as it should be. No longer will you have to keep your floppy disk in drive A with some of the most popular business software. Call for current list.

MINIMUM REQUIREMENTS:

IBM PC, XT, AT, 256K jr and most compatibles. One or two disk drives. 128K memory (all available memory fully supported).

Call 503/244-5782, M–F, 8–5 (West Coast time) with your MasterCard VISA in hand. Or send a check for $39.95 U.S. plus $3 s/h, $8 overseas.

$39.95

Central Point Software, Inc.
9700 S.W. Capitol Hwy. #100
Portland, OR 97219

Central Point Software INCORPORATED

Backup utilities also available for the Macintosh, Apple II, Commodore 64/128 and Atari ST.

PC TOOLS NOW AVAILABLE!

Put all the most popular disk utilities (even undelete) together with a powerful DOS interface. Then make them resident and you have PC Tools. PC Tools lets you run nearly any DOS command within any other running program. Just $39.95 plus $3 s/h.

CIRCLE NO. 213 ON READER SERVICE CARD

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION
(Required by 39 U.S.C. 3685)

1. a. Title of Publication: PC Tech Journal
 b. Publication No. 07380194.
2. Date of filing: October 1, 1986
3. Frequency of issue: Monthly (except semi-monthly in November)
 a. No. of issues published annually: 13
 b. Annual subscription price: $34.97.
4. Location of known office of publication: One Park Avenue, New York, New York 10016.
5. Location of the headquarters or general business offices of the publisher: One Park Avenue, New York, New York 10016.
6. Names and complete addresses of the publisher, editor, and managing editor: Publisher: Newton Barrett, Suite 800 Park View, 10480 Little Patuxent Pkwy., Columbia, MD 21044; Editor: Will Fastie, Suite 800 Park View, 10480 Little Patuxent Pkwy., Columbia, MD 21044; Managing Editor: Marjory Spraycar, Suite 800 Park View, 10480 Little Patuxent Pkwy., Columbia, MD 21044.
7. Owner: Ziff Communications Company, One Park Avenue, New York, NY 10016; Ziff Investment Partnership, L.P., One Park Avenue, New York, NY 10016; Philip B. Korsant, One Park Avenue, New York, NY 10016.
8. Known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages or other securities: None.
10. Extent and Nature of Circulation:

	Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date
A. Total no. copies *(Net Press Run)*	126,599	136,051
B. Paid circulation		
1. Sales through dealers and carriers, street vendors and counter sales	12,898	13,975
2. Mail subscriptions	90,746	93,581
C. Total paid circulation *(Sum of 10B1 and 10B2)*	103,644	107,556
D. Free distribution by mail, carrier or other means Samples, complimentary, and other free copies	10,623	11,280
E. Total distribution *(Sum of C and D)*	114,267	118,836
F. Copies not distributed		
1. Office use, left over, unaccounted, spoiled after printing	4,963	7,590
2. Returns from news agents	7,369	9,625
G. Total *(Sum of E, F1 and F2 —should equal net press run shown in A)*	126,599	136,051

11. I certify that the statements made by me above are correct and complete.

WILLIAM L. PHILLIPS,
Vice President

given symbol **A** occurs in list **L**. A recursive function **Member** can be written as follows (**Empty()** is assumed to be a built-in function that tests whether a given list has any symbols in it at all):

```
Member (A,L) =
  if (Empty (L))
    then FALSE
    else
      if (A = First (L))
        then TRUE
        else Member (A, Rest (L))
```

Note the recursive call on the last line. The algorithm takes advantage of the fact that every list can be recursively decomposed into its **First** and **Rest** parts. This style of divide-and-conquer recursive decomposition is the cornerstone of programming in LISP and Prolog.

Backtracking. It involves trying what seems like a promising path, only to discover that it leads to a dead end. When this happens, the only alternative may be to undo what's been done and try a different path. This process, called *backtracking*, is a very common aspect of AI problem solving, and one for which Prolog provides direct support.

LIST PROCESSING

LISP (for list processing) originated at MIT in the early 1960s and is in widespread use in the AI community. Most of the early work in expert systems, mathematical theorem provers, and natural language-understanding programs was done in LISP. (See "Creating a Standard LISP," Mark Bridger and John Frampton, December 1985, p.98.)

Programs and data are represented in LISP as lists, such as

```
(A B C)
(A (B C))
(+ 1 2)
```


Lists can contain numbers, symbols, or even other lists. The simplest list is the empty list, designated as NIL. The function CAR applied to a list returns the first element of the list, while the function CDR returns the rest of the list. CAR is the analog of the **First** function and CDR is the analog of the **Rest** function that was mentioned earlier.

Function application in LISP is itself written as a list where the first element is the name of the function and is followed by the arguments to the function. Ignoring for a moment the use of the apostrophe, consider the following:

```
(CAR '(A B C))          –> A
(CDR '(A B C))          –> (B C)
(CAR (CDR '(A (B C)) )) –> (B C)
```

The Professional Edge:

PC TECH JOURNAL



As a systems builder, integrator and overall expert in the IBM PC field, you need PC TECH JOURNAL to keep you in the forefront of your complex field. Get the professional edge—subscribe now and save 50%!

☐ 13 issues (one year) only $26.70!
☐ 26 issues only $53.35!

SAVE 50%

Includes the special PC TECH JOURNAL Directory, published in November.
Savings based on annual single-copy price of $53.35.

Mr./Mrs./Ms._____
(please print full name)

4S622

Company_____

Address_____Apt.____

City_____

State_____Zip_____

CHECK ONE: ☐ Payment enclosed. ☐ Bill me later.

Add $6 per year for postage outside USA, US postage only.
Please allow up to 60 days for delivery of first issue.
Annual subscription price is $34.97.


NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 66 BOULDER, CO.

POSTAGE WILL BE PAID BY ADDRESSEE

TECH PC JOURNAL
P.O. 2966
Boulder, Colorado 80321



The Professional Edge:

PC TECH JOURNAL

P.O. Box 2966, Boulder, Colorado 80322

YES! I want to break away from the pack. Please accept my subscription to PC TECH JOURNAL for:

☐ 13 issues (one year) for $26.70
☐ 26 issues for $53.35

SAVE 50%!

Savings based on annual single-copy price of $53.35.

Mr./Mrs./Ms. _____

Company _____

Address _____

City _____ State _____ Zip _____

Check one: ☐ Payment enclosed ☐ Bill me later
Charge my: ☐ American Express ☐ Visa ☐ MasterCard

Card No. _____ Exp. Date _____

Add $6 a year for postage outside USA, US currency only.
Please allow up to 60 days for delivery of first issue.
Basic annual subscription price is $34.97.
Your subscription to PC TECH JOURNAL is tax deductible if used in your profession. Please check with your accountant.

4Z494

If you're a systems builder/integrator in the IBM-PC field, you're called on to make complex, costly and risky decisions everyday.

In order to make the right decisions, you need to be at the forefront of your profession. You need the professional edge. You need PC TECH JOURNAL to give you in-depth articles on Graphics, Program Documentation, Distributed Data Processing, APL, and Systems Interfacing and Development.

PC TECH JOURNAL is THE magazine designed with YOU, the systems expert, in mind and it speaks to you in your language.

Your subscription includes the special PC TECH JOURNAL Directory for a total of 13 issues per year!

Get the professional edge in the IBM-PC field with PC TECH JOURNAL today. Written by systems experts, for experts.

ANNOUNCING THE WINNERS OF THE ZIFF-DAVIS $75,000 SWEEPSTAKES!

141 PRIZE WINNERS WERE SELECTED IN A RANDOM DRAWING FROM AMONG THOUSANDS OF ENTRIES IN THE 1986 ZIFF-DAVIS $75,000 COMPUTER GIVEAWAY SWEEPSTAKES!

GRAND PRIZE

Enhanced IBM PC AT

John A. Weyh
Bellingham WA

FIRST PRIZE

Enhanced Macintosh or IBM PC XT System

Kenneth Aubin
Nashua, NH
M. F. Karparis
Westfield, MA
Edward S. Kosciolek
Southport, CT
Paul Modrich
Durham, NC
Marina Ortega
Laredo, TX
D. Roberts
Neosho, MO
Alan Uomoto
Baton Rouge, LA
G. A. Wheeler
Merritt Island, FLA
Zachary Williams
Stone Mountain, GA
D. R. Woods
Tuscaloosa, AL

SECOND PRIZE

Tandy 200 Portable

Stuart Altenhaus
Arlington, VA
R. R. Barron
Santa Clara, CA
Dianna Dahl
St. Louis, MO
Michael Dercks
Minneapolis, MN
R. Downham
San Jose, CA
Jerry Eisenberg
Gaithersburg, MD
Patsy Gatliff
Austin, TX
S. P. Geiger
Poughkeepsie, NY
Joann Grant
Lafayette, IN
Don Grassmann
Durham, NC
Jack W. Hoke
Redmond, OR
David Huang
Millwood, NY
Marjorie J. Kingsley
White Plains, NY
J. Krajnyak
Phoenix, AZ
G. Kroske
Ligonier, IN
R. Lancaster
Wichita, KS
L. M. Leser
Tarrytown, NY
Tom McArthur
Hicksville, NY
M. McTamaney
Tuxedo Park, NY
Mrs. H. Mitman
Alexandria, VA
Anthony J. Moorhead
Westford, MA
X. Owen
Schaghticoke, NY
Jim Petz
East Detroit, MI
M. Rosenblum
New Haven, CT
D. W. Saffel
Elkins, WV
S. Stephens
New York, NY
J. Stokes
Dayton, OH
John Treggiari
Dracut, MA
James G. Vernon
Flower Mound, TX
P. Zahorosky
Garfield, NJ

THIRD PRIZE

Sanyo Personal Cassette Stereo 100 Winners

Peggy Adams
Marshall, AR
John R. Anderson
Emeryville, CA
K. W. Anderson
Seattle, WA
Joseph D. Andose
Rahway, NJ
Shane D. Arvidson
Murray, UT
Bob Ballou
Puyallup, WA
Edward J. Barlow
Menlo Park, CA
Kirk H. Betts
Washington, DC
Charles Bernzweig
Hartsdale, NY
Jerry S. Blinten
Houston, TX
C. Boren
Odessa, TX
Eric Boutwell
San Francisco, CA
Paul A. Bouvier
Providence, RI
Jim Brady
McLean, VA
C. M. Broadwell
Socorro, NM
Kenneth Bubr
Gainville, FLA
C. Byers
San Diego, CA
Charles W. Caldwell
Smyrna, GA
Terry L. Chancey
Portland, OR
Joel R. Close
St. Louis, MO
G. O. Cook
Portland, OR
R. Diaz
Miami, FLA
Barry Dismone
Phoenix, AZ
Philip B. Dalessandro
Nutley, NJ
A. Draucker
Richmond, VA
Stephen Duignan
Fort Smith, AR
Doris J. Easterling
Sacramento, CA
Richard A. Ecklund
Laurinburg, NC
J. B. Ellois
Cambridge, MA
Stephan Elman
Commerce City, CO
John B. Fleischaner
Springfield, VA
Jean Fung
Jenkintown, PA
James Gagnon
Seattle, WA
Alvaro Galdos
El Paso, TX
L. W. Geary
Washington, DC
Joe Girard, Audrey Rolfe
Boulder, CO
T. R. Grant
Manchester, MO
E. W. Guenther
Kailua, HI
Ralph Gustafson
Portland, OR
A. Gutowsky
Sacramento, CA
Harry F. Hardin
Washington, DC
Wayne H. Helot
Evergreen, CO
Joe C. Henry
Manteca, CA
Robbie Hillman
Lancaster, PA
Will Hogbin
Washington, DC
Robert Hubbard
Winston Salem, NC
Andre R. Jaglom
New York, NY
Robert Jendry
Columbus, OH
Charles Jones
Omaha, NE
Debbie Klinkstek
Austin, TX
David Krause
Lansing, MI
Robert C. Lafayette
Stillwater, Minn.
Irving A. Laity
Decatur, AL
Charles G. Leblanc
Houston, TX
H. E. Lilis
Billings, MT
Dean A. Long
Akron, OH
B. Lundell
Kirkland, WA
Grady Lynn
Mount Juliet, TN
R. R. Manthey
Rock Island, IL
Debra McKee
St. Louis, MO
Randolph Merrill
Atlanta, GA
Jack A. Miller
New Milford, CT
C. E. Missar
Cottage Grove, OR
V. P. Naughton
Los Angeles, CA
C. Nelson
Moses Lake, WA
P. R. North
Ft. Worth, TX
John E. Paquay
LaFayette, IN
Charles Parra
Union, NJ
D. R. Patterson
Fullerton, CA
S. Pfundstein
Chicago, IL
David B. Petermann
Green Bay, WI
Glen Pieczynski
Linden, MI
Bob Rees
Solon, OH
Alan S. Reinig
Santa Clara, CA
Sheila Reul
Madison, WI
Robert W. Richards, Jr.
Cupertino, CA
Larry Shea
Atlanta, GA
Joseph Shepard
Albuquerque, NM
Mr. & Mrs. M. K. Shimabukuro
Honolulu, HI
S. C. Shoosmith
Las Vegas, NV
Gary Smith
Simi Valley, CA
B. Soon
Los Angeles, CA
George Steinman
New York, NY
Percy Stovall
Salt Lake City, UT
Suzanne Street
Coos Bay, OR
A. Talesnik
Mt. Vernon, NY
R. A. Todarello
Chicago, IL
Alan Trimble
Westlake, CA
Patricia I. Tufts
St. Louis, MO
John Ulmer
Stone Mountain, GA
Frank L. Vacca
Westerly, RI
J. Van Houten
Somerset, WI
John M. Varde
Chicago, IL
C. N. J. Wagner
Malibu, CA
Bill Ward
Flint, MI
Kenneth G. Ward
Pompano Beach, FLA
Robert J. Warren
N. Canton, OH
Anthony L. Waters
Mt. Rainier, MD
Wyit D. Wright
Wesley, AR
Henry R. Wrotniak
Hartford, CT

CONGRATULATIONS!

Even arithmetic functions operate on lists. The addition operation takes a variable number of arguments and then returns their sum; for example, (+ 12 4 3) produces 19.

This uniformity in representing function calls and data values as lists produces an interesting effect. Given an expression such as

(CAR (CDR (A B C)))

how could LISP tell which portions of the list should be treated as function application and which as data? Are *CDR* and *A* function names or are they simple element values?

The LISP solution is simple; every atom and every list is evaluated unless otherwise specified. Numbers evaluate to themselves, and variables evaluate to their values. Every list, if evaluated, treats its first element as the function and applies it to the rest of the list.

To use the list itself as a constant argument, a special function is used to inhibit evaluation of the list. '(A B C) or, equivalently, (QUOTE (A B C)) expresses this quoting of the value. This evaluates to the list (A B C). The LIST function can construct a list of elements. Therefore, (LIST 'A '(C D)) produces the list (A (C D)).

FIGURE 1: *LISP Member Function*

```
(DEFUN MEMBER (A L)
  (COND ( (EQUAL L NIL)                ; this checks for an empty list
          NIL)                         ; NIL designates false
        ( (EQUAL A (CAR L))            ; A is the first element
          T)                           ; T designates true
        ( T                            ; always true, thus "otherwise "
          (MEMBER A (CDR L)))          ; make the recursive call on rest
  ))
```

The Member function in LISP is quite straightforward. It is usually implemented as a primitive function in most commercial LISP products.

Forcing evaluation of a list in LISP is the inverse action of quoting it. This can be expressed in one of two fashions. The LISP function EVAL used in the command (EVAL list) evaluates the list. The function APPLY applied to a list argument uses the first argument in the list as a function name and applies it to the remainder of the list. These functions are demonstrated below:

```
(EVAL '(CAR (A B C)))          -> A
(EVAL (LIST 'CAR '(A B C)))    -> A
(APPLY 'CAR '(A B C))          -> A
(EVAL '(1 2 3))                -> error
```

The ability to construct a data list then evaluate it is incredibly powerful. It allows a LISP program to construct another LISP program, and then execute it. It can be used for object-oriented programming by storing accessor functions in the data object.

To express a conditional case selection in LISP, the COND expression is used, as shown below:

```
(COND    ( <test 1> <result 1> )
         ...
         ( <test n> <result n> )
)
```

The first <test> expression that is evaluated to true then causes the value of the <result> expression to be returned as the overall result.

Figure 1 shows how LISP would implement the **Member** function mentioned earlier. It actually is a primitive function in most LISP implementations.

The Complete 68000/10/20 C Compiler.

$595 under DOS | **$1390 under XENIX** | **$2790 under UNIX**

Superior compiler diagnostics help you minimize recompilation and locate errors precisely. It's fully documented and backed by professional support services.

YOU WON'T FIND A MORE COMPLETE PACKAGE — Includes a full 68020 macro assembler, type-checking linker, and all the utilities you need to put your program in ROM.

UNIX is a trademark of AT&T.
XENIX is a trademark of Microsoft.

Software Development Systems, Inc.
3110 Woodcreek Drive, Downers Grove, IL 60515
Call today (312) 971-8170
In England call UnitC, Ltd., (0903)205233

Prices subject to change without notice.
Call for host machine availability.

Mainframe Powered CROSS ASSEMBLERS

$295 Complete under MS-DOS* | **$695** Complete under XENIX** | **$1395** Complete under UNIX**

The **UniWare™** family of cross assemblers. Fully relocatable, of course, but absolute listings are no problem, even in loads with many source files. With a linker so capable that even multiple overlays are a breeze. Lots of macro power. And all tools have unlimited symbol capacity.

UNIX is a trademark of AT&T.
XENIX and **MS-DOS** are trademarks of Microsoft.

Intel	8086, 80186, 80286, 8051, 8048, 8080/5, 8041
Motorola	68000, 68010, 68020, 68HC11, 6809, 6805, 6801, 6800
Hitachi	HD64180, 6305, 6301
Zilog	Z80, Z8
Others	6502, 1802, TMS7000, 3870/F8

Software Development Systems, Inc.
3110 Woodcreek Dr., Downers Grove, IL 60515
Call today (312) 971-8170

Visa & Master Charge Accepted (U.S.A.)
England: Unit-C, Ltd., (0903) 205233

*Minimum 512K memory recommended.
**Call for host machine availability.
The above prices include one assembler. Discounts available on purchases of multiple assemblers; prices subject to change without notice.

CIRCLE READER SERVICE NO. 147 FOR C COMPILER, NO. 154 FOR CROSS ASSEMBLERS

Marshal Pascal
Discount!

We've seen a lot of Pascals, but this one takes the blue ribbon. Produces code smaller and faster than optimized C compilers. *ISO-compatible.* Supports the *8087 in-line* (8087 code emulation option if you don't have the chip). *True relocatable linker* allows access to the Microsoft family of languages and assemblers. *Four memory models. Overlays. Variable-length strings. Structured constants and structured function values. Separate compilation of modules. Procedural parameters.* Powerful compile options (optimization by-pass for quicker compiles, syntax evaluator, I/O "fine tuning", etc.). *Turbo Pascal Translator* brings your present Borland programs over to a ISO/Marshal-readable format. Watch the difference it'll make in your software's code size and speed!

Suggested retail is $189.00.
Our price is $159.00.

FREE OFFER! ABC WRITER, a powerful WordStar clone with full Print/Merge capabilities FREE with each copy of Marshal Pascal! Only while supply lasts.

Call (415) 930-9848—Ask for our free catalog of other software.

INNOVATION COMPUTERS
223 Donegal Way
Martinez, CA 94523

Turbo Pascal is a trademark of Borland International.
WordStar is a trademark of MicroPro Inc.
Microsoft is a trademark of Microsoft Corporation.

CIRCLE NO. 135 ON READER SERVICE CARD

The recursive function exactly follows the recursive list decomposition.

The DEFUN function in LISP is the common way to name and define a new function. An anonymous function value can be defined with the LAMBDA function. It is used to construct a function value that can take parameters and return a result when called. For example,

```
(LAMBDA (X) (+ 1 X))
```

defines a function that returns a number with a value one larger than that passed to it as an argument.

The preceding description of LISP is only a glimpse of a very broad language concept. The fundamental architecture of the language is very different from other languages. LISP encourages a radically different method of problem solving. Despite this difference, it has enough of the programming constructs to support many different programming styles, such as object-oriented programming, logic programming (as in Prolog), and even some classical FORTRAN-style programming.

LOGIC PROGRAMMING

Prolog is the result of collaboration between researchers from the University of Marseilles and the University of Edinburgh in the early 1970s. It encourages a much more stylized approach to problem solving than does LISP. In return for this, it provides a higher degree of programming support. (See "Programming in Logic," Michael Covington, December 1985, p. 82, and January 1986, p. 145.)

Prolog (whose name derives from *pro*gramming *log*ic) is based on logic. Writing programs in Prolog is similar to writing logical rules in a restricted mathematical logic. Running a Prolog program is akin to using the logical rules to prove certain conclusions.

Prolog programs consist of facts: "John is the father of Mary;" and rules: "if X is the father of Y and Y is the father of Z, then X is the grandfather of Z." A rule describes when certain conclusions can be drawn on the basis of available facts. X, Y, and Z are variables that behave as wild cards and could each match any person. In Prolog, this fatherhood knowledge would be written as follows:

```
father(john,mary).
grandfather(X,Z) :-   father(X,Y),
                      father(Y,Z).
```

The line **father(john,mary)** is a predicate asserting a relationship between **john** and **mary**. The term **father** has no significance beyond how we have defined it in our rules. The grandfather rule should be read as "Conclude that X is the grandfather of Z if X is the father of Y and Y is the father of Z." For any given group of people X and Y, the goal of concluding **grandfather(X,Z)** is met if the subgoals **father(X,Y)** and **father(Y,Z)** can be met.

To prove something, the goal has to match a fact in the database or match the goal of a rule where all its subgoals are themselves provable. When a question is posed, Prolog automatically searches the database of facts and rules with the goal of proving that the answer to the question is yes. This proof process is called *backward chaining*—working backward from the desired conclusion looking for rules or facts that will make it true.

To help illustrate the backward chaining process, consider the following father/child relationships:

```
father(john,mary).
father(fred,herbert).
father(john,fred).
grandfather(X,Z) :-  father(X,Y),
                     father(Y,Z).
```

In this simple case, the relationship **father(john,harvey)** is provable only if it explicitly occurs as a fact in the database. Prolog begins searching through the facts and rules one by one and returns no as the answer.

If the question **grandfather(john, herbert)** is posed, the goal **grandfather(X,Z)** applies, because the variables X and Z could match **john** and **herbert**. By the rule, **grandfather(john,herbert)** is the conclusion if a match can be found for the variable Y that proves **father(john,Y)** and **father(Y,herbert)**. Prolog searches the database and finds **father(john,fred)** and **father(fred,herbert)** and returns true.

Finding this solution did not occur immediately. In searching sequentially through the database trying to find a match for the variable Y, the program first came across the **father(john,mary)** fact. This led to a search that would prove **father(mary,herbert)**, because this would have completed the proof process. When this was unsuccessful, Prolog automatically backtracked, admitting defeat for that possible match and continuing the search for another solution to **father(john,Y)** as well as a solution to **father(Y,herbert)**.

Variables can be used in asking a question as well as in stating a rule. To find all of **john**'s children, the following question could be posed: **father(john,**

TURBO PROFESSIONAL™

SERVICE INTERRUPTS
No assembly required

RESIDENT PROGRAMS
Easy, pop-up routines

EXECUTIVE PROGRAMS
Run ANY DOS program

DISK SECTOR I/O
Lowest level access

FAST TEXT WINDOWS
Virtual windowing system

KEYBOARD MACROS
Simple, powerful

LOTS OF EXAMPLES
21+ full example programs

MUCH MORE...
Over 140 routines in all

"If you never thought Turbo Pascal was a systems programming language, you've never seen Turbo Professional."
Darryl Rubin
Computer Language

For programs that move with technology—Turbo Professional—a truly professional library of subroutines.

150 page reference manual.
Full source—many example programs.
No royalties charged for applications.

Requires IBM compatible, DOS version 2.0 or greater, Turbo Pascal 2.0 or greater.

Turbo Professional, trademark of Sunnyhill Software
Turbo Pascal, registered trademark of Borland International

Dealer Inquiries Invited.

$69.95 plus $5.00 S&H

Washington residents add 7.9%
International orders add $5.00
VISA and Mastercard accepted.

To order Toll-Free
call 1-800-367-0651

Sunny Hill Software
13732 Midvale N. Ste. 206
Seattle, WA 98133
(206) 367-0650 M-F, 8-6 PDT

CIRCLE NO. 152 ON READER SERVICE CARD

TASKVIEW™

WHY GIVE UP...

BATCH FILES,

I/O REDIRECTION

SIDEKICK™

DOS MENU PROGRAMS,

MOST OF YOUR RAM,

EXECUTION SPEED?

Compatible, efficient DOS multi-tasking.

We designed Taskview with efficiency in mind. During normal operation, TASKVIEW hides behind DOS, providing you with control of up to 10 concurrent or non-concurrent programs. Just the touch of a key instantly switches a program to the foreground. Included desktop utilities let you cut and paste from program to program. Simple to use and reasonably priced, no well equipped PC user should be without it.

Requires: PC/AT/Jr compatible, DOS 2.0-3.1, 256K RAM, 1 Floppy drive.

Taskview trademark of Sunnyhill Software
Sidekick registered trademark of Borland Intl.

30-day money back guarantee

Dealer Inquiries Invited.

$69.95 plus $5.00 S&H

Washington residents add 7.9%
International orders add $5.00
VISA and Mastercard accepted.

To order Toll-Free
call 1-800-367-0651

Sunny Hill Software
13732 Midvale N. Ste. 206
Seattle, WA 98133
(206) 367-0650 M-F, 8-6 PDT

CIRCLE NO. 158 ON READER SERVICE CARD

Get TOP BOARD

The fastest EMS memory board in the world.

WIN THE SPEED & SPACE RACE

All other EMS Boards have something in common. What they don't have is speed & space. At Seattle Telecom & Data, our EMS boards transfer information quickly across our UNIQUE 16 bit Top Bus. Teamed up with the PC-286 Accelerator Board, we have the fastest memory solution in the world, and we are the only ones who offer 8 megabytes of memory in just two slots.

THIS COMPARISON PROVES THE POINT

EMS BOARDS	DATA PATH	TIME (SPEED)	NUMBER OF SLOTS NEEDED FOR 8 MEGABYTES
TOP BOARD	**16 BIT TOP BUS SOLUTION**	**37 SECONDS**	**2**
INTEL Above Board	8 BIT PC BUS	89 SECONDS	4

■ *These numbers are based on Sieve of Eratosthenes benchmark procedure – Byte Magazine, January, 1983.*
■ EMS – *Expanded Memory Specification*

YOU GET ALL THIS TOO

- Compatibility with the Lotus/Intel/Microsoft (LIM) specification.
- Support for DOS 3.2, plus popular PC software such as Lotus 1-2-3, Framework II and AUTOCAD.
- Compatibility with Standard IBM PC XT and the 8 bit PC Bus. (TOP BUS option disabled in this mode.)
- Microsoft Windows bundled with each TOP BOARD.

SQUEEZED FOR SPACE?

When you're squeezed for space and need more memory, we offer up to 8 MB in just two slots. In comparison, Intel's Above Board requires four slots. Take your pick of 6, 8, 10 and 12.5 MHz performance with TOP BOARD.

YOU'RE INVITED TO TEST

The winning combination of power, speed and compatibility doesn't mean much if you haven't experienced the TOP BOARD. We invite you to get your hands on the new TOP BOARD by participating in the Corporate Demo Program. Please call.

STD

Listening to Customers is Our Future

Seattle, Telecom & Data, Inc.
12277 – 134th Court, N.E.
Redmond, Washington 98052-2429

(206) 820-1873

The companies and products named are trademarks of their manufactures.

CIRCLE NO. 180 ON READER SERVICE CARD

X). The variable X can match any second argument. Prolog will search sequentially through all facts and rule goals and report all matches for X. In this case, Prolog would return

X = mary
X = fred

Prolog's search for a proof is unrelenting. Every fact and rule in the database is tried. Every possible match for a variable is attempted.

This proof process, with powerful pattern matching to determine relevance and automatic backtracking to recover from failure, is Prolog's major contribution. It is a potent model for representing and applying knowledge.

As is the case in LISP, lists are an important data structuring concept in Prolog. A list in Prolog is a sequence of elements, such as

[tennis, baseball, golf].

The CAR and CDR functions of LISP have an analog in Prolog. Using variables X and Y in the pattern [X | Y], X matches the first element of the list, and Y matches the rest of the list. For the tennis, baseball, golf list, X would match **tennis** and Y would match the sublist **[baseball, golf]**.

The member function is easily stated in Prolog:

member (X, [X | Y]).
member (X, [Z | Y]) :- **member** (X, Y).

The first rule states that X is a member of the list if it occurs as the first element of the list. The second rule defines the recursive case; that is, X is a member of a list if it is a member of the rest of the list.

Consider the example of proving the property **member** (1, [2,1,3]) as a goal. Prolog would fail in its attempt to match the goal with the first fact—1 is not the first element of the list. It would, however, successfully match the goal of the second rule, with X = 1 and Z = 2 and Y = [1,3]. This match would generate the subgoal **member** (1, [1,3]). In this instance, the first fact applies, and the proof is completed.

By leaving any one argument as a variable, Prolog solves for the variable, determining all possible matches for the variable. Asking Prolog to prove **member**(X, [2,1,3]) produces a yes answer with three different matches for X: X = 1, X = 2, and X = 3. A request to prove **member** (1, [2, X, 3]) produces X = 1. An attempt to prove **member** (1,X) in order to find all of the lists in which the number 1 is a member would produce the correct answer, although Prolog would never complete the request. It would successively report matches for X of

X = [1 | X1]
X = [X2, 1 | X3]
X = [X4, X5, 1 | X6]

etc. These are the lists in which the number 1 would appear in the first position of an arbitrary list, then in the second, and so forth.

As is the case for LISP, a Prolog program can retrieve, manipulate, evaluate, and construct facts and rules. A program can dynamically alter the set of rules or facts or even change the evaluation strategy that Prolog uses in searching for applicable rules.

To a great extent, deduction from a set of rules in Prolog follows standard mathematical rules of deduction. Prolog provides a very high level of support for stating programs as rules—separating flow of control from essential aspects of the algorithms. Backward chaining deduction, pattern matching to determine relevance, and backtracking to search for solutions are all very common AI paradigms. Although all of these problem-solving approaches can be

REMEMBER WHO DID IT FIRST!

PERSTOR Double Capacity Controllers

The PERSTOR 200 Series controllers double or triple the factory rated storage capacity of any attached Winchester hard disk drive — fixed or removable!*



Replace the hard disk controller in your IBM PC or XT with the PERSTOR 200 Series controller, or add the PERSTOR 200 Series controller to an AT. Reformat the drive, and you'll double the factory rated storage capacity. Utilize our DOS compaction software that comes standard, and the capacity can be even greater. In addition, the cache access method incorporated in our software allows you to reduce average access time by 50% or more. Just think of the increased productivity you'll get!

Systems and Software, Inc. also offers a full line of PERSTOR 200 Series hard disk systems. A PERSTOR system incorporates standard fixed and/or removable ST506/412 Winchester drives and our one of a kind controller to offer you the highest quality internal or external subsystems. The PERSTOR line also offers Xenix and Unix compatibility, and direct attachment of the PERSTOR drives to the AT controller.

*PERSTOR Approved Drives Note: PC and AT refer to IBM models and compatibles. All capacities mentioned are data dependent. IBM PC, XT, and AT are registered trademarks of IBM Corp.

FOR MORE DETAILS CALL (602) 948-7313

PERSTOR™
Systems and Software, Inc.
7825 East Redfield Road
Scottsdale, Arizona 85260

CIRCLE NO. 231 ON READER SERVICE CARD

programmed in LISP (and have been many times), Prolog elevates this deduction process to a conceptual model for programming. In doing so, it can provide a high degree of support.

Unlike in mathematical logic, however, the order in which rules are stated in Prolog can influence the outcome of a solution. In the worst case, incorrect order of rules may cause Prolog to loop infinitely. In almost all cases, the ordering has a major impact on how quickly Prolog finds solutions. Prolog's propensity for finding *all* solutions is frequently unnecessary and unwanted; often, any one solution is acceptable. To avoid the time-consuming process of continuing to search for solutions once one has been found, Prolog includes a **cut** function to cease further searching. As the programmer starts to worry about these practical concerns of rule order and cutting off searches early, some of the gains of logic programming are sacrificed.

UNLEARNING TRADITION

LISP and Prolog both allow programs and data to be manipulated in a uniform way. Learning either language involves unlearning many traditional programming techniques. Thinking recursively about data structures and program design takes some time to get used to. It can, however, result in a generous payoff in program compactness and clarity of program structure.

LISP and Prolog have very weak notions of data typing. This weakness lets the languages define very general list operations over lists of any type and to call functions with different argument types or different numbers of arguments. This is at the expense of the greater syntax checking skills of a more strongly typed compiler or interpreter. Errors not caught syntactically must be caught as runtime bugs.

AI programming techniques, such as recursively structuring programs and data, dynamic construction of objects, deduction, backtracking, and pattern matching can be used in a language such as C. The expression of such techniques is rather tedious and clumsy, but possible. Recursive list operations, for example, can be implemented in C using UNION data structures.

The higher degree of AI support in LISP and Prolog is traded for some aspects of inefficiency when compared with traditional programming languages. For LISP, dynamic construction of list values in an arbitrary way makes LISP memory hungry and requires time-consuming garbage collection at runtime. This garbage collection reclaims allocated lists to which the program no longer refers. Although storage management is quite efficient, using Prolog as a logic programming language can lead to time-consuming and unnecessary backtracking for solutions.

For PC-based AI products, efficiency in memory consumption and performance is an important issue. As PCs continue to have better performance and larger memory addressability, this will be less of a problem. For now, however, it limits the size of applications that can be written and run effectively using LISP or Prolog on PCs.

One solution to this dilemma is to develop AI programs in LISP or Prolog, then, after development is complete, reengineer and recode the design for C or Pascal. This would take advantage of the flexibility of concepts and data structuring of the AI languages during the turbulent design phase, and then would opt for the runtime efficiency of C or Pascal.

Richard Schwartz, Ph.D., and Robert Shostak, Ph.D., are vice presidents of software development and cofounders of Ansa Software.

FORTRAN PROGRAMMERS

Looking for the right PC FORTRAN language system? If you're serious about your FORTRAN programming then you should be using F77L - LAHEY FORTRAN.

"Lahey's F77L FORTRAN is the compiler of choice. It's definitely a 'Programmers FORTRAN,' with features to aid both the casual and the professional programmer. . . F77L compiled the five files in a total of 12 minutes, which was 4 times as fast as MS FORTRAN and an astounding 6 times as fast as Pro FORTRAN." - PC Magazine

Compare the features and performance of other PC FORTRANs with F77L and you will find that F77L is clearly the superior product.

- Full Fortran 77 Standard (F77L is not a subset)
- Popular Extensions for easy porting of mini and mainframe applications
- COMPLEX*16, LOGICAL*1 and INTEGER*2
- Recursion - allocates local variables on the stack
- IEEE - Standard Floating Point
- Long variable names - 31 characters
- IMPLICIT NONE
- Fast Compile - Increases productivity
- Source On Line Debugger (Advanced features without recompiling)
- Arrays and Commons greater than 64K
- Clear and Precise English Diagnostics
- Compatibility with Popular 3rd Party Software (i.e. Lattice C)
- Easy to use manual
- Technical Support from LCS

• *NEW FEATURE - NAMELIST*

F77L - THE PROGRAMMER'S FORTRAN

$477.00 U.S.

System Requirements: MS-DOS or PC-DOS, 256K, math coprocessor (8087/80287)

FOR MORE INFORMATION: (702) 831-2500

Lahey Computer Systems, Inc.
P.O.Box 6091
Incline Village, NV 89450
U.S.A.

International Dealers:
England: Grey Matter Ltd., Tel: (0364) 53499
Denmark: Ravenholm Computing, Tel: (02) 887249
Australia: Computer Transitions, Tel: (03) 537-2786
Japan: Microsoftware, Inc., Tel: (03) 813-8222

SERVING THE FORTRAN COMMUNITY SINCE 1967

MS-DOS & MS FORTRAN are trademarks of Microsoft Corporation.Pro FORTRAN refers to Professional FORTRAN a trademark of International Business Machines.



Editor's Choice
- PC Magazine

CIRCLE 128 ON READER SERVICE CARD

Soft*Rite 〉〉 LANbasic!

Soft*Rite announces a *Superior* three-part programmer's tool. MicroSoft BASIC™ compatible in every place that counts. *

LANscreen	LANbasic	LANdbase
LANscreen makes the burden of defining your database record structures one that you will look forward to instead of dread. Standard fields and types such as "Money", "Telephone" and "Date" are one keystroke to generate. As many as 255 database structures can be related to a single screen! Segmented data input can be done automatically by editing the field display. Part numbers with spaces or dashes and slashes are automatically parsed down to the essential raw data. Definable Upper and Lower limits for numeric inputs along with ACCEPT/EXCEPT input filters are standard features. Screen Mask generation is done with a "freestroke" approach. You may put mask elements and data input/output cells wherever you wish. COLOR them too! EGA support too! *Drivers Installed for IBM PC-NET/MS-NET	LANbasic is your own personal solution to powerfull data manipulation. How many times have you got excited over some new "total" database package only to find out (after spending a fair amount of time and money) that you were stuck in some corner, unable to do some function that has become standard in "**I**n **B**usiness for **M**oney's" Basic? The manual is 400 pages long, so we cannot fully describe all the features, but here are a few in ADDITION to the ones you are now used to: ★ COMDATA$ 14 common areas ALWAYS available to inside or outside, chained or linked programs ★ Re-assignable printer ports LPT1 -LPT4 ★ Generic filename use that allows file and database locations to be redefined outside of basic in a user-created REDIRECTOR file, to ease multi-user system configuation ★ USESCREEN,<1-16> ★ SCREENINPUT,<anyfield> ★ SCREENOUTPUT,<anyfield> ★ OPENDB,<remote or local database manager> ★ DBGET,<variable from DBM, automatically defines and dimensions in LAN basic> ★ DBPUT,<same>	LANdbase is the home for your data. LANbasic calls are coupled to LANdbase via network comunications (PCnet or ?). A single keyvalue and function number will return a record. Multiuser record locking is handled by simply putting an 'X' after the read call. (i.e. RDDBEQUX,<argument>. Automatic "health checking" to warn you of poor hardware performance and lost or fragmented data. "Paranoid" mode of operation where files not accessed for some time will be closed and reopened to flush buffers and insure integrity. Password, Userlevel and Data encryption functions. Several DBM's can be installed in the network system to improve performance and reliability. Toggle mode screen (printer) reporting to record log-on or other access activites. Bill Fairman's tried and proven true C-Tree(c) data management product.

Soft*Rite Multi-User Programming Tools
15381 Chemical Lane, Huntington Beach, CA. 92649
(714) 898-0525

CIRCLE NO. 186 ON READER SERVICE CARD




ADALAB-PC™

Adds Lab Data Acquisition To Your IBM®PC For $655


An ideal interface for chromatography, spectrophotometry, process control, etc.

NEW



ADALAB-PC includes ❶ a 13-bit integrating A/D, ❷ a 12-bit fast A/D (up to 20 kHz, add $275), ❸ a 12-bit D/A voltage output, ❹ a second 12-bit D/A (add $55), ❺ 32 digital I/O bits, ❻ four 16-bit timers or counters, and ❼ a terminator board which has a 4-channel multiplexer and convenient screw terminals (16-channel differential analog multiplexer with programmable gains from 1 to 256, add $300).

❽ ❾ Versatile ADAPT software and manual (free with ADALAB-PC) works with BASIC, FORTRAN or PASCAL, includes self-test and data acquisition software. Supports fast DMA sampling, extended memory storage, scrolling stripchart display.



❿ LABTECH NOTEBOOK software $895.

⓫ IMI is an IBM Value Added Dealer.

COMPLETE ADALAB-PC SYSTEMS at $3595, including 256K IBM PC, 360KB disk, PC DOS 3.0, green monitor, color/graphics adapter, Epson printer with adapter & cable, ADALAB-PC, ADAPT software, plus IMI's Scientific Plotter-PC ($95) and Curve Fitter-PC software ($95) *FREE* with systems!

®Trademark of International Business Machines Corp.


INTERACTIVE MICROWARE, INC.
P.O. Box 139, Dept. 237 Telex: 705250
State College, PA 16804 (814) 238-8294

CIRCLE NO. 209 ON READER SERVICE CARD

Release the Power
of Fortran, C and Pascal

A library of over 120 Assembler routines transforms FORTRAN, Pascal and C language compilers into a flexible, responsive language for the microcomputer environment. Existing mainframe code may be converted with ease, saving time and money. With the powerful Assembler subroutines of *NO LIMIT*™, mainframe users can fully realize the advantages of microcomputer technology.

- Complete Communications
- File/Directory Management
- Full Screen/Keyboard Control
- Extensive Graphics Applications
- Character/String Manipulation
- System Information
- And much more!



NO LIMIT™ is available for $129, with no license fee, and supports MS/FORTRAN/Pascal/C, IBM Professional, Ryan-McFarland, and Lahey F77L compilers.

M·E·F Environmental, Inc.


P.O. Box 26537
Austin, Texas 78755
512/251-5543


©Trademark of Microsoft, Inc., IBM Corporation, Ryan-McFarland and Lahey, Inc., respectively.

CIRCLE NO. 133 ON READER SERVICE CARD

Some Assembly Required

The 80286 is the topic of three recent books: two, by popular author Leo Scanlon, do not go quite far enough; the third, by two Intel engineers, is an excellent, candid account of the 80286.





Assembly Language Programming for the IBM PC AT
Leo J. Scanlon (Brady Communications Company, Inc., 1986), 442 pages; paper, $21.95

80286 Assembly Language on MS-DOS Computers
Leo J. Scanlon (Brady Communications Company, Inc., 1986), 316 pages; paper, $21.95

The most noticeable feature distinguishing the iAPX 80286 from its older siblings is speed; it runs DOS software two to three times faster than the 8086/88. Because a more sophisticated DOS-compatible operating system does not yet exist, the most important distinguishing characteristic—the processor's ability to run in either real address mode or protected virtual address mode—has remained largely unused.

In real mode, the 80286 behaves as if it were simply a fast 8086/88. Its real mode instruction set is, with minor exceptions, a superset of the 8086's. Most well-behaved code written for the older devices will run unmodified on an 80286-based machine.

The protected mode marks a radical departure from previous architectures. Offering virtual memory, multitasking, and a sophisticated protection mechanism, it enables systems programmers to produce much more powerful operating systems.

An unsuspecting reader may assume from the titles that these books cover the full capabilities of the 80286 and reveal the secrets of its protected virtual address mode. This is not true, and it is unfortunate considering the author's background.

Leo Scanlon is a prolific author of assembly language texts for 8086/88 computers. Among his previous efforts are *IBM PC and XT Assembly Language* and *8086/88 Assembly Language Programming*, both of which have been well received. His two latest books, however, are little more than rewrites of the earlier works.

The author seems to contradict himself when he writes, "the protected mode is best left to designers of operating systems. Casual programmers should stay away from it. With this in mind, we will generally concentrate on the real address mode." Assembly language programmers are seldom "casual." The books suffer from this underestimation of their intended audience.

The books offer much, in spite of this limitation. The author's prose is easy to follow and noticeably devoid of jargon. Well-documented programming examples abound; most are useful utility routines. The AT book offers an optional $30 diskette containing source code and object code for the examples that are complete procedures.

Abundant tables help in using the books as a reference. A quick reference index of mnemonics and pseudo-ops appears on the inside back cover.

These two books are nearly identical through the first six chapters. Among the topics covered are: computer numbering systems, basic 80286 architecture, the macro assembler, the instruction set, high-precision mathematics, and data structures. The AT book then includes a good discussion of BIOS and PC-DOS interrupts; the MS-DOS book contains only the DOS interrupt discussion. The AT book continues with chapters on video, keyboard, and speaker operations. Both then discuss macros, object libraries, and the 80287 numeric coprocessor.

The instruction set chapter in the AT book is particularly well organized. Mnemonics are presented in functional groups rather than in alphabetical order. This pedagogical approach is far better than the usual reference manual ordering. As necessary, the reader can rapidly locate an instruction using the quick-reference index. The high-precision mathematics chapter also stands out. It includes routines for signed and unsigned 32-bit by 32-bit multiplication, 32-bit by 16-bit division, and 32-bit square root calculation.

The AT book contains more than 30 macros that are suitable for inclusion in a library. The source code for each is listed, along with a short reference description. The AT book's optional diskette contains the source code for this macro library. This book's chapter on video deals only with text-mode character graphics in the monochrome and color/graphics adapters.

Sample problems are offered in the early chapters, and all of them are answered in an appendix. Regrettably, the number of exercises offered is limited and tends to be easy. Programming, particularly assembly language programming, is learned by writing and debugging code. Exercises of varying degrees of difficulty should be available, along with their solutions.

The two books differ in that they are written for separate macro assemblers. The AT book uses version 2.0 of the IBM Macro Assembler; the MS-DOS book uses version 3.0 of the Microsoft Macro Assembler. Each book contains a chapter specific to the particular assembler supported. The MS-DOS book devotes a short chapter to a discussion and comparison of batch files and the Microsoft program maintenance utility MAKE. The AT book treats structured programming based on IBM's Structured Assembly Language Utility (SALUT). The two books would have been as strong without these chapters.

PC/VI

Full Screen Editor for MS-DOS (PC-DOS)

Looking for an Ultra-Powerful Full-Screen editor for your MS-DOS or PC-DOS system? Are you looking for an editor FULLY COMPATIBLE with the UNIX*VI editor? Are you looking for an editor which not only runs on IBM-PC's and compatibles, but ANY MS-DOS system? Are you looking for an editor which provides power and flexibility for both programming and text editing? If you are, then look no further because **PC/VI** IS HERE!

The following is only a hint of the power behind **PC/VI:** English-like syntax in command mode, mnemonic control sequences in visual mode; full undo capability; deletions, changes and cursor positioning on character, word, line, sentence, paragraph or global basis; editing of files larger than available memory; powerful pattern matching capability for searches and substitutions; location marking; joining multiple lines; auto-indentation; word abbreviations and MUCH, MUCH MORE!

The **PC/VI** editor is available for IBM-PC's and generic MS-DOS based systems for only $149. For more information call or write:

Custom Software Systems
P.O. Box 678
Natick, MA 01760
617-653-2555

The UNIX community has been using the VI editor for years. Now you can run an implementation of the same editor under MS-DOS. Don't miss out on the power of **PC/VI!**

*UNIX is a trademark of AT&T Bell Laboratories.

CIRCLE NO. 261 ON READER SERVICE CARD

PC ⇔ MAINFRAME

VIA 9-TRACK TAPE

For Information Interchange – Backup – Archival Storage

IBM format compatible 9-track, ½ inch magnetic tape is the universally accepted media for mainframes and minicomputers. Catamount offers *Low Cost, Lightweight* 9-track Tape Subsystems for the IBM-PC/XT/AT computers which allow:

- Reading tapes generated on mainframes and minicomputers.
- Writing tapes to be read on mainframes and minis.
- ASCII, EBCDIC and Binary tapes accommodated.
- 800 bpi NRZI, 1600/6200 bpi PE, and 6250 bpi GCR format systems available.
- Storage capacities up to 270 MB on a single reel.

Systems come complete with comprehensive DOS command syntax oriented software and an Installable Device Driver. For OEM applications, the tape controller is available separately.



CATAMOUNT CORPORATION


2243 Agate Court
Simi Valley, CA 93065-1898
(805) 584-2233
FAX: 805-584-0941

CIRCLE NO. 111 ON READER SERVICE CARD

8086
8088
Now
68000
8080
Z80
6809
AMX

Real-Time Multitasking Executive

- No royalties
- Source code included
- Fault free operation
- Ideal for process control
- Timing control provided
- Low interrupt overhead
- Inter-task messages



AMX is TM of KADAK Products Ltd.
CP/M-80 is TM of Digital Research Corp.
IBM, PC DOS are TM of IBM Corp.

Options:

- Resource Manager
- Buffer Manager
- Integer Math Library
- Language Interfaces :
 C Pascal
 PL/M Fortran
- DOS File Access :
 CP/M-80
 IBM PC DOS


AMX for	8080	$ 800 US
	8086	950
	6809	950
	68000	1600
Manual (specify processor)		75

KADAK Products Ltd.
206–1847 W. Broadway, Vancouver, B.C., Canada V6J 1Y5
(604) 734-2796
Telex: 04-55670

CIRCLE NO. 258 ON READER SERVICE CARD

SOFTWARE SENTINEL™

MUCH MORE THAN JUST PROTECTION



Because its original objective was to protect software from unauthorized use, it's called the SOFTWARE SENTINEL. But maybe we'll change the name to *REVENUE GENERATOR*, since we've discovered its true value to our customers. But whatever we call it, everyone ends up with numerous benefits from this hardware key with unlimited "locks":

SOFTWARE DEVELOPER BENEFITS

- Prohibits unauthorized use of software
- No need for copy protection
- Algorithm technique (never a fixed response)
- Virtually unbreakable
- Higher level language interfaces included
- 100 times faster (1ms) than fixed response devices
- Minimal implementation effort
- Runs under DOS and Xenix, on IBM PC, AT, XT & compatibles

SOFTWARE USER BENEFITS

- Unlimited backup copies
- No floppy required with hard disk
- Pocketsize
- Transparent
- Transportable

RAINBOW TECHNOLOGIES, INC

EVALUATION KIT AVAILABLE


Telex 386078

17971 SKYPARK CIRCLE SUITE E, IRVINE, CA 92714 (714)261-0228

CIRCLE NO. 157 ON READER SERVICE CARD

Both books are recommended in view of their fine treatment of the real address mode—the reader simply must be willing to do without a discussion of the protected virtual address mode. Their organization makes them good reference works, and they complement the volume every 80286 programmer should have: *iAPX 286 Programmer's Reference Manual* (Intel, 1985).

The 80286 Architecture
Stephen P. Morse and Douglas J. Albert (Wiley Press, 1986), 279 pages; paper, $24.95



This book by Stephen Morse, principal architect of the Intel 8086, and Douglas Albert, former staff engineer at Intel, is a gem. The authors share their experience and candid insights including design trade-offs and flaws of the iAPX 80286. The book is not a programming manual—few programming examples are included and no sample exercises are given. The authors spend as much effort describing *why* a particular instruction exists or works in a certain way, as they do about *how* it works.

The first four chapters cover the operation of the 80286 and 80287 in real address mode. The authors compare and contrast the 80286 and 80287 with their older relatives—with whom a reader is likely to be familiar—the 8086/88 and 8087. These early chapters detail 80286 and 80287 architecture by thoroughly exploring their addressing modes and basic instruction sets.

Instructions are discussed in functional groups. Examples clarify each instruction. The treatment of synchronization on a multiprocessor system, although short, is nicely done. The 80286-unique, high-level language support instructions (BOUND, ENTER, and LEAVE) also are thoroughly covered.

Memory management, protection, and multitasking are presented clearly and with a level of detail comparable to that found in reference manuals. A reader with a systems programming background will profit greatly from this chapter. One warning: this is not speed-reading material. Be prepared to make several slow passes.

In the "Building a Computer" chapter, Morse and Albert describe how the 80286 and 80287 devices interface with support components to make a complete microcomputer system. The discussion includes the 80286 bus, ROM and dynamic RAM, I/O devices and interrupts, and direct memory access.

The book concludes with six rather lengthy appendixes. The first two contain the Intel reference manual's instruction set tables. Two others describe the structure of 80286 and 80287 opcodes. Another describes intertask message passing and includes pseudo-code and 80286 assembly language code for a simple implementation. The last appendix is a fine glossary. Finally, its exhaustive 15-page index makes this excellent reference work complete.

The 80286 Architecture is highly recommended. Every 80286 and 80287 assembly language programmer should have a copy. Its style, readability, generous use of quality figures and tables, and excellent index make this book an important addition to the library of any 80286 owner.

—JEFFERY W. WILSON



The Digi-Data 2000 PC tape system reads and writes IBM/ANSI compatible, 9 track, 1600 bpi, ½ inch tapes. It comes complete with PC controller board, cables and DOS software utilities. Just plug it in and run.

The 2000 PC provides file interchange in ASCII, EBCDIC or binary. That means you can exchange data between your PC and most minis or mainframes.

The 2000 PC also provides high speed disk backup and restore functions.

For all the reasons you need a 9 track tape on your IBM PC/XT/AT, call us at (301) 498-0200.

DIGI-DATA CORPORATION
8580 Dorsey Run Road
Jessup, MD 20794-9990
(301) 498-0200 Telex 87-580

... First In Value

In Europe contact: Digi-Data Ltd. • Unit 4 • Kings Grove • Maidenhead, Berkshire England SL6 4DP • Telephone No. 0628 29555/6 • Telex 847720

CIRCLE NO. 114 ON READER SERVICE CARD

RS#	PRODUCT	ADVERTISER	PAGE
	IBM AND COMPATIBLE PC'S		
116	PC 3/86	Advanced Logic Research	Cover 3
*	AST PC	AST Research	39-41
225	MPSO20-2	ICON Systems & Software	86 & 87
226	Industrial AT	Korros Data Systems	176
124	A Star	Wells American	115
	MULTIFUNCTION/MEMORY CARDS		
*	RAMpage EGA/AT	AST Research	139
202	CPU	I-Bus Systems	160
137	EGA Card	Paradise Systems	112 & 113
146	Hi Card Memory Board	RYBS Electronics	169
123	PC 2/86	Seattle Telecom and Data	197
180	Topboard	Seattle Telecom and Data	181
197	RT Board	Tall Tree Systems	35
	GRAPHICS CARDS		
206	EGA Wonder	Array Technologies, Inc.	116 & 117
242	Graphics Card Plus	Hercules Computer Tech.	52 & 53
240	Modular Graphics Card	Paradise Systems	64
204	Vega Deluxe	Video 7	82
	MASS STORAGE HARDWARE		
111	9 Track Tape System	Catamount Corporation	202
114	9 Track Tape	Digi Data	203
135	Fastback	Fifth Generation Systems	135
*	Mass Storage	Flagstaff Engineering	150
149	9 Track Tape System	Ibex Computer Corp.	188
108	LEO 9 Track Tape System	Innovative Data Technology	100
185	9 Track Tape	Overland Data Inc.	106
231	Perstor	Systems And Software	198
169	The Eagle Series	Upper Bound Micro Computer	22
	PRINTERS-PLOTTERS		
194	J Laser Plus	Tall Tree Systems	33
	INPUT SOFTWARE & HARDWARE		
192	Timewand	Videx, Inc.	123
	MODEMS		
172	PC Modems	IBM	46 & 47
	DATA ACQUISITION		
209	ADALAB-PC	Interactive Microware	200
	MICRO-MINI MAINFRAME COMMUNICATIONS		
165	3-N-1	Attachmate Corporation	178
189	The Block	Software Security	103
	LOCAL AREA NETWORKS		
149	9 Track Tape System	IBEX Computer Corp.	188
108	LEO	Innovative Data Technology	100
186	LANbasic, LANdbase, LANscreen	MITS	200
103	V11Y and SMB Server	Syntax	166
246	Tiara Link	Tiara Computer System Inc.	184
	OTHER COMMUNICATION HARDWARE		
177	STARGATE OC8000	Stargate Technologies	188
	LANGUAGES		
141	ADA Compiler	Alsys, Inc.	157
186	Prolog Compiler	Arity, Inc.	107
105	Clarion	Barrington Systems, Inc.	78
254	Turbo Pascal	Borland Intl.	Gatefold Cover & 1
254	Database Toolbox	Borland Intl.	Gatefold Cover & 1
254	Turbo Pascal	Borland Intl.	Gatefold Cover & 1
254	Turbo Database Toolbox	Borland Intl.	Gatefold Cover & 1
254	Turbo Gameworks	Borland Intl.	Gatefold Cover & 1
254	Turbo Prolog	Borland Intl.	Gatefold Cover & 1
254	Turbo Tutor	Borland Intl.	Gatefold Cover & 1
254	Turbo Editor Toolbox	Borland Intl.	Gatefold Cover & 1
254	Turbo Graphix Toolbox	Borland Intl.	Gatefold Cover & 1
161	Crosspoint 8	Crosspoint Systems	131
131	ECO-C88-Microstat	Ecosoft Inc.	153
170	Utah Cobol	Ellis Computing	152
183	C Dynamo	Entelekon	147
*	C-Terp	Gimpel Software	151
184	Marshall Pascal	Innovation Computers	196
128	Lahey Fortran	Lahey Computer Systems	199
163	C++	Lifeboat Associates	179
229	Modula 2	Logitech	19
263	Personal Rexx	Mansfield Software	163
205	Let's C	Mark Williams Company	17
259	Professional Pascal-High	Metaware	141
*	Newsletter	Microsoft Corporation	28
178	Enrich	Migent Software Inc.	165
181	Instant C	Rational System	145
147	68000 C Compiler	Software Development Systems	195
130	Brief	Solution Systems	14
129	LISP/ZAP	Solution Systems	124
126	Translisp	Solution Systems	124
232	Multi-APL	Spencer Organization	134
195	Better Basic	Summit Software Technology	121
	PROGRAMMER'S TOOLS		
101	Fortran Utilities	Alpha Computer Service	101
203	PC Probe	Atron	10
249	Software Source	Atron	136
102	Programming Tools	Blaise Computing	111
253	"Jack"	Crackerjack	170
*	Vitamin C	Creative Programming Consultants	114
145	Quick Pak	Crescent Software	150
261	PC/VI	Custom Software Services	202
119	R-Tree	FairCom	140
121	GC Lisp Developer	Gold Hill Computers	74
113	Flowchart	Haven Tree Software	146
148	C-Tree Query	Kurtzberg Computer System	122
125	Epsilon	Lugaru Software	148
262	Kedit	Mansfield Software	162
133	No Limit/10PRO	MEF Environmental, Inc.	200
264	Unix Products	Micro Focus Ltd.	18
257	MACH 2	Microhelp Inc.	105
*	C Cross Compiler	Micro Tech Research	171
191	Screen I O	Norcom	148
222	Opt-Tech Soft	Opt-Tech Data Processing	4
215	Periscope	Periscope Company	5
201	BTRIEVE	Softcraft	2
142	Demo Program	Software Garden	108
168	The Visible Computer	Software Masters	130
126	LISP/ZAP	Solution Systems	124
152	Taskview/Turbo Professional	Sunny Hill Software	197
115	Windows for C/Windows for Data	Vermont Creative	21
	SOFTWARE UTILITIES		
104	Turbo Power Tools Plus	Blaise Computing	109
248	1 Dir Plus	Bourbaki	180
213	Copy II PC	Central Point Software	192
140	Poly Boost	CSSL	129
190	Command Plus	ESP Software	187
174	MKS Tool Kit	Mortice Kern Systems, Inc.	149
191	Screen I/O	Norcom	148
157	SW Sentinel	Rainbow Technologies, Inc.	202
176	Speedstar	Storage Dimensions	183
	EXPERT SYSTEMS/AI SOFTWARE		
127	Microtex	Addison Wesley Pub.	110
	GRAPHIC SOFTWARE		
187	Graph C	SCIENTIFIC ENDEAVORS CORP.	173
184	PC Paintbrush	Z-Soft	36
	DATA BASE MANAGEMENT SOFTWARE		
112	Data Management Software	Cosmos, Inc.	125
118	Data Flex	Data Access Corporation	167
224	Clipper	Nantucket Corporation	96
166	DB Vista	Raima Corp.	13
156	Unify	Unify Corporation	133
	OPERATING SYSTEMS		
258	AMX Multitasking Exec.	Kadak Products Ltd.	202
239	QNX (2222 . . .)	Quantum Software Systems	154
196	Multi Link Advanced	Software Link	42
	MULTI-USER SYSTEMS		
233	New Portable	Tech Personal Computers	84 & 85
	OTHER COMMUNICATION SOFTWARE		
212	V-Term	Coefficient Systems	104
160	Sidetalk	Lattice, Inc.	20
167	Crosstalk	Microstuf, Inc.	Back Cover
221	Sim PC	Simware	80
	PUBLICATIONS		
*	Newsletter	Microsoft Corporation	28
	SECURITY DEVICES		
189	The Block	Software Security	103
	MAIL ORDER		
*	Mail Order	Aldebaran	206
*	Mail Order	American Semiconductor	214
*	Mail Order	BC Associates	211
*	Mail Order	Business Engineering Systems	206
*	Mail Order	Challenger Computer Inc.	208
*	Mail Order	Code Blue	6 & 7
*	Mail Order	Data West	208
*	Mail Order	Evsan Company	208
*	Mail Order	Floppy Disk Services	213
*	Mail Order	Hawaiian Village Computer	210
*	Mail Order	ITS	215
*	Mail Order	Microstar	209
8087	Boards	Microway	207
*	Mail Order	PC Brand	23-25
117	Mail Order	PC Network	88 & 89
*	Mail Order	Precision Data Products	212
175	Mail Order	Programmer's Connection	43-45
175	Mail Order	Programmer's Connection	137
173	Mail Order	Programmer's Paradise	8 & 9
162	Mail Order	Programmer's Shop	26 & 27
220	Mail Order	Programmer's Shop	48
122	Micro Soft C	Programmer's Shop	50
*	Mail Order	Scantel Systems Ltd.	212
*	Mail Order	Wintech Data Products Co.	210

NEED IT FAST? WANT TO KNOW MORE? DON'T HAVE TIME TO SHOP AROUND?

INTRODUCING...

If you're like most system professionals you're up-to-date about the products in the PC marketplace. You're aware of brand and model differences, are informed about connectivity and compatibility problems, and you shop for competitive prices and fast service.

You're also probably among the many PC TECH JOURNAL readers who purchase by mail. That's why we're starting THE MART—PC TECH JOURNAL'S First Class Mail-Order Section.

Starting this month, and every month hereafter, you'll find the products you're looking for advertised in THE MART—and you'll benefit from the fast service and helpful support that identifies PC TECH JOURNAL advertisers.

If you're ready for First Class service, you're ready for THE MART.



Program faster, debug faster, with Source Print™

SOURCE PRINT makes your job easier... gives you clear, organized source code!

- Draws lines around nested structures
- Automatic indentation
- Index (cross-reference)
- Table of contents which lists functions, procedures & subroutines
- Easy-to-use menu
- Find files that contain a given string
- Prints keywords in boldface
- Splits multi-statement BASIC lines into 1 statement per line.
- Handles up to 50 input files & over 60,000 lines of code.
- For dBASE, C, BASIC, Pascal and Modula-2.

"Here is possibly the ultimate source code formatting utility" —Data Based Advisor, July '86


"No one can argue the importance of having well-documented, legible source code. And Source Print delivers just that." —PC Magazine, Sept. 16, '86

For IBM PC, XT, AT, compatibles.
Not copy protected.
Immediate delivery.
MC, Visa, AmEx, COD

$139.00 +$5 ship.
CA residents add tax.

Call to order
800-257-5773
(outside CA)
800-257-5774
(within CA)
or see your local dealer

Source Print



Ver. 2.0
Comprehensive Formatting Tool
from Aldebaran Labs
3339 Vincent Rd., Pleasant Hill, CA 94523

Are your programs less than 1000 lines? This is for you:

NEW!
COMPACT SOURCE PRINT

COMPACT SOURCE PRINT handles up to 1000 lines of code & up to 10 files. You get all SOURCE PRINT features except bold keywords and table of contents.

only **$55.00** Introductory Price

GET 1 YEAR ON SITE SERVICE FREE


B.E.S.T. 286 AT™ Compatible

640 KB RAM Bare Bone System: only **$999** (Qty. 2)

★FREE★
☐ DOS 3.1 ($85 Value)
☐ 1 Year Nationwide on site service (Parts & Labor)

STANDARD FEATURES:
- Clock/calendar w/battery back-up
- *FCC and U.L. APPROVED*
- 6/8 MHz 80286 Microprocessor
- 80287 Math Co-processor Socket
- 8 Expansion Slots
- 640 KB RAM Expandable to 1024 KB on Mother Board
- 200 WATT U.L. Approved Power Supply
- AT case with Lock and LED indicators
- 5060 Compatible Keyboard
- MS DOS 3.1 ($85 value FREE)
- Full Documentation
- Complete technical support
- Fully compatible with IBM-AT

30 day money back guarantee



SYSTEM CONFIGURATION B:
- AT 640 KB RAM Bare Bone System
- 1.2 MB Teac Floppy Disk Drive
- 30 MB Hard Disk (39MS)
- Western Digital WA-2 Floppy & Hard Disk Controller
- 1 Year Nationwide (50 States) ON-SITE Service (Includes Parts & Labor)
- MS DOS 3.1

only **$1,995**

Evaluation Unit $1,095
We Welcome VAR and Dealer Inquiry
(quantity discounts available)

All major credit cards accepted

VISA MasterCard

Turbo 286 - AT Compatible $1295

- 8 expansion slots
- 200 Watt Power Supply
- 640 K RAM
- 6/8 MHZ Switchable from keyboard
- 2 Floppy & Hard Disk Controller
- 1.2 MB Floppy Disk Drive
- Serial, Parallel Ports
- Color Graphics Card
- AT keyboard

MEDICAL & DENTAL
- Billing & Posting
- Faster Collection
- Improved Cash Flow
- Easy Insurance Procedure
- Appointment Scheduling
- Management Reports

LEGAL SOFTWARE
- Real-Time, Multi-User
- Time & Billing
- Client/Matter Reports
- Aged A/R Report
- Matter Account Inquire
- Transaction Entry & Editing

CONSTRUCTION
- Fully Integrated Construction Accounting System
- Job Costing
- Accounts Payable
- General Ledger
- Payroll
- Accounts Receivable
- And much much more

VIDEO STORE MANAGEMENT
- Full Rental Tracking
- Membership Control
- Employee Code System
- High/Low Rental Report
- Overdue Tape Report

POINT OF SALE
- For all Retail & Wholesale Businesses
- Cash Drawer & Bar Code Scanner Interface
- Complete Audit Trail of all P.O.S. Transactions
- Inventory Inquiry during sale, and much more. . .

GET OUT OF THE LOOP!

NO MORE RETURNS OR LONG WAITS FOR REPAIRS
WE WILL FIX YOUR COMPUTER ON SITE
FREE OF CHARGE FOR 1 YEAR

BUSINESS ENGINEERING SCIENTIFIC TECHNOLOGIES
1914 W. Farwell • Chicago, IL 60626
(312) 465-8886 or (312) 262-3480

Prices subject to change without notice
IBM AT is a trademark of International Business Machines Corporation


A MEGABYTE FOR DOS!

MicroWay is the world's leading retailer of 8087s and high performance PC upgrades. We stock a complete selection of 8087s that run from 5 to 12 MHz. All of our coprocessors are shipped with a diagnostic disk and the best warranty in the business – one year! We also offer daughterboards for socketless computers (NEC PC) and 287Turbo which increases the clock speed of the 80287 from 4 to 10 MHz. Our NUMBER SMASHER/ECM™ runs at 12 MHz with a megabyte of RAM and achieves a throughput of .1 megaflops with 87BASIC/INLINE, Intel Fortran, or Microsoft Fortran. Software reviewers consistently cite MicroWay software and 8087 expertise as the best in the industry! Our customers frequently write to thank us for recommending the correct software and hardware to meet their specific needs. They also thank us for our same-day shipping! In addition to our own products which support the 8087 and 80287, we stock the largest supply of specialized software available. For more information call us at

617-746-7341

NUMBER SMASHER/ECM™
THE FASTEST ACCELERATOR CARD AVAILABLE

gives you 12 MHz speed in two modes: 704K or one megabyte of "Extended Conventional Memory." MEGASWITCH MMU and MegaDOS software make it possible to run DOS applications with up to 1015K using PC compilers, AutoCAD and Lotus 1-2-3. Does not require EMS software. Totally compatible . . . from **$599** for 512K and 9.54 MHz to **$1199** with one megabyte and 8087-12.
Cooling Fan (for 12 MHz)..... **$80**



SPEED UP YOUR AT OR AT COMPATIBLE WITH 287TURBO™ 10 MHz

MicroWay® 8087 Support

For the IBM PC, PC XT, PC AT and Compatibles.

A2D-160™ MicroWay's Data Acquisition Board performs 160,000 12 bit Analog to Digital conversions per second! Includes software drivers. The fastest 12 bit A to D board available. For the IBM PC XT and compatibles..... **$1295**

87SFL™ Accurate and fast **Scientific Subroutine Packages.** More than 145 functions: 34 Elementary Fcns, 18 Probability and Statistical Fcns, 15 Random Number Generators, Ei(x), $E_n(x)$, li(x), Si(x), Ci(x), $\Gamma(x)$, $\psi(x)$, $B(x,\omega)$, $I_x(a,b)$, erf x, S(x), C(x), $J_x(z)$, $Y_x(x)$, $I_x(z)$, $K_x(x)$, Ai(x), Bi(x), Ai'(x), Bi'(x), ber x, bei x, ker, x, kei' x, K(x), E(x), $F(\rho|a)$, $E(\rho|a)$, $\Pi(\rho|a,b)$, $\Lambda(a,b,\rho)$, $\mathcal{P}(z)$, $\mathcal{P}'(z)$, $P_n(x)$, $H_n(x)$, $L_n^{(\alpha)}(x)$, $J_n^{(\alpha,\beta)}(x)$, $G_n(p,q,x)$, $C_n^{(\alpha)}(x)$ and many more. Callable from FORTRAN, Pascal, BASIC and C. 1st module $250, 2nd on $100.

MATRIXPAK™ manages a **MEGABYTE!** Written in assembly language, our runtime package accurately manipulates large matrices at very fast speeds. Includes matrix inversion and the solution of simultaneous linear equations. Callable from RM or MS Fortran, MS Assembler, or 87BASIC/INLINE..... each **$99**

87FFT™ Written in assembly language, performs Forward and Inverse FFTs on real and complex arrays which occupy up to 512 Kbytes of RAM. Also does convolutions, auto correlations, hamming, complex vector multiplication, and complex to radial conversions. Callable from most 8087 compatible compilers..... **$200**

87FFT-2™ performs two-dimensional FFTs. Ideal for image processing. Requires 87FFT **$100**

FASTBREAK™ 8087 support for Lotus 1-2-3™ Version 1A or 1A*..... **$79**
Microsoft Fortran V 3.31..... **$209**
IBM Professional Fortran..... **$565**
Ryan-McFarland Fortran V 2.0..... **$399**
LAHEY Fortran F77L..... **$477**
Grafmatic for Fortran or Pascal..... **$125**
MultiHalo Graphics (1 language)..... **$189**
Microsoft C V 4.0..... **$299**
STSC APL★PLUS/PC..... **$450**
INTEL, JRAM, AST, MAYNARD..... **CALL**

MegaPage™ The only Intel-Lotus EMS board which comes with two megabytes of cool-running, low power drain CMOS RAM installed. Includes RAM disk, print spooler, disk cache, and EMS drivers. For the IBM PC, XT & compatibles.... **$549**

DFixer™ Our disk utility which thoroughly checks PC or AT hard disks for bad sectors and updates the MS DOS file allocation table accordingly. Solves the AT hard disk problem! ... **$149**

DOptimizer™ Optimizes the way your hard disk or floppy stores its files. Speeds up accesses by recombining fragmented files..... **$49**

DCache™ Our disk caching software speeds up your I/O by storing repetitively used tracks in memory. The amount of memory used can be selected in 64 Kbyte banks..... **$49**

87MACRO/DEBUG™ Contains all the pieces needed for writing 8087/80287 assembly code & MicroWay's 87DEBUG debugger. **$199**

OBJ→ASM™ A multipass object module translator and disassembler. Produces assembly language listings which include public symbols, external symbols and labels commented with cross references. Ideal for patching object modules for which source is not available..... **$200**

87BASIC™ includes patches to the IBM BASIC or MS Quick BASIC Compiler for USER TRANSPARENT 8087 support. Provides super fast performance for all numeric operations including trigonometrics, transcendentals, addition, subtraction, multiplication, and division..... each **$150**

87BASIC/INLINE™ converts the output of the IBM BASIC Compiler into optimized 8087 inline code which executes up to seven times faster than 87BASIC. Supports separately compiled inline subroutines. Requires the IBM BASIC Compiler Version 1 and a Macro Assembler. Includes 87BASIC..... **$200**

RTOS - REAL TIME OPERATING SYSTEM RTOS is a multi-user, multi-tasking real time operating system. It includes a configured version of Intel's iRMX-86, LINK-86, LOC-86, LIB-86, OH-86, and MicroWay's 87DEBUG. Runs on the IBM-PC, XT, PC-AT and COMPAQ..... **$600**

INTEL COMPILERS[1]
FORTRAN-86..... **$750**
PASCAL-86..... **$750**
PL/M-86..... **$500**
ASM-86..... **$200**
[1]Requires RTOS or iRMX-86. All Intel compiler names and iRMX-86 TM Intel Corp.

8087 UPGRADES

All MicroWay 8087s include a one year warranty, complete MicroWay Test Program and accurate installation instructions.

8087 5 MHz..... **$114**
For the IBM PC, XT and compatibles.

8087-2 8 MHz..... **$149**
For Wang, AT&T, DeskPro, NEC, Leading Edge.

80287-3 5 MHz..... **$179**
For the IBM PC AT and 286 compatibles.

80287-6 6 MHz..... **$229**
For 8 MHz AT compatibles.

80287-8 8 MHz..... **$295**
For the 8 MHz 80286 accelerator cards.

NEC V20, V30..... **$16, $30**
64K RAM Set 150ns..... **$10**
256K RAM Set 150ns..... **$29**
256K RAM Set 120ns..... **$39**
128K RAM Set PC AT..... **$49**

287Turbo™ 10 MHz If you own an AT, Deskpro 286 or AT compatible, this is the card you need to get reasonable numeric performance. It plugs into your 80287 socket and includes a specially driven 10 MHz 80287. The card comes in three configurations. The IBM AT version includes a hardware RESET button..... **$450**

287Turbo 8 MHz..... **$369**

87/88Turbo™ is a stubby card which includes a clock calendar and a speed controller which changes the speed of your motherboard from 4.77 to 7.4 MHz. Its use requires your PC to have a socketed 8284. Typical speed increase is 1.6 to 2.0. The card overcomes slow hardware by slowing up only when such devices are accessed and running at full speed otherwise..... **$149**
Optional 8087-2..... **$149**

286TurboCache™ This accelerator for the PC or XT uses 8K of cache memory and 80286/80287 processors to provide an average speed increase of 3:1 for most programs. Call for specifications and benchmarks..... **$469**

Call for our complete catalog of software which supports the 8087.

In London, please phone 223-7662

MicroWay P.O. Box 79 Kingston, Mass. 02364 USA (617) 746-7341

ACCELERATE YOUR AT®

Our AT-286 Mother Board is 10/6 MHz switchable

- Fits AT enclosure
- 5 times faster than XT™
- Completely compatible with AT hardware and software
- Intel 80286 CPU 10/6 MHz clock rate
- 1MB RAM capacity on board
- Full 16-bit date path
- Phoenix BIOS

$129.

Challenger

CHALLENGER COMPUTER INC.
THE PRICE PERFORMANCE LEADERS
122 South Rd., Bedford, MA 01730
(617) 275-3517

IBM, PC XT, and AT are trademarks of IBM Corporation.

EVSAN COMPANY (415) 991-1051
P.O.BOX 2143 DALY CITY, CA 94017

DYNAMIC RAMS

1 MEG	100ns	65.00
41256	100ns	4.75
41256	150ns	2.75
41256	120ns	3.10
4164	120ns	1.20
4164	150ns	1.00
4464	120ns	4.25
4464	150ns	3.95
4116	150ns	.98

SPEED UP YOUR IBM PC 20-30% REPLACE 8088/8086 with:

V-20	8mhz	9.95
V-20	5mhz	8.95
V-30	8mhz	11.00

EPROMS

27512	250ns	18.75
27256	250ns	5.50
27C256	200ns	7.10
27C256	250ns	6.75
27128	150ns	5.75
27128	250ns	3.60
2764	200ns	3.75
2764	250ns	3.20
27C64	200ns	4.90
2732A	200ns	3.90
2732A	250ns	3.50
2564	450ns	7.50
2532	450ns	4.10
2716-1	350ns	3.70
2716	450ns	2.95
2708	450ns	2.50

8000's

8031AH	5.25	8243	2.00
8035	1.95	8250A	3.95
80C35	3.75	8251A	1.65
8039	2.50	8253-5	1.75
80C39	4.00	8254	3.50
8085A	1.75	8255A-5	1.80
80C85	3.75	8272	3.50
8086	5.00	8274	4.75
8155	1.60	8284	2.95
8156	2.25	8288	5.25
8212	1.60	8748H	6.25
8216	1.50	8749H	8.25
8226	1.75		
8237A-5	4.75		

INTERFACE

1488	.32	1489	.32

PRIME PARTS
100% GUARANTEED

MATH CO-PROCESSORS

C8087- 2	8mhz	142.00
C80287-6	6mhz	168.00
C80287-8	8mhz	275.00

STATIC RAMS

43256L	120ns	25.50
6264L	100ns	3.95
6264L	120ns	3.60
6264L	150ns	2.85
6264P	150ns	2.65
6116P	150ns	1.45
2016B	100ns	1.75
4016	150ns	1.60
4016	200ns	1.30
2114A	120ns	1.50
6147	35ns	3.25

COLOR GRAPHIC CONTROLLER:

D7220AD	18.50

MOTHERBOARDS

XT Motherboard	$ 149.00
XT TURBO BOARD	210.00
AT Motherboard	999.00

IBM COMPATIBLE INTERFACE CARDS

Floppy Disk Drive Adaptor	$ 45.00
Color Graphic Adaptor	80.00
Monographic Card	99.00
Multifunction Cards	95.00

FLOPPY DISK DRIVES

TEAC 5¼" FD55B	94.00
FUJITSU 5¼" M2551	82.00

DIGITAL REAL TIME CLOCK

5832	2.80
6242	4.90

Z80 FAMILY

Z80A CPU	4mhz	1.20
Z80A CTC	4mhz	1.20
Z80A PIO	4mhz	1.20
Z80A DART	4mhz	2.75

STATIC RAMS

5564PL	150ns	5.25
5565PL	150ns	3.25

PROMPT DELIVERY

TERMS & CONDITIONS:
1) Visa & Mastercards Accepted with 3% surcharge.
2) Prices subject to change. PLease call for current & volume pricing.
3) Shipping & Handling (1 lb)
UPS Surface $3.00
UPS 2nd Day $4.50
California Residents add 6.5% sales tax.

OFFICE HOURS:
Monday thru Friday 7:30AM - 5:30PM
Saturday 7:30AM -12:00Noon

Data Sheets: $0.25 each

Quarterly Flyers available, please call

We reserve the right to substitute manufacturer. All merchandise subject to prior sale.

P.C. MEMORY HOTLINE

LEADER IN WHOLESALE PRICING

SEAGATE, TANDON, OKI, AMDEK, TEXAN AND MORE

20MB HARD DRIVE HH	$255	MONITOR 12" COLOR 640 x 200	$249
w/CONTROLLER	$345	MONITOR 12" COLOR 640 x 400	$319
30MB HARD DRIVE HH	$349	PRINTER DAISY WHL 22 CPS	$199
w/CONTROLLER	$459	PRINTER DAISY WHL 40 CPS	$299
50MB HARD DRIVE HH	$629	4MB MEMORY EXPNSN CARD	$199
w/CONTROLLER	$819	MODEM 1200 HAYES COMPTBLE	$ 99
FLOPPY DRIVES HH	$66/99	COLOR GRAPHICS CARD	$ 59
CONTROLLERS	CALL	DISK HEAD CLEANING KIT	$1.49

PLEASE CALL FOR VOLUME DISCOUNT

1-818-376-1440

YOUR ACCESS TO THE SOPHISTICATED IBM PC APPLICATIONS AND INPUT YOU HAVE TO KNOW...

PC TECH JOURNAL

As a systems designer, integrator, DP/MIS specialist, or consultant, you need PC TECH JOURNAL. PC TECH JOURNAL provides the tools and know-how to expand the functions and capabilities of your system.

Stay in the fore-front of IBMs rapidly changing PC technology —subscribe to PC TECH JOURNAL today!

- One year (13 issues) only $26.70.
- Two years (26 issues) only $53.35.
- Save 50% off the annual single-copy price of $53.35.

Your subscription includes the special PC TECH JOURNAL DIRECTORY issue published in November. This is a comprehensive source and reference to the articles and products reviewed and featured in PC TECH JOURNAL beginning with the premier issue published in July 1983!

FOR SYSTEMS EXPERTS ONLY!



Yes! Please begin my subscription to PC TECH JOURNAL for:

☐ Two years (26 issues) for $53.35.
☐ One year (13 issues) for $26.70. **SAVE 50%!**

Savings based on annual single-copy price of $53.35.

Mr./Mrs./Ms. _____
please print full name 4S630

Company _____

Address _____

City _____ State _____ Zip _____

☐ Payment enclosed ☐ Bill me later

Add $6 per year outside USA for postage, US currency only. Please allow up to 60 days for delivery of first issue. Basic annual subscription cost is $34.97.

FOR PC DECISION MAKERS!

Yes! Please begin my subscription to PC TECH JOURNAL for:

☐ Two years (26 issues) for $53.35.
☐ One year (13 issues) for $26.70. **SAVE 50%!**

Savings based on annual single-copy price of $53.35.

Mr./Mrs./Ms. _____
please print full name 4S630

Company _____

Address _____

City _____ State _____ Zip _____

☐ Payment enclosed ☐ Bill me later



Add $6 per year outside USA for postage, US currency only. Please allow up to 60 days for delivery of first issue. Basic annual subscription cost is $34.97.

GIVE PC TECH JOURNAL AS A GIFT!



You're saving 50% OFF the annual newsstand price of $53.35.
Add $6 per year outside USA for postage, US currency only. Please allow up to 60 days for delivery of first issue. Basic annual subscription cost is $34.97.

Give a business associate a subscription to PC TECH JOURNAL. It's a great holiday—birthday—anytime gift for a systems designer, integrator or DP/MIS professional!

Yes! Please send a one year (13 issues) subscription of PC TECH JOURNAL

TO:

Mr./Mrs./Ms. _____
please print full name 4S648

Company _____

Address _____

City _____ State _____ Zip _____

Please bill me for $26.70 and send the gift card

FROM:

Mr./Mrs./Ms. _____

Company _____

Address _____

City _____ State _____ Zip _____

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 66 BOULDER, COLORADO

POSTAGE WILL BE PAID BY ADDRESSEE

TECH PC JOURNAL
P.O. Box 2966
Boulder, Colorado 80321

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 66 BOULDER, COLORADO

POSTAGE WILL BE PAID BY ADDRESSEE

TECH PC JOURNAL
P.O. Box 2966
Boulder, Colorado 80321

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 66 BOULDER, COLORADO

POSTAGE WILL BE PAID BY ADDRESSEE

TECH PC JOURNAL
P.O. Box 2966
Boulder, Colorado 80321


ACCESS TECH PC JOURNAL

FOR THE INFORMATION *YOU NEED!*

- ANIMATION
- TERMINAL EMULATION
- ADVANCED LANGUAGES
- DATA SYNTHESIS
- TECHNOLOGICAL ADVANCES
- PRODUCTS FOR SYSTEMS EXPERTS

AND THE SPECIAL PC TECH JOURNAL DIRECTORY ISSUE!

Subscribe today!



* MICROstar—XT & AT COMPUTER SYSTEMS *


(1 WEEK DELIVERY)

MICROstar—XT
Only $499
SYSTEM 1:

Includes:
* 4.77-8 MHZ Turbo
* 256 K Memory
* Key Board
* 360 K Floppy Drive

SYSTEM 2:
Only $1099

Includes:
* Turbo Mother Board
* 640 K Memory
* 20 MB Hard Disk
* 360 K Floppy Drive
* Monochrome TTL Monitor
* Hi-Res Mono Card
* Key Board
* Call For Options



FREE

Fully configured and tested for your system requirement

** One Year Limited Warranty*
** Dealers and Corporate qty. Discount available*

MICROstar—AT
Only $1399
SYSTEM 1:

Includes:
* 512 K Memory (1 MB Optional)
8 MHZ -80286 CPU
Phoenix Bios
1.2 MB or 360 K Floppy Drive

SYSTEM 2:
$2099

Includes:
* 30 MB (40 ns) Hard Disk
* 1 MB Memory
* Monochrome Monitor
* Monochrome Adaptor
* Same as System 1

* Many Options Available

IBM

IBM-XT w. 640 K, 20 MB...$2399
IBM-AT w. 512 K, 30 MB...$3799
IBM-PC w. 256 K, 2 Drvs...$1299

COMPAQ

Portable 256 K, 2 Drives...$1649
COMPAQ Port. II from...$2699
DESKPRO W. 128 K, 1 Drv...$1649

SPERRY

SPERRY-HT w. 256 K,
2 Drives, Monitor...$1899
SPERRY—IT w.44 MB
1.2 MB Flp., 1 MB...$3299

LEADING EDGE..$ Call AT & T ...$ Call **EPSON EQUITY..$ Call**

* Hard Disk Subsystems *
20 MB Seagate...$429
30 MB Seagate...$529
40 MB Complete..$799
AT HARD DRIVES
20 MB Seagate...$599
30 MB Seagate...$699
44 MB Miniscribe..$1299
60, 80, 120 MB..$ Call

* Printer For You *
EPSON FX-286...$549
EPSON FX- 85...$399
LQ 800, LQ 1000, LX 80..$ Call
TOSHIBA 321/351..$549/$1049
BROTHER M1509..$429
HP LASERJET =LASER JET=...$ Call
WE CARRY ALL OTHER
PRINTER BRANDS

* Software *
LOTUS 1-2-3...$329
DBASE III/FW II...$ Call

MODEMS
1200 b int. Modem..$149
* HAYES * PROMETHEUS $ Call
* MEMORY CARDS *
384 K MFC w. C, S, P, G, ..$ Call
AST Six Pack 384 K...$219

* BEST PRICES * BEST SERVICE * FAST DELIVERY

1-800-MIC—STAR
(312) 968-3323

Mon. — Fri. 9-7
Sat. 10-5

MICROstar

proteus 286

100% COMPATIBLE



COMPLETE SYSTEM.. **$1795**

- Stable 8-Layer Mother Board
- Intel 80286-10 CPU, 6/10 Mhz (12.5 MHz OPT)
- Selectable Memory Wait State, 0 or 1
- 1.2 MB 5¼" Floppy Disk Drive
- 360K 5¼" or 3.5" Microfloppy
- Combination Hard/Floppy Disk Controller
- 1 MB RAM Expandable to 4 MB on MotherBoard
- 5 Mhz DMA Bus
- 3 Serial Ports, Selectable RS232 or RS422
- 2 Parallel Ports
- Clock/Calendar with Battery on Board
- Reset Button
- 200 Watt UL Power Supply

proteus XTi

100% FASTER 100% COMPATIBLE

TURNKEY SYSTEM..... **$979**

- Stable 8-Layer Mother Board
- Intel 8088-2CPU, 4.77/8 Mhz
- 640K RAM Expandable to 1MB on MotherBoard
- O Memory Wait State
- 360K 5¼" Floppy Drive
- 2 Serial Ports, 2 Parallel Ports
- Clock/Calendar, SASI Interface on Board
- Reset Button
- 135 Watt UL Power Supply
- Hercules Compatible Mono/ Graphics Adapter
- High Resolution Monochrome Monitor

IBM COMPATIBLES AT AFFORDABLE PRICES!

SEAGATE HARD DISKS

20 MB	Internal Half-Height	$325
30 MB	Internal High Speed	$670
40 MB	Internal High Speed	$775
60 MB	Internal High Speed	$Call
120 MB	Maxtor 18MS	$Call

Custom configurations with various hard disks, EGA, CGA, and monitors available at low prices.

Full Warranty and Manuals
FCC Approved

proteus
The Intelligent Conclusion

WINTECH DATA PRODUCTS CORP.®
377 ROUTE 17
HASBROUCK HEIGHTS, N.J. 07604

201-288-8629

TELEX: 510 601 0960

TERMS: C.O.D., VISA/MC, PRE-PAYMENT, L.C., OR WIRE TRANSFER. PRICES, SPECS & TERMS SUBJECT TO CHANGE.
PROTEUS IS A TRADEMARK OF WINTECH DATA PRODUCTS.

Turbo Screen/Application Generator

Be 3-6 times more Productive!!!

Guaranteed* For $69.95 (one month holiday special)

Turbo Master helps you develop your functional specs (Generates Screen, File, Isam, Variable and Menu Control Documentation) and then allows you to "Quickly" prototype a validation model of your system. (Which can be incorporated as part of your functional specifications.) Turbo Master can then generate a super-fast Turbo Pascal Program that features advanced screen input and control, a professional control menu, the database functions of (1) Add/Edit/Delete Records (2) Search Database by any Key (3) Database Recovery programs (4) Screen/Printer Report for each of the keys. Each Key can have up to 6 fields.

Our Users Report

- *"Since Fall of 85, I have generated over 300 program modules with it and find it to be just what I needed. Most all of the modules represent 5000 to 8000 lines of Pascal Code"* Oner Systems.
- *"By being able to produce a 21 screen and menu control demo so quickly helped me obtain the contract."*
- *"Speeded up my screen development by 6 times"* Elexor Associates.
- *"Has many of the features of the Super Mini development tools costing $10,000."* Applied Micro Systems.
- *"Saved months from having to recode portions of our system."* Real Green Inc.
- *"We developed 3 Vertical Market Applications in the 6 months we had your system."* Absolute Systems.

***RISK FREE TRIAL** Try the demo package included for 30 days. If not pleased return for a full refund.

Receive 6 Floppy Disks and a manual containing:

1. **Screen Painter/Editor & Generator** • Paint menu screens using keyboard • Has variable dictionary to provide consistant edits • Date entry masks • Date & range checks • Field and/or global help screens • Box & line drawing • Error & message handler
2. **Help Screen Maker** - Different help screen for each field.
3. **Menu Editor & Generator** • Allows selection by 4 methods.
4. **Database Program Generator** • Produces "Easy to Read" code that can be easily modified by experienced developers.
5. **Resident Isam Module** - compatible with Turbo Toolbox, but saves 8K of codespace and 10K of dataspace.
6. **Turbo Resident Screen Capture Utility** which allows you to capture Text Screens from any running program.

& Much, Much More

Credit Card & C.O.D. Orders Call: 1-800-821-9503

In Florida 1-800-342-0137

NO ROYALTIES on Generated Programs

Btrieve Interface Module


Allows full multiuser record locking and Automatic file recovery for the industry's most popular LANs. Works with the industry's leader of professional databases for multiuser LANs.
Requires Btrieve by SoftCraft Inc. **$99.95**

- ☐ Turbo Master by Hawaiian Village Software . . . $69.95
- ☐ Btrieve Interface by Innovative Interfaces 99.95
- ☐ Turbo Pascal by Borland International $99.95

For Further Information Call:
(305) 892-5686

Add 7.50 shipping to all U.S. Cities. All foreign orders add 15.00 per product ordered

Btrieve is a trademark of SoftCraft Inc. Turbo Pascal & Turbo Database Toolbox are trademarks of Borland International.



From B C Associates —

NETWORKING FOR ONLY $99 A USER!

Yes, it's true, now you can take control of your data handling problems and implement your own PC local area network for only **$99.00** per station (plus software, power supply and cables).

Are you tired of carrying around a box of diskettes just to transfer information among your many PC systems in your office? You've probably looked into networks, but the high cost of such systems kept you away.

Now there's SimpleNET™. A truely low cost/ medium performance alternate to the high priced systems. SimpleNET uses a small interface module which attaches to your PC systems and a PC Network (DOS 3.x) compatible network BIOS program. The interface allows up to 32 users to be connected via a single interface cable with a maximum cable length of 1.2 kilometers (how about 4000 feet?). The software interface is compatible with DOS 3.x and the new PC Local Area Network Program available from your IBM dealer.

SimpleNET Basic System* — For up to 4 users

- Interface/Power supply module. (One power supply module is capable of driving 8 stations.)
- User Interface modules
- Cable Package
- Network BIOS Software
- Installation/Operations Manual

Only $695.00 Complete Additional user can be added for $99.00 each.

*Requires IBM PC/XT/AT or compatible with one available asynchronous communications port.

PROGRAMMERS AND SOFTWARE DEVELOPERS - LOOK AT THESE PRODUCTS! NO ROYALTIES REQUIRED

ASMLIB
The Programmer's Library

- A Multipurpose set of over 200 Assembly Language sub routines supplied in the form on a linkable library.
- Virtual disk file hangling.
- Int. driven asynch. support.
- Graphics on EGA, herc. and CGA.
- Floating point math and trig routines with 8087 support.
- Installable keyboard activated programs are easily written with ASMLIB's special functions.
- Plus much, much more.
- Supplied with complete source code.

Only $149.00 Complete

asmTREE
The Programmer's B+Tree Data File Management System

- A complete single/ multiuser database management system written entirely in Assembly Language gives the Lattice "C" or Assembly Language programmer these capabilities.
- Up to 256 users.
- Up to 256 index and data files.
- Multiple key types.
- Multiple indices per index file.
- Duplicate and variable length keys.
- Virtual file handling
- Plus much, much more
- Supplied with complete source code.

Only $395.00 Complete

GenericGL - Generic general ledger package can be used by any program...UDS...$295.00

FSEdit - Full sreen edit package by UDS...$49.95

REALIA COBOL USERS!

FPLIB - Floating point library package with 8087 support and trig functions...$149.00

Full Money Back Guarantee

B C ASSOCIATES
3261 No. Harbor Blvd., Suite B
Fullerton, CA 92635
(714) 526-5151

Enclosed please find my ☐Check ☐Money order for $ _____

Please send the following:

QTY			
_____	SimpleNET Basic 4 user...by UTE	$695.00 each =	_____
_____	asmTREE database development system	$395.00 each =	_____
_____	ASMLIB Assembly Language library	$149.00 each =	_____
_____	GenericGL general ledger package	$295.00 each =	_____
_____	FSEdit full screen editor	$ 49.95 each =	_____
_____	FPLIB Realia COBOL Floating point pkg	$149.00 each =	_____

All prices include UPS shipping within continental United States. Outside U.S. please add $10 per package. Calif. residents please add 6.5% sales tax. = _____

Total = _____

REQUIRED READING FOR ALL IBM PC SYSTEMS EXPERTS

If you're a systems expert, microcomputer specialist, or MIS/DP professional working with IBM PCs, you need the comprehensive information PC TECH JOURNAL provides 13 times a year!

It's the only magazine that provides you with the technical information to help you increase the performance of your multi-component system. It talks to systems experts and systems designers in the language you understand—about the applications and products you have to know about!

As part of your annual subscription to PC TECH JOURNAL, you'll receive the special PC TECH JOURNAL Directory issue published in November, the most comprehensive guide and index to the products in the PC marketplace and PC TECH JOURNAL's coverage!

Don't leave a gap in your required reading, subscribe to PC TECH JOURNAL now and *save 50%!*

For faster service call Toll-Free 1-800-852-5200 today!

4Z577

Send me PC TECH JOURNAL for:

☐ One year (13 issues) for $26.70. **SAVE 50%!**

☐ *Two years for $53.35.*

PC TECH JOURNAL *P.O. Box 2966 Boulder, CO 80322*

Savings based on annual single-copy price of $53.35.

Mr./Mrs./Ms. _____
(please print full name)

Company _____

Address _____

City _____ State _____ Zip _____

☐ Bill me ☐ Payment enclosed

Add $6 per year for postage outside USA, US currency only. Please allow up to 60 days for delivery of first issue. Annual Basic subscription price is $34.97.

pd **Precision Data Products** Complete Line of Quality Supplies for Your Computer

TOLL FREE ORDER LINE
800-258-0028
FOR INFORMATION CALL
616-452-3457
3M DATA RECORDING PRODUCTS

Computer Tape

NEW TAPE BACKED BY 3M'S UNSURPASSED WARRANTY

Black Watch® Unique substrate durability extends tape life . . . reduces data loss. Protects itself and your valuable data against physical damage.
777 Series High life, high reliability tape. Tape is completely compatible at all densities, including 6250 BPI. 100% tested.



Product	Black Watch® (700 Series) Per Reel	(777 Series) Per Reel
600' w/seals	$ 7.65	$ 7.45
1200' w/seals	$11.05	$ 9.75
2400' w/seals	$12.85	$12.35
3600' w/seals	$18.55	
2400' w/EZ II	$13.35	$12.85
3600' w/EZ II	$19.15	

10 Reels/Case

Quantities less than 20, add 5% - Shipping F.O.B. Grand Rapids, MI

3M Data Cartridges

Quantity	10 - 30	40 +	Quantity	10 - 30	40 +
	Per Cartridge				
DC 100 A	$12.60	$12.40	DC 600 A	$20.85	$20.60
DC 300 A	$15.95	$15.30	DC 600 HC	$23.50	$23.30
DC 300 XL	$18.80	$18.50	DC 615 HC	$17.50	$17.20
DC 300 XL/P	$18.95	$18.75	DC 1000	$12.50	$12.30
			DC 2000	$17.25	$17.05



Quantity less than 10, add 5% — Shipping F.O.B. Grand Rapids, MI

3M Diskettes

DURABLE, CERTIFIED 100% ERROR FREE LIFETIME WARRANTY

SALE ORDER NOW! *LIMITED TIME OFFER*

5¼" Diskettes		3½" Diskettes		8" Diskettes	
SSDDRH	$.76 ea	SS Micro	$1.39 ea	SSSD	$1.51 ea
DSDDRH	$.99 ea	DS Micro	$1.99 ea	SSDD	$1.85 ea
DSHD 96TPI	$2.23 ea	Sold 10/Box		DSDD	$2.05 ea

SPECIAL! ***UNBRANDED DISKETTES*** (You Get Everything But The Box — Prices Are Per Disk)

100% ERROR FREE LIFETIME WARRANTY
With Hub Rings, Write Protect Tabs, Tyvec Envelopes, User ID Labels - In Factory/Sealed Poly Packs

5¼" SSDD	5¼" DSDD	5¼" DSHD96TPI	3½" SS	3½" DS
.45	.50	1.69	1.39	1.65

SPECIAL OFFER!



JUST $5.00 Delivered Price — DATA CASE FOR 5¼" Diskettes HOLDS 60!

(With Order of 100 Branded or Unbranded Diskettes)

Minimum order: $25.00. A discount for 300 or more diskettes. Add 10% for less than 50 diskettes. **Shipping and Handling:** $4.00 per 100 diskettes. Continental U.S.A., APO/FPO, add $8.00 per 100 diskettes. Reduced shipping charge for larger quantities. C.O.D. add $4.00 Cash or certified check. MI residents add 4% sales tax. Prices subject to change without notice. HOURS: 8:30 AM - 6:00 PM Eastern Time.

pd **Precision Data Products**
P.O. Box 8367, Grand Rapids, MI 49518
Customer Service & Information: (616) 452-3457
Toll Free Order Lines: MI 1-800-632-2468
Outside MI 1-800-258-0028

C.O.D.

CANADIAN SOURCE for MSDOS/PCDOS
Programming & Development Aids

	$US	$CDN
Lattice CV 3.1	425	600
C-Food Smorgasbord	125	180
C-Food Source Code	425	600
Essential C Utilities	185	265
Greenleaf Functions	185	260
Greenleaf Commun.	185	260
Lattice Windows	250	355
Panel	250	355
Instant-C	480	675
Run/C (lite)	125	180
Run/C Prof.	220	315
Pre-C	335	475
P-Fix Plus	335	475
P-Finish	335	475
B-Trieve	245	345
B-Trieve Network	595	835
Disk Optimizer	45	65


Too many to list—call us for more info

- **Dealer Inquiries Invited**
- **Corporate Discounts Available**
- Master-Card/Visa accepted

Call now **SCANTEL SYSTEMS LTD**
801 York Mills Rd, Don Mills, Ontario
M3B 1X7 — 416—449-9252/5

COMPUTING POWER

FROM FLOPPY DISK SERVICES




PRICES AND SPECS SUBJECT TO CHANGE WITHOUT NOTICE.

Floppy Disk Services has been supplying storage systems to the hobby and professional computer community for 7 years now. You can buy with confidence from a supplier that is in for the long haul. Whether you need advice or technical help, our staff is here to serve you.

The 'Service' in Floppy Disk Services stands for the confidence you'll have in dealing with us. We do not make you wait when a problem comes up. We will be there to help, and more importantly support and guide you. In the unlikely event we cannot answer your questions, a staff member will return a call to you in a timely and professional manner with the answer.

Warranty is a term that sometimes is taken for granted. At Floppy Disk Services, we support one of the strongest warranty policies in the business. Our policy is to replace any equipment found to be defective in any way during the warranty period. Its as simple as that! No waiting for the merchandise to be sent back to the factory. If we find a problem, (other than abuse), we simply ship a new unit back to you.

The XT-clone system pictured above is our Super System VII XT clone. It contains a turbo processor, a 20mb hard disk formatted RLL to 31mb, 640K RAM, two 360K floppies, 1 AT 1.2 mb drive, mono amber monitor, par port, ser port, clock and AT type keyboard! You might expect to pay thousands for this system, but Floppy Disk Services, inc. will supply it ready to run with a 1 year warranty. Call for latest quotes on your custom system needs. . .



Complete line of drive enclosures

800-223-0306

CALL FOR FREE CATALOG

Dealer Inquiries Invited

VISA MasterCard

39 Everett Dr., Bldg. D Lawrenceville, NJ 08648

(609) 799-4440

FLOPPY DISK SERVICES INC.

American Semiconductor®



256K $1.99!

THE *BARE* XT TURBO SYSTEM

$399. ***"Looks, tastes, and acts like the IBM, AND, it's 100% COMPATIBLE!"***

AT's and portables clones now available



HOT NEW PRICES!

AT Clones $1100.

Portable Compact Clone XT	799.
XT Power Supplies	89.
XT/AT Keyboards	69.
Hayes Compatible Modem 300/1200 INT/EXT	139.
Mini UPS (200W)	335.
Ext. Drive Case with 80W Power Supply	169.

5 YEAR WARRANTY ON WDHDC

WINCHESTER DRIVE KITS

20MB Half Height/CC	$379.
10MB Portable Shock Mount	379.
20MB 3½ Shock Mount Portables	379.
30MB Half Height (RLL)	449.
30MB Full Height	599.

ALL DRIVE KITS INCLUDE: CONTROLLER CARD/ CABLES/MANUAL

WINCHESTER DRIVES

(5¼" & 3½")

10MB Portable Shock Mount (40g's)	$250.
20MB Half Height ST225	299.
20MB Portable Shock Mount	325.
30MB RLL XT Compatible Kit	449.
Hardcards Available	499.

HIGH-SPEED HARD DRIVES (RT-AT-XT-RLL Compatible)

20MB AT/Hi-Speed	$299.
30MB AT/Hi-Speed	499.
50-160MB	☎
60MB PRIAM	$999.

PERIPHERALS

Composite Monitor	$ 79.
Color Monitors AS LOW AS	235.
HiRes Monochrome Monitors	119.

IRWIN B/U TAPE SYSTEM . . . $449.

ADD-ON CARDS

Monochrome Card III	$ 79.
Monochrome Graphics III WITH Port Printer	99.
Color Graphics Card V	79.
Printer Port	29.
Multi I.O. WITH FLOPPY CONTROLLER	99.
Multi Function (6-PAK Lookalike) Card 0–384K w/Software	99.
Hard Drive Controller	99.
Hard/Floppy Controller AT	190.
EGA Cards	239.
Floppy Controller w/Cables	49.

FLOPPY DISK DRIVES

Mother Boards (Expandable to 640K) XT Compatible Turbo	$139.
DSDD 48 TPI-360K Half Height: QUME/TRAK #142	79.

CHIPS

41128	$ 3.25
41256K-150	2.39
41256K-200	1.99
4164	.99
8087-3	119.00
8087-2	155.00
80287-3	159.00
80287-8	239.00
NEC V-20	14.00

"OURS does what THEIRS does for a whole lot *LESS*!"...CALL TODAY!

10MB Winchester Drive Kit $285.00! CALL FOR DETAILS

TO ORDER TOLL FREE CALL

1-800-237-5758

EXT. 108


Vendor Line Inside Florida 813-961-9444

TECHNICAL SUPPORT 813-961-5584

PRICES SUBJECT TO CHANGE DUE TO AVAILABILITY AND MARKET FLUCTUATIONS.

CALL TODAY FOR ITEMS NOT LISTED AND DEALER PRICING. ADD 3.2% FOR VISA MasterCard

16520 N. Florida Ave., Lutz, Florida 33549



"Serving the Nation's Capitol and the World"

Open 7 days a week

(703) 847-4740 · (800) 642-2395

Visa, MC, CHOICE, AE
Leasing, Renting & Financing available

Information and Technology Services, Inc.

Micro Systems Specialists
8478A Tyco Rd., Vienna, VA 22180

Software

SUPERCALC 4	$220
SUPERPROJECT +	$255
WORDPERFECT 4.1	$224
DBASE 3 PLUS	$440
FRAMEWORK II	$399
RBASE 5000	$320
RBASE SYSTEM V	$396
CROSSTALK XVI	$99
REFLEX	$96
TURBO PASCAL	$42
TURBO PROLOG	$60
TURBO LIGHTNING	$61
NORTON UTILITIES	$57
MS WINDOWS	$69
MS QUICKBASIC	$65
MS C-COMPILER	$298
MS WORD	$280
WORDSTAR 2000	$270
WORDSTAR 2000 +	$325

Easy Business Accounting Systems

GENERAL LEDGER	$325
ACCOUNTS RECEIVABLE	$325
ACCOUNTS PAYABLE	$325
INV. CONTROL & ANAL.	$325
RETAIL INVOICING	$325
PAYROLL	$480
ORDER ENTRY	$325
TIME, BILLING & REC.	$635

Memory Boards

JRAM 2	$134
JRAM 3 ABOVEBOARD	$183
JRAM AT	$183
JRAM AT3 ABOVEBOARD	$239
JLASER MODULE	$275
INTEL ABOVEBOARD	$438
AST RAMPAGE 512K	$485
ORCHID CRAMRAM 256	$291
ZUCKER BOARD	$83
AST 6 PAK PLUSW/384	$210
QUADBOARD W/384	$205

Drives

20 MB TANDON 100MS	$405
20 MB SEAGATE 65MS	$435
30 MB SEAGATE RLL	$544
20 MB ST4026 AT	$573
30 MB ST4038 AT	$651
40 MB ST4051 AT	$792
80 MB ST4096 AT	$1273
40MB PRIAM XT	$1395
60MB PRIAM XT	$1450
40MB PRIAM AT	$1175
60MB PRIAM AT	$1350
BERNOULLI DUAL 10	$1939
BERNOULLI DUAL 20	$2594
20MB PLUS HARDCARD	$626
20MB MAYNARD HCARD	$759
ISI WORM 220MB INT.	$3295
ISI WORM 220MB EXT.	$3495
TEAC 360K DRIVE	$99
QUME 360K DRIVE	$89
60MB ARCHIVE TAPE	$715
60MB ARCH. EXT. AT	$765
60MB GENOA TAPE	$935
60MB SYSGEN	$1089
20MB INTERDYNE EXT.	$510

Monitors


AMDEK 310A	$150
AMDEK 722	$549
NEC MULTISYSNC	$631
MAGNAVOX TTL AMBER	$110
SAMSUNG AMBER	$110
XTRON AMBER W/BASE	$110
SANYO AMBER	$135
PRINCETON	$CALL
COLOR RGB MONITORS	$305

Printers

EPSON FX-286	$624
EPSON LX-80	$285
EPSON FX-85	$434
EPSON LQ-800	$631
EPSON LQ-1000	$833
NEC P-6	$480
NEC P-7	$685
NEC P-5	$1122
NEC P-5XL	$1245
PANASONIC 1091	$255
PANASONIC 1092	$360
PANASONIC 1592	$480
STAR NX-10	$255
STAR NL-10	$280
STAR SG-15	383
STAR SD-10	$355
BROTHER 1509	$440
BROTHER 1709	$CALL
CITIZEN 120D	$190
CITIZEN MSP-10	$285
CITIZEN MSP-15	$415
CITIZEN MSP-20	$340
CITIZEN PREMIERE 35	$485
TOSHIBA P321	$549
TOSHIBA P341	$835
TOSHIBA P351	$1227
FUJITSU DL-24 COLOR	$1125
FUJITSU DLP24	$1239
FUJITSU DM9I	$413
FUJITSU DX2100	$407
FUJITSU DL2400	$991
OKIDATA M182	$230
OKIDATA M183	$413
OKIDATA M192	$383
OKIDATA M193	$554
OKIDATA M84	$713
OKIDATA 2410	$1976
PRIMAGE 90CPS	$1045
PRIMAGE 90 W/3 BINS	$1345
PRIMAGE 100	$1281
PRIMAGE 100 3 BINS	$1575

Specials

1200 BAUD MODEM	$125
2400 BAUD MODEM	$250
XT CASES	$45
150 WATT POWER SUPP.	$83
AT STYLE KEYBOARD	$79
5151 STYLE KEYBOARD	$79



"Editor's Choice"

ITS Turbo XT

The $895 ITS Turbo XT from Information and Technology Services is our "best buy" recommendation.

PC MAGAZINE
OCT. 14, 1986

$895.00



SPERRY

PC/IT

Superior to the IBM AT
Rated 8.8 by InfoWorld
44MB, 28ms Access Hard Drive
3 Speed Processor
Free 8MHz Math Coprocessor
12 MB FLoppy, 640K Ram
2 Serial/1 Parallel Ports
Clock/Calendar, AT Keyboard
DOS 3.1, Basic, System Guide

$2,895.00

Other Systems

SHARP PORTABLE	$1195
SPERRY MICRO IT	$1795
SPERRY IT	$1895
IBM PC AT	$2789
IBM XT	$1798
TOSHIBA 3100 10MB	$3800
SILENT PARTNER BIOS AT	$2295
1800 PLUS AT	$1395

Laser Printers

CANON A1	$2095
CANON A2	$3085
HEW-PACK LASERJET	$2295
HEW-PACK LASERJET PLUS	$3214
HEW-PACK LASERJET + 500	$3995
QMS KISS	$1995
XEROX 4045	$CALL

Chips


64K 150ns set of 9	$9
64K 120ns set of 9	$10
256K/150ns set of 9	$28
256K/120ns set of 9	$31
64 × 4	$4
128K Piggyback	$5
8087-3	$119
8087-8	$169
80287 5MHz	$215
80287 6MHz	$234
80287 8MHz	$269
80287 Turbo	$327
V-20 5MHz	$15
V-20 8MHz	$18
V-30	$25

TOSHIBA Lap-Top


T-1100 Plus

(DUAL FLOPPY)

$1695.00



- 256K Ram Memory
- CMOS 80C86 Running at 7.1 MHz
- Two 720K 3.5" Floppy Drives
- One Expansion Slot
- TOSHIBA Keyboard
- LCD Display
- Color Graphics/Monochrome Composite Card
- One Parallel and Serial Port
- Clock Calendar
- External Floppy Drives Optional.



- IBM AT Compatible
- 512K of RAM expandable to 1MB
- 1.2MB Floppy
- AT Keyboard
- Documentation and Diagnostics
- Made in the USA

$1349.00

PC-SPRINT

"PC-Sprint is the most cost effective PC Speedup product on the market."
— Computer Shopper Magazine

- Run your PC, XT or clone at 7.38 mhz.
- 280% Speedup (Norton SI rating)
- Speeds up all software — you can see the difference
- External speed switch
- External reset button
- Change speed "on the fly"
- Compatible with 8087
- Works with all color or mono displays
- "Slotless" plug-in on most PCs
- Includes: Selectable top speed, instructions, warranty, tool, remote mount switch, free BBS subscription

$89.95 V20 add $10. Call for information on other products

Exec-PC, Inc.
P.O. Box 11268 Shorewood, WI 53211
(414) 242-2173

CIRCLE 375 ON READER SERVICE CARD

64K ■ 128K ■ 256K
DRAMS
EPROMS
80287-10 ■ 80287-8 ■ 80287-3
8087-3 ■ 8087-2 ■ 8087-1
4416 ■ 4464
V-20 ■ V-30
BITTNER
ELECTRONICS

MasterCard VISA

(714) 497-6200
CALL NOW FOR FREE CATALOG

CIRCLE 376 ON READER SERVICE CARD

Superior Program Duplication

Everything you do rides on the disk your customer gets. Our top-quality duplication service guards your reputation and assures your satisfaction. Check these benefits!

- 3½", 5¼", 8", 48 TPI, 96 TPI, high density.
- Choice of 600 formats provided on high quality media.
- 24-hour delivery of 50 to 5,000 copies. Drop shipping.
- Free warehousing and monthly inventory control report.
- Labeling, collating, packaging and shrink wrapping service.
- Copy protection. Free serialization.
- Colored or black media with lifetime disk warranty.

We've never missed a shipping date— 10% discount if we do!

Western Transdata Inc.
DISK DUPLICATION

1701 E. Edinger Ave., A-4, Santa Ana, CA 92705
Call 714/547-3383 (Collect)

CIRCLE 377 ON READER SERVICE CARD

MAP's Printer Tool Kit™

$49.95 • 10 Utilities • Any PC Printer

- Nothing else like it on the market
- Novice or professional
- Understand/enhance printer control function
- Diagnose/fix printer software problems
- Print hidden commands, print SPOOLER, unique CAPTURE to file with (text/graphics) with POP-UP menus, easy printer set-up/control with POP-UP menus, text/command translator, printer macros, YOU can customize most functions (simple text editor included)
- Not copy protected, site licenses available
- Specific printer products also available (Toshiba, Epson, IBM/color, IDS, Dataproducts, etc.)
- In the printer utility business since 1982
- 30 day unconditional money-back guarantee
- Call or write for info—dealers welcome

M·A·P Systems, Inc.
1120 NASA Road One, #415
Houston, TX 77058
800-527-2851 (In TX 713-333-9640)

CIRCLE 378 ON READER SERVICE CARD



LINK & LOCATE

LINK & LOCATE enables PC users to produce ROM-based firmware for 8086/87/186 from object files generated by popular C compilers, such as from Wizard, Microsoft and Lattice, and MASM assembler from Microsoft. Provides full control of segment placement anywhere in memory. Supports output of Intel HEX file for PROM programmers, Intel OMF absolute object file for symbolic debuggers and in-circuit emulators. Includes Intel compatible linker, locator, librarian and hex formatters. $350.

SYSTEMS & SOFTWARE Inc.
3303 Harbor Blvd., C11,
Costa Mesa, CA 92626
Phone: (714) 241-8650
FAX: (714) 241-0377
TWX: 910-695-0125

CIRCLE 379 ON READER SERVICE CARD

ANSI-CONSOLE™

The Integrated Console Utility™
FAST, POWERFUL ANSI.SYS REPLACEMENT
For the IBM-PC, AT, and clones
New Version 2.00 is MUCH FASTER

- Speed up your screen writing
- Extend your ANSI.SYS to full VT100
- Scroll lines back onto screen
- Save scrolled lines into a file
- Add zip to your cursor keys
- Free your eyes from scroll blinking
- Easy installation
- 43 line EGA support
- Over 40 other useful options

"So many handy functions rolled into one unobtrusive package" -PC-World Feb 86 pg 282.

460 p Manual (w/slip case) & disks $75
Satisfaction Guaranteed!
Order Yours Today!
HERSEY MICRO CONSULTING, INC.
Box 8276, Ann Arbor, MI 48107
(313) 994-3259 VISA/MC/Amex

CIRCLE 380 ON READER SERVICE CARD

DATA SENTINEL™

SECURITY FOR THE PRIVATE PC USER



- Provides Seal (Encryption) and Open (Reconstruction) of Private Data
- Hardware Key Plugs Into a PC or Compatible Parallel Port; Transparent to Printer Operations
- No Systems Work Necessary; Up and Running in Seconds
- Easy-To-Use Menu Driven Software; No Password Required
- Data Files Encrypted by Des or Rainbow Algorithm
- Compression Feature Reduces Files to 50% of Original Size
- Removal of Data Sentinel Prevents Access to Sealed Data
- Can be Configured for Corporate Needs

$195.00
Free Extra Matching Key Included; 30 Day Refund

RAINBOW TECHNOLOGIES, INC. **EVALUATION KIT AVAILABLE**
Telex 386078
17971 SKYPARK CIRCLE SUITE E, IRVINE, CA 92714 (714)261-0228

CIRCLE 382 ON READER SERVICE CARD

Get the whole story on graphics terminal emulation.



To find out more about software that lets your PC emulate TEKTRONIX™ 4105/6/7/9 and DEC VT100™ terminals, call or write:

GRAFPOINT
4340 Stevens Creeks Blvd., Suite 280,
San Jose, CA 95129 (408) 249-7951

CIRCLE 383 ON READER SERVICE CARD

TECH JOURNAL

TECH MART TECH BOOK

THE CLASSIFIED ADVERTISER'S FORMULA FOR SUCCESS IN SELLING TO TECHNICAL EXPERTS IN THE IBM MARKETPLACE.

FOR RATES & INFO CALL: (212) 503-5115

TECH MART

ATTENTION TURBO PASCAL USERS!
Crash the 64K Barrier

Try **TURBO PACKAGE** now!
90 day money back guarantee!

Modular Programming!
Promotes **REUSE** of working **CODE**
CUTS development **TIME**
IMPROVES system **RELIABILITY**
SIMPLIFIES program **MAINTENANCE**

FILL 640KB with code/data any way you want
VERY FEW CODE CHANGES.
FASTER than chaining or overlaying

SUPERMATH, FREE!
With purchase of Turbo Package
40 plus LONG **(32-bit math)** routines
Faster than real - big enough for $.
ASM coding insures top performance

Just $49.95 (in TX add tax)
Visa/MC (no shipping chg)

Write or call for more information
CONVERSATIONAL COMPUTER SYSTEMS
5371 Verbena Rd.
San Antonio, TX 78240
Phone: (512) 692-0353

CIRCLE 384 ON READER SERVICE CARD

FREE DISK SPACE

THE FILE STORAGE METHOD USED BY PCTECHLINE.

The ARC file archive utility can save 50% or more on disk storage, and modern transfer time.
- **Not copy protected**
- **Program Sources Included**

Only $50

"A sophisticated and eminently useful product."
—PC Week

SYSTEM ENHANCEMENT ASSOCIATES
21 New Street, Wayne, NJ 07470
(201) 473-5153

CIRCLE 388 ON READER SERVICE CARD

Sort RM/COBOL Files
• • • QISORTC • • •

Finally, a sort utility for RM/COBOL.
Using efficient algorithms in assembly language making it the fastest sort on the MS-DOS market. Qisortc supports:

- RM/COBOL Version 1.5x & 2.xx files
 - Single / Dual File Indexed
 - Relative and Sequential
- ASCII, COMP-1, & COMP-3 fields
- 32 sort control fields
 - ascending / descending
- 32 record selection fields
 - EQ:NE:GT:GE:LT:LE field:constant
 - implied AND, OR may be specified
- 32 output fields or total record
- CALL from RM/COBOL, when provided subroutine is linked with runtime
- Use pathnames and return codes
- Keyboard or Parameter file
- Requires MS-DOS ver 2.xx or above
- Only $95.00 - COD, VISA, or M/C.

Quantumn Information Systems, Inc.
18609 76th West, Suite H
Lynnwood, Washington 98036
(206) 774-7678 Telex 4941041

CIRCLE 386 ON READER SERVICE CARD

GET YOUR SLOW IBM XT286 TO RUN AT 9.5MHZ
(NORTON SI= 11.5)
WITH XCELX
BABY ROLLS EDITION
BGI COMPUTER DIV.
215-538-3900
THE FIRST AND ONLY A STEP BEYOND
INTRODUCTORY $199.95

CIRCLE 389 ON READER SERVICE CARD

TECH JOURNAL

TECH MART TECH BOOK

THE CLASSIFIED ADVERTISER'S FORMULA FOR SUCCESS IN SELLING TO TECHNICAL EXPERTS IN THE IBM MARKETPLACE.

FOR RATES & INFO CALL: (212) 503-5115

CIRCLE 387 ON READER SERVICE CARD

REPRINTS AVAILABLE

Quantity reprints of articles appearing in PC Tech Journal are available and will be prepared to meet any special requirements. Inquiries should be directed to Jennifer Locke, Reprints Dept., Ziff-Davis Publishing Co., 1 Park Ave., New York, New York 10016, Phone 212-503-5447.

TECH JOURNAL



PROTECT YOUR COPIES OF

TECH JOURNAL


Make your collection of PC TECH JOURNAL a handsome addition to your office or home—and protect and organize them for easy reference!

PC TECH JOURNAL Magazine Binders and cases are made of durable luxury-look leatherette over quality binder board. Custom designed for PC TECH JOURNAL, every order receives FREE transfer foil to mark dates and volume numbers.

FOR FAST SERVICE CALL TOLL-FREE 1-800-972-5858

MAGAZINE BINDERS

Hold your issues on individual snap-on rods. $8.95 each; 3 for $25.75; 6 for $48.75.



OPEN BACK CASES

Store your copies for individual reference. $7.95 each; 3 for $22.95; 6 for $43.95.



TECH JOURNAL
P.O. Box 5120
Philadelphia, PA 19141

Please send ☐ Binders ☐ Cases Quantity _____

Payment enclosed $_____. * Add $1 per order for postage & handling. (Outside USA, add $2.50 per unit ordered, US currency only.)

Charge my:
☐ Amex ☐ Visa ☐ MC (Minimum order $10.)

Card No._____ Exp. Date_____

Mr./Mrs./Ms._____
please print full name

Address_____

City_____

State_____ Zip_____

*PA residents add 6% sales tax.

TECH BOOK

ACCESSORIES/SUPPLIES

•• SOFTWARE PUBLISHING ••

GDS offers a wide variety of services that will help get your software to the market. Address your needs with GDS.

- IBM style cloth/vinyl 3-ring binders/slips
- Labels, sleeves, disk pages ...
- Disk duplication with 100% verification
- Bulk diskettes
- Shrink wrapping and assembly
- Quick turnaround

A well-packaged product can make the difference in making a sale. Call us NOW. VISA/MC

Glenco Development Systems
3920 North Ridge Avenue
Arlington Heights, IL 60004
(312) 392-2492

BAR CODING

BAR CODE LABEL PRINTING

PrintBar II is a unique memory resident program that prints code 39 and UPC bar codes on Epson, IBM graphics and LaserJet printers. Print directly from almost any program, without copying data to special print files. $295. 30 day money back guarantee. Easy to install bar code readers, available at $495.

BEAR ROCK SOFTWARE CO.
P.O. Box 212
Placerville, CA 95667
(916) 622-4640

BAR CODE READERS

- IBM PC/XT, AT, AT&T 6300 & 6300 PLUS keyboard models or RS-232 interface
- NO programming. Reads dot matrix
- Auto-recognition and single code decoding
- Reads Code 39. UPC A/E, Codabar & I 2 of 5
- $635 list, units in stock, 2 year warranty
- Bar code printing software, call for info.

PERCON®

PERCON, Inc.
2190 W. 11th
Eugene, OR 97402
(503) 344-1189

HARDWARE/ADD-ON BOARDS

SPEECH SYNTHESIS

SynPhonix: TRUE Unlimited Speech Synthesizer for IBM-PC/XT/AT/jr & compatibles. This low power short card includes an SSi263 speech chip, amplifier and speaker. Software includes Text-to-Speech, Phonetic Editor, Talking Clock & demos. Can be programmed with BASIC and other languages. Prices start below $200.

SynPhonix™
Electronic Speech Articulator

Artic Technologies
1311 N. Main St.
Clawson, MI 48017
(313) 435-4222

FIXED DISK BIOS/BOOT

FiXT boots from most popular Hard Disks—DAVONG, TECMAR, IOMEGA, GT LAKES, etc. Adds XT-like BIOS interface to your disk for PC. Security, multiple volumes, removable media support optional. No-slot plug-in installation. Specify controller and computer with order. $80-$95. Add $3 shpg., CA tax.



GOLDEN BOW SYSTEMS
2870 Fifth Avenue
Suite 201
San Diego, CA 92103
(619) 298-9349

PC-PROMPAK ROM Expansion for PC!

Aldia systems introduces PC-PROMPAK, a "half-sized" PROM/ROM expansion board for IBM and IBM compatible PCs. PC-PROMPAK will support up to six 28-pin JEDEC compatible devices (ex: 2764, 27128, 27256, 27512, 6264, etc.) with individually selectable address ranges. Prices start at $125 for single units. Quantity discounts and OEM arrangements available. MC/VISA.

ALDIA SYSTEMS, Inc.
P.O. Box 37634
Phoenix, AZ 85069
(602) 866-1786

Z80 and HD64180 CO-processors

For PC, PC/AT. Clock speeds to 9mhz. Prices start at $199.50. Run CP/M-80 software fast. Develop code for Z80/HD64180 with software ICE. Run Intel ISIS tools. Interface to real world with iSBX bus devices. High speed communications, including Apple Talk compatible.

Decmation
2065 Martin Ave. #110
Santa Clara, CA 95050
(408) 980-1678

HARDWARE/COOLING DEVICES

PC BE COOL!

Is your half height winchester half dead because it's only half cooled? Improve the performance and reliability of your disk, along with providing extra cooling for your computer. Our device mounts in a half-height drive slot on all PCs, XTs and compatibles. Send $39.95 + $3 shipping & handling to:

CrossBow Computer Products
P.O. Box 7447
University Station
Provo, UT 84602

HARDWARE/PERIPHERALS

CP/M & 1.2Mb AT ON PC

With MULTI-DISK card & UniForm-PC use 3.5, 5.25 & 8-inch single & double density CP/M format as DOS diskettes on your IBM PC or XT. Many MS-DOS formats supported including IBM AT 1.2 Mb. HP-150 & Data General 1. Over 200 formats. Both MULTI-DISK & Uniform-PC for $225. Disk drives & adapter cable available.

PS Engineering
P.O. Box 51068
San Jose, CA 95151-5068
1-800-369-2398; 1-800-423-7171 in CA.

12-Slot Advanced/ Industrial AT

The APC Advanced Professional Computer is a high-quality, 4-layer AT-compatible computer with 12 slots (perfect for control engineering and power-user applications). The IPC Industrial Professional Computer is a ruggedized, rack-mountable version of the APC with heavy-duty particulate filtering for serious industrial applications. SYSTEMS INCLUDE: IBM RAM on board • VLSI hard/floppy controller • 1 2MB floppy • P/S ports. Keyboard • 238W power supply APC: $2395. IPC $5495. OPTIONS: Industrial-quality hard drives. Rackmountable monitors. Support contracts. For more information, call or write:

US COMPUTER

U.S. COMPUTER
Attn: Lori Fry
P.O. Box 710205
San Jose, CA 95171-0205
(408) 446-0387 or (408) 446-3898

DATA INPUT DEVICES

TPS provides Bar Code & Magnetic Stripe Readers for simple installation IBM PC, AT, 3161, 3163, 3164, 3191, 3194 terminals, as well as many other microcomputers and terminals. No card slot or RS-232 port is required, and the readers are transparent to all software. A bar code print program (code 39) is available for the PC & AT at only $50 with the purchase of a reader. A magnetic encoder is also available for the PC & AT.

TPS Electronics
4047 Transport Street
Palo Alto, CA 94303
(415) 856-6833

PUBLICATIONS/ CATALOGUES

Advanced TurboPascal Book

"Turbo Pascal—Advanced Applications" a new book for serious programmers. Written by the TP experts, it covers topics such as optimization techniques, interrupts, system level tools, graphics, and more. In-depth and thorough. $16.95; or with MS DOS disk $29.95. Add $1.50 shipping (US & Canada). Free info.

Rockland Publishing
190 Sullivan Crossroad, Suite 107
Columbia Falls, MT 59912
(406) 257-9119

SOFTWARE/ BUSINESS OPPORTUNITIES

HIGHEST RATING OF ANY ...

... Database package given by Creative Computing. Appollo Database and FASTWORD Word Processor sell in stores for $250 each. Distributor Cost: $29! (Quantity #100). Combines filing and spreadsheet; 50X Faster than Dbase III! FASTWORD IS 40X faster than Wordstar and MS words, Includes Spell-Check and Data-Merge.

Schmidt Enterprises
7448 Newcastle Avenue
Reseda, CA 91335
(818) 342-5930; Outside CA: 800 232-6777

SOFTWARE/ COMMUNICATIONS

PC SERIAL DATA ANALYZER

Use your IBM PC or compatible to analyze data streams between two serial devices (up to 9600 BAUD). Two windows display each devices transmission in ASCII or HEX. PC can also act as a terminal for either device. Invaluable tool for debugging serial interfaces. Disk & manual $150.

Triple C Software
2897 SW 13th St.
Fort Lauderdale, FL 33312
(305) 583-0687

RATES AND INFORMATION

Standard listings consist of a bold lead line (25 characters maximum); 7 lines of body copy (45 characters per line); 4 lines for company name, address and telephone number. $140 per insertion—3 issue minimum. Additional charge for extra lines and company logos. Prepayment and frequency discounts available. American Express, MasterCard, Visa accepted. Copy subject to publishers approval. Send typewritten or printed copy, reproducible logo art (if applicable) and remittance to Kathryn Cumberlander, Classified Sales Manager, Ziff-Davis Publishing Company, One Park Avenue, New York, NY 10016. For additional information, assistance, or to place an order by phone, call collect (212) 503-5115.


TECH BOOK

CAN WE TALK?
You bet we can! BlueStreak Plus emulates 13 terminals including VT 100, multiple Comports, Baud rate to 19.2, Modem commands via AT command set, Resident mode. What's more, you can customize BlueStreak Plus using languages like C, Turbo Pascal or Dbase. Create turnkey applications. Why pay more?
BlueStreak Plus, $89.95 Lang-Allan, Inc.
711 Clay St.
Winter Park, Fl. 32789
(305) 629-5788

SOFTWARE/ DEVELOPMENT TOOLS

ROMable CODE on PC!
PCLOCATE allows PC users to develop ROM-based software from MS-DOS "Exe" files. The user specifies the physical location of all segments. Output files are compatible with most PROM programmers. PCLOCATE supports the 8086, 8088, 80186, 80188, and 80286 processors. MC/VISA.
ALDIA SYSTEMS INCORPORATED
P.O. Box 37634
Phoenix, AZ 85069
(602) 866-1786

FIRMWARE PRODUCTION ON PC
LINK&LOCATE enables PC users to produce ROM-based firmware for 8086/87/186 from object files generated by C, PL/M compilers & MASM. Provides full control of segments placement anywhere in memory. Supports output of INTEL hex file for PROM programmer, absolute object file for symbolic debugger & ICE, and MS-DOS EXE fifle. Includes an INTEL compatible linker, locator, librarian and hex formatters. $350.



Systems & Software, Inc.
3303 Harbor Blvd., C11
Costa Mesa, CA 92626
(714) 241-8650

GENSCREEN FOR MS-COBOL
Cobol Source Code Generator for generating the screen section and data division cobol source code for Microsoft and IBM PC cobol. Screen Image Text files are run through GENSCREEN to produce all of the source code for your screen in less than a minute. Super fast programmer productivity tool $69.99.
Personal Computer Development Corporation
P.O. Box 8556
Warwick, R.I. 02888-8556
(401) 333-8704

MODULA-2 TOOLS: $19
REPERTOIRE—the proven toolkit for Logitech, ITC & others: 250p manual (on disk); screen design/display system; DBMS with variable-length records; multi-window editor; natural-language analyzer; over 200 low level routines. Printed manual: $15. Source code. (440K): $89. Call for free demo/doc. disk.
PMI
4536 SE 50th
Portland, OR 97206 (503) 777-8844
BIX: pmi; Compuserve: 74706,262

PRODUCTIVITY TOOLS
SRMS™ Software Revision Management System stores all versions of source code in a single library. Allows retrieval of any version of source and application of changes while recording when, why, and where changes were made with no duplication of common code. DOS pathname, directory, and environment variable support, typeset manual, much more.
New version (2.0)..... $125.00.
QMAKE™ is an intelligent system builder patterned after the UNIX make utility. Only compiles those routines that have changed since last build. Support for macros, multiple entry points, command line parameters. Integrates fully with SRMS™..... $99.00.
MS/PC-DOS 2.0 (MN plus 6%) MC/VISA
QUILT™ COMPUTING
7048 Stratford Rd.
Woodbury, Minnesota 55125
(612) 739-4650

Better BASIC Programmers
BetterTOOLS 2.00 SPEEDS BetterBASIC 1.1/2.0 development. Includes: 190+ useful tools in 17 modules, manual, and source code. No royalties. Quicksort, screen builder, extended math, disk directories, display and printer routines, powerful input, data encryption, on-line error descriptions, much more. Only $89. VISA, MC, COD.
SOFTWARE ASSOCIATES
6220 W. Airport Blvd.
Houston, TX 77035
(713) 726-0706

PC CROSS-ASSEMBLERS
Up to 10,000 lines per minute! Fast X-ref and Linker plus Macros and Librarian. Generates HEX, TEKHEK, S-records, and .OBJ output records. Over 40 micros and XENIX, MS DOS, CPM 80 and ISIS versions. Accepts MOTOROLA and INTEL directives and Mnemonics.
RELMS™
P.O. Box 6719
San Jose, CA 95150
(408) 265-5411

VERSION CONTROL SYSTEM
TLIB™ stores ALL versions of your source in ONE compact library file, even with hundreds of revisions. Updates (deltas), 5-7 times faster than Unix SCCS. Date & comments for each version, easy retrieval. LAN-shared libraries. Free public domain MAKE (with source) by Landon Dyer. DOS 2.x/3.x $99.95 $3 s/h VISA/MC.
Burton Systems Software
P.O. Box 4156
Cary, NC 27511-4156
(919) 469-3068

The SCREEN GENERATOR
SAVE TIME! Powerful Screen Designer and Memory Resident Screen Manager eliminates tedious screen management tasks from your program. Handles all screen display & data entry. Easy access to Screen Manager from your program. Not a Code Generator! NO Royalties, Not Copy Protected. Easy conversion from other systems. Use with BASIC, TURBO ($59), FORTRAN, C, Realia COBOL, BetterBASIC, PL/M-86, or Assembler. Call if not listed. Price $125.
THE WEST CHESTER GROUP
P.O. Box 1304
West Chester, PA 19380
(215) 644-4206

METRICS FOR MANAGEMENT
ANALYZE reads your code and produces metrics on VOLUME, COMPLEXITY, PRODUCTIVITY & more! Management, QA/QC & Engineers gain valuable insight into scheduling, problem areas, testing, maintenance & compliance to standards. For IBM PC. Process FORTRAN & "C" $495.00 + S/H. Add Ada for only $200.00 more! MC/VISA
AUTOMETRIC INC.
891 Elkridge Landing RD., Suite 350
Linthicum, MD 21090 (301) 859-4111

IBM® PC MANAGEMENT TOOLS™
• Forecasting • Inventory Control • Quality Control • Project Mgt. • Statistics. • Plant Layout • Financial Mgt. • Production Planning. 40+ New programs (not pub. dom.) w/544pg. user manual. FREE BASIC SOURCE CODE Not Copy Protected! Visa, MC, Amex, Cks & Ppd PO's. $99.95 + $7.50 s&h +5% GA tax. Volume Discounts! Call or Write.
MANAGEMENT INFORMATION SYSTEMS, INC.
Dept. AA P.O. Box 98209
Atlanta, GA 30359, (404) 231-1297

C PROGRAMMERS TOOLS
LISP is a list-manipulation language. LIST-PAC allows you to directly manipulate your own lists from C programs without all the overhead. LIST-PAC provides lists, stacks and queues. C source included. Why reinvent the wheel? Save time and $$. Order LIST-PAC Now!
(MS/PCDOS) $39.95.
SOFTOOLS
5245 E. Larkspur
Scottsdale, AZ 85254
(602) 996-3110

PASCAL-to-C TRANSLATOR
Industrial strength conversion from Turbo, Microsoft, UCSD, MT+, Apollo, Macintosh, and other Pascals to K&R C. Handles nested procedures, intrinsic functions, separately compiled units and modules, all data types including long integers.
Requires 512K IBM PC/XT/AT. Send up to 500 lines of Pascal and we will convert it for FREE. Site licensing from $5,000. Conversions 50 cents/line.
TGL Inc.
27096 Forest Springs Ln.
Corvallis, OR 97330
(503) 745-7476

TURBO PASCAL GENERATOR
GTP APPLICATION DEVELOPMENT SYSTEM, ver. 2. Builds complete, working applications. You give it spec's, it writes error-free code.

Indexed Data Bases	Multiple Screens
Context Sensitive Help	Memory-mapped Video
Global/Search	Full Keyboard Supt

Easy to Use Price $150.00 Visa/MC, ck, MO
AEF
P.O. Box 928
Katy, TX 77492
(713) 391-8570

TURBO FORMS
Bullet-Proof user data entry. Unlimited character & field level data verification. Create & edit forms for data entry & display without recompiling source code. Flexible formatting with graphics, windows, colors & display attributes. IBM PC & compatibles. One of PC Magazines "14 HOT TURBO UTILITIES." $39.95 including S&H. MC/VISA or C.O.D.
GREAT LAKES SOFTWARE SYSTEMS, INC.
2510 Capital Ave. SW Suite 203
Battle Creek, MI 49015
(616) 962-2017

Real-Time Multitasking
PCMASCOT software allows multiple cooperating tasks to run in Real-Time on IBM PC/XT/AT.
• Shared memory for intertask communication
• Synchronization and mutual exclusion
• Debug support and all PC DOS facilities
• Tasks and device drivers in C or Assembler
• $795 for binaries, documentation & support.
ANDYNE COMPUTING LIMITED
Suite 202, 544 Princess St.
Kingston, Ontario, Canada K7L 1C7
(613) 548-4355

PRE-PROCESSOR
Add custom features to any language: longer identifiers, opcode, register and operator synonyms, nested macros, etc. C Source Code included. Not copy protected. OK to share. $19.95 + s/h. MC/VISA.
SUPERTECH
11911 NE 155 St.
Bothell City, WA 98011-4135
(206) 488-9253

BASIC PROGRAMMERS
ADD MORE HORSEPOWER TO YOUR PROGRAMS!! Use THE BASIC ENGINE™ to build YOUR programs in FAST compiled BASIC. Add your modules to a working core of assembly routines, menus, data screens, pop-up help, sort, more; over 60 subroutines. Complete source for two working programs, full instructions, $79.95. Requires DOS 2+, MS-QuickBASIC compiler.
Praxis Software Engineering Associates
370 Andrews St.
Green River, WY 82935-4846
(307) 875-9626

Fortran Addenda '86
Libraries for graphics and friendly/interactive programs. ASMUTIL2: Total PC control; printers (3), CRTs (2), disks, FULL keyboard, strings, high-speed gets/puts, line/box, fills tile painting, CGA/EGA/Hercules graphics. BUTILE 2: Input wordprocessing/editing, non-overflowing formats, window management ... 100 easy to program, "smart" routines + defaults/toggles. 170 pg. manual & annotated samples. $95 alone; both $165. Specify compiler and version.

IMPULSE ENGINEERING

IMPULSE Engineering, B.R. Strong, Jr.
P.O. Box 3540
San Francisco, CA 94119-3540
(415)788-4611

TECH BOOK

MS-COBOL SCREEN/DATA DIV.

MSCREEN generates Screen Section code for MICROSOFT/IBM COBOL. Create/Edit screens. No other editor needed. Select from complete set of attributes for each field. No text/data field terminators. Many other features! $55. COBWORK generates Data Division code for MICROSOFT/IBM/REALIA COBOL. $35.
TAJEVA SOFTWARE
6064 Belle Grove Cove S.
Memphis, TN 38115
(901) 365-4692

ATTENTION TURBO PROGRAMMERS!

Use Turbo-Xtra to:
- Break the 64K barrier
- Compile Pascal Code Separately

(Never recompile frequently used procedures again!)
- Create memory resident libraries
- Fully integrated with TURBO environment
- Many libraries currently available

(Btreet, Windows, Statistics, Time and date routines, Hi-Res Graphics, more!) Only $49.95 (VISA + MASTER CARD accepted)
SYSTEMS SERVICES INTERNATIONAL
P.O. Box 2865
Huntington, WV 25728
(304) 529-9425

BASIC + StruBAS

Developing serious applications in compiled BASIC? It's easier with StruBAS v2.0 tools complementing QuickBASIC and IBM BASIC 2.0 with extended structured code, screens, menus, native ISAM, Btrieve interface, and subroutine object library. $495 single, $1495 network. VISA/MC. Not copy protected.
Laney Systems Inc.
3 Office Park Dr., Suite 100
Little Rock, AR 72211
501-225-7755

SOFTWARE/EDIT

EditingTools $10

An elegant DOS shell with a superb text editor. Load multiple directories in table format as menus. Edit multiple files circularly. Many innovative features and only 38K in size. Incredible value at $10 with 36 page manual. Add $25 for source code in Turbo Pascal. Add $2 for s/h.
Dr. Jiann Jou
P.O. Box 460969
Garland, TX 75046
(214) 495-8862

SOFTWARE/ENGINEERING

PC/8087 VECTOR PROCESSING

The VECTOR87 library is written in assembler, includes 60 routines to turbocharge your math & scientific programs. FFT, vector operations, convolution, etc. 1K real FFT takes only 1.2 second. Versions for Fortran (MS, R/M, Lahey), C (MS, Lattice). $120 each version with source, no royalties. Write for technical information.
VECTORPLEX Data Systems Ltd.
P.O. Box 138, Station M
Calgary, Alberta, Canada T2P 2H6
(403) 248-1250

LARSE SPARSE SYSTEMS

of non-linear simultaneous equations are set up and solved with ease using PMSolver. Solve both algebraic and ordinary differential (time domain) systems. $395. PMSolver source code toolkits for petrochemical flowsheet and electronic circuit simulation are available. Requires Turbo-87 Pascal.
Digital Analytics
P.O. Box 31430
Houston, TX 77231-1430
(713) 721-2069

FINITE ELEMENT ANALYSIS

PC-FEAT provides linear static analysis of 2D and 3D structures using beam and plate element types. Easy to use interactive or batch input. Modules include a mesh generator color and Hercules plotters for geometry and post processing (displacement and stresses). Price $250. Demo disks/manual/examples $15. PC/XT with 360-640K. Runs faster with 8087.
PC-FEAT
P.O. Box 352
Verona, PA 15147

SIMULATION

GPSS/PC is a full-power version of GPSS, the most popular mainframe simulation language. Specifically designed for interactive use on today's high-speed microprocessors, it is loaded with features such as interactive graphics and animation. Using GPSS/PC, you can predict the behavior of complicated real world systems.
MINUTEMAN SOFTWARE
P.O. Box T 171/B. Stow, MA 01775
1-(800) 223-1430
1-(617) 897-5662 (MA)

METAL FABRICATORS

PC/Cultist takes input from your bill of material—Detail drawing and calculates the best cutting combination for any length stock and prints a shop ready cutting list and scrap report. Also an optimization feature finds best multi length for mill orders. Price $300. Demo Disk $25.00
THE JOSEPH ALBERT CO.
P.O. Box 611
Blue Island, Illinois 60406
(312) 349-9032

ENGINEERING SCREEN PLOT

Screen plot engineering graphs. Single & multiple graphs, regular & cross plot capability. Final report format. Input data from key-board or disk. Run your application programs, dump data to disk then plot. Easy to use, quick. Ask for 8087 support if desired. Not copy protected. IBM-PC. $39.95.
Lonney S. Pauls, Engineering Software
22032 S. Springwater Rd.
Estacada, OR 97023
(503) 630-2594

FINITE ELEMENT ANALYSIS

Full-featured SAPIV finite element program for 3D static structural analysis. Includes all original elements-trusses, beams, plates, 2D plane, axisymmetric, 3D solids. Solves large problems-up to 700 nodes. IBM/PC or compatible. Complete program for only $295! Try the 70 node 3D truss/beam version—$39.
APPLIED SCIENCE & DEVELOPMENT, INC.
Suite 141, 169 Southeast Cary Parkway
Cary, NC 27511
(919).467-4614

SOFTWARE/ENGINEERING PROCESS

ENGINEER'S AIDE

- Pipeline/Ductwork Sizing
- Pump/Fan/Compressor Sizing
- Heat Exchanger Sizing
- Orifice/Control Valve Sizing
- Project Financial Analysis
- Conversion Calculator
- Specification Writer

Pull down menus, Pop-up help windows, Single Screen entry & results-ALL above for $395 (into price, $back guarantee). Mac Interface for IBM & MAC.
ENGINEERING PROGRAMMING CONCEPTS
P.O. Box 925
Camarillo, CA 93011
1-800-824-7888 Operator 235

SOFTWARE/EXPERT SYSTEMS

CxPERT for Expert Systems

C programmers interested in using expert systems technology will love CxPERT. AI features such as explanations, why, frames, av pairs, legal values and more are completely compatible with C. Create executable systems with no royalties. $165 + $5 s&h. MD add 5%. CK/MO/Visa/MC. Req. C compiler & DOS 2.0+.
Software Plus
1652 Albermarle Dr.
Crofton, MD 21114
(301) 261-0264

SOFTWARE/GENERAL

PUBLIC DOMAIN SOFTWARE IN C

Over 90 volumes of public domain software in CP/M & MS-DOS formats.
- editors & compilers
- text formatters
- communications packages
- many UNIX-like tools

Write or call for more details.



THE C USERS' GROUP
P.O. Box 97
McPherson, KS 67460
(316) 241-1065

TURBO SOURCE SEARCH-TSS

TSS is a TURBO PASCAL RBBS by mail. Just $2 a disk. Archived files=700+ Kb of code and prgms per disk (more byte/bucks). We have 45+ disks. Join TSS for $25, Get catalog disks + 2 FREE DISKS with 1st order (catalog disks only $5). VISA/MC/COD if verified. (s/h extra) <data> (617) 545-9131 or just order by mail.
TURBO SOURCE SEARCH
P.O. Box 876
SCITUATE, MA 02066
<VOICE> (617) 545-6677

SOFTWARE/GRAPHICS

MetaWINDOW™/TurboWINDOW™

Advanced graphics toolkit provides Xerox Star/Apple Macintosh style graphics on your IBM PC. Supports most popular graphics cards. Allows you to create pop-up menus, windows & icons; use proportionally spaced fonts; rubberband & rag lines, text or bitmap images; supports mouse-cursor tracking. Tightly optimized for use with Turbo Pascal, IBM Pascal, C, Fortran.
METAGRAPHICS SOFTWARE CORP.
4575 Scotts Valley Drive
Scotts Valley, CA 95066
(408) 438-1550

FORTRAN GRAPHICS LIBRARY

GRAFMATIC (screen graphics): 75 MS FORTRAN/Pascal, R-M/Profort, Lahey FORTRAN callable subroutines. Fully documented, prof. graphics capabilities, inc. general utility, 2-D interactive, total 2-D plots, 3-D plots and solid models. $135. H-P or H-I plotter? get PLOTMATIC, complete plotter graphics library. Interfaces w/GRAFMATIC. $135. Both $240.
MICROCOMPATIBLES, INC.
301 Prelude Drive Dept. J
Silver Spring, MD 20901
(301) 593-0683

Modula-2 Graphics
No Royalties

Add graphics to your Logitech Modula-2 compiler. Define multiple windows viewports. Plot points, lines, circle, rectangle and text. Requires IBM, CGA, or Hercules monochrome card. Will use 8087 if present. Price: binary $19.95, binary + source $29.95. Upgrade to version 2.0 at no charge. Personal checks and C.O.D. orders accepted. Sorry, no credit cards.
TEQNA
P.O. Box 16272
North Hollywood, CA 91615
(818) 780-5301

TECH BOOK

FORTRAN TOOLS & GRAPHICS

PC-PLT: CALCOMP and VERSAPLOT Compatible Graphics Package for the Fortran Programmer. Supports CGA, EGA, Tecmar and Printer Graphics. $325

PC-TOOLS: 125 Subroutines and Functions Giving Fortran Programmers Complete access to the PC. $125

ONTAR Corporation
129 University Road
Brookline, MA 02146-4532
617-739-6607

STARPLOT

Mainframe quality library of FORTRAN callable graphics for the HERCULES card. Contains powerful yet easy to use routines for general drawing and scientific plotting with wide variety of scalling & presentation options. Includes primitives & 3D routines that feature shading, hidden line removal & contour plotting options. New & unique ocular adapting feature enables stereo images-no optics or filters required. Includes demo that suspends & rotates a molecule of cyclopropane above your keyboard in solid 3D. Has to be seen to be believed! Free license for software developers. Specify Microsoft or Ryan-McFarland with order. $85 + $2 s/h (CA add 6%). No cards.
Starware
P.O. Box 261871
San Diego, CA 92126
(619) 693-5010

SCIENTIFIC DATA PLOTTING

SCI-GRAF creates graphs up to 1680 X 1712 dots (over 3 million pixels!) on Epson or IBM graphics, printers. Supports log scaling, overlays, point-labeling, legend creation, batch mode, wide-carriage printers, and color graphs on a JX-80. Requires DOS 2 or 3, 256k. No credit cards. $99.95
Microcomputer Consultants (MSC)
32 W Anapamu Suite 190
Santa Barbara, CA 93101
(805) 963-3412

THE NEW DGI TYPE SHOP

will make text slides and overheads quickly and easily. Optional fonts include GREEK-SCIENTIFIC that allows you to mix special and standard characters to create your own customized set. Eleven other optional fonts range from Roman Bold to Script. For the IBM/PC and Hewlett-Packard and compatible plotters.
$175.
DECISION GRAPHICS, Inc., P.O. Box 2776-PCTJ
Littleton, CO 80161, (303) 796-0341

35mm SLIDE FROM YOUR PC

COMPUTER SLIDE EXPRESS converts graphic files produced on the IBM PC into brilliant 35mm color slides with color resolution 400% better than your monitor. Leave your printouts behind. Use high resolution color slides up to 4000 line. COMPUTER SLIDE EXPRESS $9/slide.
VISUAL HORIZONS
180 Metro Park
Rochester, NY 14623
(716) 424-5300

SOFTWARE/INTERPRETERS

TurboTranslator

Chinese<=>English. English/Pinyin in. Chinese Char/English/Pinyin out. Edit (Char needs mouse)/export/import dict. Ch fonts: high qual 300+ chars, low 6200+. Low qual = 2.3Mb. No copy protection. Aust $85. AMEX/MC/VISA. IBM PC/XT/AT, 256K, 2 floppies, IBM/Herc/etc graphics card.
SAVAGE SOFTWARE
Box 81
East Caulfield 3145
Victoria, Australia

SOFTWARE/LANGUAGES

FORTRAN UTILITIES

CROSS-REFERENCE UTILITY: Mainframe grade symbol x-ref listing for variables, subprogram calls and labels. Variable map shows type, length, alloc, scope, usage tag, etc. All FORTRAN 77 compilers. $49.95 + $2.50 s&h. UTILITY LIBRARY: Assembly language routines for screen cursor, keyboard, time, sound, etc. MS/IBM and IBM Pro/RM FORTRAN compilers. $39.95 + $2.50 s&h. IBM PC w/DOS 2.0+. Visa/MC/MO/check (2wks).
PJN International
P.O. Box 201363
Austin, TX 78720
(512) 837-2888

FINALLY! MODULES

Add class to your compiled BASIC programs with FINALLY ! MODULES. Use pull-down WINDOWS, horizontal menus, pop-up help screens, input screen and directory managers. For use with FINALLY! Library and Quick Basic 2.0 or IBM compiler 2.0. 30 day MoneyBack guar. Visa/MC/CK/MO. FINALLY! MODULES is $99.00 +$4.00 s/h.
Komputerwork Inc. Dept PCT
851 Parkview Blvd.
Pittsburgh, PA 15215
(412) 782-0384

SOFTWARE/ONE-OF-A-KIND

RENT POPULAR SOFTWARE

Finally, you can rent popular software for your IBM or compatible. See how good that game really is. Try that business package before dishing out huge amounts of money. Not public domain. No membership fee. Where else can you get $75.00 programs for $5.00? Send $1.00 for complete catalog
R.S.D.
Dept. TJ
P.O. Box 272
Bronxville, NY 10708
(615) 320-8943

SOFTWARE/PUBLIC DOMAIN

TURBO PASCAL™ SOFTWARE $6

Write or call for information about:
- Systems & applications development tools
- Programs for home and business
- Communication tools & applications
- Games in specialized applications
- Scientific/engineering programs & routines
- Graphics including animation tools

TURBO S.I.X.
P.O. Box 8373
Waco, TX 76714
(817) 753-2182

THE BEST OF THE BEST!

Public Domain & User Supported Software for IBM PC & Compatibles! Wordprocessing, Accounting, Spreadsheets, Database, Modem, Games, Languages, etc., etc. 50 disks crammed Full-$205.00! or rent for 2wks. $75.00. Info. and Super Sampler Disk $6.50. Deluxe Word Processor $6.50. Both $12.00. MC/VISA.
BLUE CIRCLE GROUP, Inc.
P.O. Box 23502; Dept. TJ
Minneapolis, MN 55423
(612) 823-4111

SOFTWARE/SCIENTIFIC


SCI/ENG GRAPHICS

OMNIPLOT [S] (screen graphics) & OMNIPLOT [P] (plotter driver) provide integrated engineering/scientific 2-D & 3-D graphics with NO PROGRAMMING! Menu-driven, flexible, professional. Choice of formats: tabular/line, contour, bar, pie, 3-D wire frame & much more! OMNIPLOT [S] $195. Add OMNIPLOT [P], both $295.
MICROCOMPATIBLES, INC.
301 Prelude Dr. Dept. J
Silver Spring, MD 20901
(301) 593-0683

TECHWRITER SCIENTIFIC

Complete word processing system that easily blends Greek, mathematical symbols, and chemical structures with standard text. Powerful, yet easy-to-use, TechWriter features oversized scientific characters, headers, footers, and automatic footing, index, and table of contents generation.

$$\int_{\beta_n}^{\infty} \sqrt{\theta_1^2 + \frac{\dot{x}^2}{f(t)}}\, dt$$



CMI SOFTWARE
1395 Main Street
Waltham, MA 02154
(617) 899-7244

FFT SUBROUTINE LIBRARY

Prime Factor FFT includes FFT/IFT for integers, single or double precision floating point data. Callable from Turbo Pascal, BASIC, Fortran, C. Extremely precise, very fast. Choose from over 300 data set sizes up to 65,520 points. Mention this ad and get it all for just $99. Requires IBM PC, XT AT w/8087. New from Lotus "Measure" for data acquisition. Call for $.
Alligator Transforms Scientific Software
P.O. Box 11386
Costa Mesa, CA 92627; (714) 662-0660

SOFTWARE/SECURITY

"NEW" BIT-LOCK® SECURITY

Piracy SURVIVAL ">4" YEARS proves effectiveness of powerful multilayered security. Uses rapid decryption algorithms and small reliable port for transparent security device. NOW AVAILABLE for PARALLEL or SERIAL port. NEW KEY-LOK™ security device available at HALF-PRICE.
MICROCOMPUTER APPLICATIONS
7805 S. Windermere Circle
Littleton, CO 80120
(303) 798-7683 or 922-6410

SECURE AT/XT/PC

Control system access, data access! FiXT/S. Control system boot for most popular XT/PC hard disk controllers. Feature for AT-and-XT-compatible HD controllers segments hard disk by volumes, controls access with passwords, supports hard disk expansion. $80 $120 + $3 shpg. plus CA tax.



Golden Bow Systems
2870 Fifth Ave. Suite 201
San Diego, CA 92103
(619) 298-9349

SMART COPY PROTECTION

Attention Software Developers, are you tired of Copy Protection that:
-is NOT transparent to the user.
-does not allow backups.
-requires I/O plugs or special media.
-doesn't support hard or cartridge disks.
-makes you pay for every disk protected.
-requires source code changes.
-can be beaten by hardware copy boards.
If so, EVERLOCK can solve these problems for only $495. Free info & demo disk available.



Az-Tech Software, Inc.
426 Grandview
Richmond, MO 64085
(816) 776-8153

TECH BOOK

Software/Services

TAPE/DISK CONVERSIONS

Conversion services to or from over 500 computer systems:
- Magtapes
- Micro Computers
- Mini Computers
- Word Processors
- Typesetters

Our conversion capabilities surpass most in the industry.
Pivar Computing Services, Inc.
165 Arlington Hgts. Rd. #T
Buffalo Grove, IL 60089
(312) 459-6010

Software/Shareware

GREAT SOFTWARE, CHEAP

Only $5.95 per disk for absolutely smashing Shareware and Public Domain programs. Moneyback guarantee. PC-Outline, DOSamatic, PC-Write, File Express, Chess, Poster/Banner, Utilities Galore plus Databases, Arcade and Adventure Games, and lots more! IBM PC, PCjr., & compatibles. Send for Free Catalog.
PLUS
33495 Del Obispo, Suite 160Q
Dana Point, CA 92629

Software/Statistics

STATISTICS FORECASTING

TWG/ARIMA—a univariate Box-Jenkins forecasting package, designed for statisticians.
EASI/ARIMA—same as above, for the non-statistician.
ELF—The Statistical Package—a general purpose statistical package. Call or write for more information. **$150. EACH.**
THE WINCHENDON GROUP, INC.
P.O. Box 10339
Alexandria, VA 22310
(703) 960-2587

STATISTIX™—ONLY $75!

STATISTIX is a powerful and very easy-to-use interactive statistical system for micros. Used by many major universities, businesses, state governments and research organizations. Please check us out before you buy a statistics program; you'll agree SX is a "best buy"! SATISFACTION GUARANTEED—For more info:
NH ANALYTICAL SOFTWARE
801 West Iowa Avenue
St. Paul, MN 55117
(612) 488-4436

RATS! VERSION 2.0

RATS, the best selling Econometric software package now includes daily & weekly data, a new, easier to use 500-page manual, & many advanced features. Use RATS for time-series & cross-section regression, including OLS, ARIMA, VAR, logit, & probit. IBM PC or compatible. $200. VC/Visa. Call for brochure.
VAR Econometrics, Inc.
P.O. Box 1818
Evanston, IL 60204-1818
1(800) 822-8038

P-STAT®

Combines data & file management, data display, statistics, report-writing & survey analysis capabilities in a single package. Full mainframe package runs on the PC/XT, PC/AT & compatibles. Online HELP & EDITOR. Reads DIF & ASCII files. Multiple copy & site licenses are available.
P-STAT Inc.
471 Wall St.
P.O. Box AH
Princeton, N.J. 08542
609/924-9100

Software/Terminal Emulation

BARR/HASP INTELLIGENT RJE WORKSTATION

Hardware and software communications package for IBM PC, XT and AT. Simultaneously transmits data to host and receives output directly to MVS/JES2, MVS/JES3, VS/RSCS, and CDC/NOS, bypassing TSO and CMS. Emulates IBM 3777-2 and HASP on IBM 360/20. Line speed: 1,200 to 19,200 baud (56,000 bps on AT). Supports multiple high-speed printers beyond 2,400 lpm. (6,000 lpm on AT). Features: concurrent DOS, LAN support, printer forms control, plotter support, unattended operation, easy installation. $890 includes Hardware & Software.

BARR

BARR SYSTEMS, INC.
2830 NW 41st Street, Building M
Gainesville, FL 32606
(800)-BARR-SYS/(904) 371-3050

Software/Typesetting

MicroTeX–Turn your PC into a typesetter

MicroTeX, designed for desktop publishers who require serious typesetting. Based on the TeX standard, MicroTeX can tackle documents from smaller than 30 pages to 5000 pages or more. Includes superior hyphenation control, ligatures and kerning; down-loadable fonts; aesthetic handling of math; foreign language characters; complex table construction and multi-column tasks. When used with LaTeX macro package can automatically enumerate and cross-reference pages and sections, footnotes and illustrations; automatically creates indexes, tables of contents, and updates them after last minute insertions. For more information contact.

MicroTEX™

Addison-Wesley
Reading, MA 01867
1-800-255-2550 or 1-617-944-6795

Software/Utilities

AT/XT/PC HARD DISK EXPANSION

"Replace hard disk with a bigger one, or add a second drive! Vfeature BREAKS THE 33 MBYTE BARRIER on standard AT, XT, and compatible hard disk controllers. Includes multiple volumes, security features, selectable clusters, keyboard lock. $80-$120 + $3 shipping + CA Tax"



Golden Bow Systems
2870 Fifth Avenue, Suite 201
San Diego, CA 92103
(619) 298-9349

TallScreen—DOS POWER

Natural extension of DOS. Scroll back through screen output, edit text on full screen, mark blocks to printer or file, recall commands & directories, enter multiple commands, capture screens from application programs, create user profiles. Solid tech support. PC MAG & PC WORLD calls TallScreens a Real bargain at $49.95. VISA/MC

QUALITAS™

Qualitas, Inc.
8314 Thoreau Drive
Bethesda, MD 20817
(301) 469-8848

SAVE THAT SCREEN!

Do you immediately reach for the PrtSc key to save screen info? What a waste of time and paper! Now, SCREENSNAP™ lets you save and recall up to 9 screens at the touch of a key. Friendly with other resident programs but unlike some it is compact; will run in as little as 5K. Also includes useful utilities to save and recall from files, programmer's interface and sample code. Build your own help screens with your text editor, then save and recall them with SCREENSNAP. $39.
Programming ARTS
P.O. Box 219
Milltown, NJ 08850
Call 800-443-4160; NJ (201) 846-7242

FILE PRINT MANAGER

GLISTER™
★ Use DOS wildcards to build a list of up to 100 files to print
★ Save/restore file lists
★ Restart a file on any page after a printer jam
★ Print multiple copies
★ Control: margins, line/page length, spacing, user-formatted header/footer lines and more
★ Prints files as fast as printer is capable $49
Programming ARTS
P.O. Box 219
Milltown, NJ 08850
Call 800-443-4160; NJ (201) 846-7242

REPEAT PERFORMANCE™

OUTSMARTS IBM PC KEYBOARD LIMITATIONS! Smoothly ACCELERATES CURSOR MOVEMENT, speeds up editing. High speed scrolling. You set ADJUSTABLE REPEAT SPEED and DELAY. SKID SQUELCH™ feature auto-adjusts to match performance of word-processors/text editors/spreadsheets. Cursor & scrolling STOP INSTANTLY when key is released. EXPANDS TYPE-AHEAD BUFFER-type DOS comamnds while your programs compile. Less than 4K resident. WARNING: ADDICTIVE! IBM/PC/XT/AT compatibles. $back guar. $59.95 +$5 p&h. VISA/MC/AMEX/CK. Site licensing from second copy!

popular demand™

Popular Demand Inc.
62 South 1025 East
Lindon, UT 84062
(801) 785-0101

AUTOMENU™ VERSION 4.0

Create one menu system to run all your programs, batch files and DOS commands. "Insulates" novices; many options for power users. On-screen help, password protection, user-defined prompts. Written in assembler. 16K size. Over 7,000 satisfied users. Money back guarantee. $46 + $4 s/h. Chk/Visa/MC.

Automenu™
Software Management System™

Magee Enterprises
6577 Peachtree Industrial Blvd., Dept. T12
Norcross, GA 30092-3796/USA
(404) 446-6611

VCACHE GETS YOUR DISK MOVING!

Hard disk accelerator increases speed of cartridge and fixed disk operations using memory caching to eliminate repetitive disk access. Allocate up to 15Mb of extended or expanded memory, or .5Mb of standard memory for caching disk data. Includes diskette and screen accelerator modules. Automatic and transparent after installation. $65+ $3 shpg, CA tax.



GOLDEN BOW SYSTEMS
2870 Fifth Avenue, Suite 201
San Diego, CA 92103
(619) 298-9349

LIMSIM

Expanded Memory Simulator for the PC/AT and compatible 286 machines. Use the extended memory you already have as Lotus style Expanded Memory. Fully supports EMS version 3.2. Requires 70k of conventional memory. $50 ($75 with assembler source) plus $5 s/h. 30 day money back guarantee.
Larson Computing
1556 Halford Ave. #142
Santa Clara, CA 95051
(408) 737-0627

TECH BOOK

HARD DISK EXPANSION!
Disk Manager allows the installation of any ST506 hard disk on PC,XT,AT and compatibles. Volumes up to 256mb! Menu driven/auto install, compatible w/ all vers of MS/PC DOS (does not modify DOS), up to 16 volumes, easy to use! $125+ ship. Ask about Novell product! Dealer inquiries invited.

ONTRACK COMPUTER SYSTEMS INC.

Ontrack Computer Systems, Inc.
6222 Bury Drive
Eden Prairie, MN 55344
(612) 937-1107

DISK UPGRADE BIOS for ATs
DUB-14 overides AT Drives Table to allow any compatible drive to be attached and fully used on the standard AT controller. Two ROMs plug into empty sockets on system board. Includes complete Set-Up routine and low-level format facility. Works with UNIX, XENIX, other OS and networks. $95 + $3 shpg. CA tax.



GOLDEN BOW SYSTEMS
2870 Fifth Avenue, Suite 201
San Diego, CA 92103
(619) 298-9349

DOCUMENTATION MANAGER
Create and maintain manuals - procedure manuals, program documentation / system user manuals, etc. * Edit files with the excellent Norton Editor (included) * Save User Defined configuration * Save screen dumps to files * Variety of Print Options *
$69.95 complete MasterCard/Visa

PHENIX

PHENIX HOSPITAL SYSTEMS
1616 Palm Avenue
Deland, FL 32724
(904) 736-1132

UNDER-C™ LIBRARY
Use your IBM-PC and our UNDER-C™ LIBRARY which supports Microsoft C (version 2), Lattice C, Instant-C, Computer Innovations C86, DeSmet) to access DOS & BIOS functions. It contains utility programs written in C (including MAKE & print utilities); builds screens similar to dBase II; and includes source codes. It is not copy protected—no royalties. Manual and four floppies $95. Ohio residents add 6½% sales tax.
Quayle Research, Inc.
6548 Edgerton Road
North Royalton, OH 44133

XT/AT HARD DISK DIAGNOSTICS!
Disk Manager Diagnostics performs extensive tests on your ST412/506 hard disks. Areas tested are: Controller, data write/read, seek test, automatic error correction(ECC), random reads and media defects. Interactive help. Excellent error detection and isolation. $49.95 + ship. VISA/MC accepted.


ONTRACK COMPUTER SYSTEMS INC.

Ontrack Computer Systems, Inc.
6222 Bury Drive
Eden Prairie, MN 55344
(612) 937-1107

THE NEWMAN UTILITIES
50 utils includes help system below and disk + system utilities $19.95
EZRUN menu. Run 1-36 programs $19.95
CACHER. speedup disk access 10X $19.95
HELP system for DOS 3.1 + add your own $9.95
All $45, $2 demo. 15 day MB guar., $2 Ship
NEWMAN COMPUTER
2 Briar Mills Drive Suite 2-A
Bricktown, NJ 08724
(201) 458-5169

SCREEN UTILITIES
EASILY ADD COLOR OR MONOSCREENS TO ANY ASSEMBLY ROUTINE. Our prgms lets you create them, or capture them from any other prgm for reuse-all WITHOUT Programming! Screen sourcecode automatically generates. Link any num. of screens into your pgm. & access when desired. Supports all color/char/attr & monitors. Kbd template, manual, PC/AT/28K. $back guar. $35.00.
CROSSWINDS SOFTWARE
8621 Windjammer Drive
Raleigh, NC 27615
(919) 847-1812

REPRINTS AVAILABLE
Quantity reprints of articles appearing in PC Tech Journal are available and will be prepared to meet any special requirements. Inquiries should be directed to Jennifer Locke, Reprints Dept., Ziff-Davis Publishing Co., 1 Park Ave., New York, New York 10016 Phone 212-503-5447.



INDEX TO ADVERTISERS

READER SERVICE NUMBER	ADVERTISER	PAGE
127	Addison Wesley	110
116	Advanced Logic Research	Cover 3
*	Aldebaran	206
101	Alpha Computer Service	101
141	Alsys	157
*	American Semiconductor	214
136	Arity Corporation	107
206	Array Technologies, Inc.	116 & 117
*	AST Research, Inc.	39-41
*	AST Research, Inc.	139
203	Atron	10
249	Atron	136
165	Attachmate	178
105	Barrington Systems	78
*	BC Associates	211
107	Beagle Bros.	173
104	Blaise Computing	109
102	Blaise Computing	111
*	Borland International	Gatefold Cover
254	Borland International	1
248	Bourbaki, Inc.	180
*	Business Engineering Systems	206
111	Catamount Corp.	202
213	Central Point Software	192
*	Challenger Computer, Inc.	208
*	Code Blue	6 & 7
212	Coefficient Systems	104
112	Cosmos Inc.	125
253	Crackerjack Microsoftware	170
*	Creative Programming Consultants	114
145	Cresent Software	150
161	Crosspoint Systems	131
140	CSSL	129
261	Custom Software Systems	202
118	Data Access Corp.	167
*	Data West	208
114	Digi Data	203
131	Ecosoft	153
170	Ellis Computing	152
183	Entelekon	147
190	ESP Software	187
*	Evsan Co.	208
119	FairCom	140
134	Fifth Generation Systems	135
*	Flagstaff Engineering	150
*	Floppy Disk Services	213
*	Gimpel Software	151
121	Gold Hill Computers, Inc.	74
113	HavenTree Software Limited	146
*	Hawaiian Village	210
242	Hercules Computer Tech.	52 & 53
149	IBEX Computer Corp.	188
172	IBM Corp	46 & 47
202	I-Bus Systems	160
225	ICON	86 & 87
*	Information Technologies	215
135	Innovation Computer	196
108	Innovative Data Technology	100
216	Intel Corp.	70 & 71
209	Interactive Microware	200
298	Kadak	202
226	Korros	176
148	Kurtzberg Computer Systems	122
128	Lahey Computer Systems, Inc.	199
160	Lattice, Inc.	20
163	Lifeboat Associates	179
229	LOGITECH Inc.	19
125	Lugaru	148
262	Mansfield Software	162
263	Mansfield Software	163
205	Mark Williams Company	17
133	MEF Environmental	200
259	Metaware	141
264	Micro Focus, Inc.	18
257	MicroHelp, Inc.	105
*	Microsoft Corp.	28
*	Microsoft Corp.	54 & 55
*	Micro Star	209
167	Microstuf, Inc.	Back Cover
*	Micro Tech Research	171
*	MicroWay	207
178	Migent	165
186	MITS	200
174	Mortice Kern	149
224	Nantucket Corp.	96
191	Norcom	148
222	Opt-Tech Data Processing	4
185	Overland Data, Inc.	106
230	Paradise Systems Inc.	64
137	Paradise Systems Inc.	112 & 113
218	PC Brand	23-25
117	PC Network	88 & 89
215	Periscope Company	5
*	Precision Data Products	212
175	Programmer's Connection	43-45
175	Programmer's Connection	137
173	Programmer's Paradise	8 & 9
220	Programmer's Shop	48
162	Programmer's Shop	26 & 27
122	Programmer's Shop	50
239	Quantum Software	154
166	Raima Corp.	13
157	Rainbow Technology	202
181	Rational Systems Inc.	145
146	RYBS Electronics	169
*	Scantel Systems Ltd.	212
187	Scientific Endeavors	173
123	Seattle Telecom & Data, Inc.	197
180	Seattle Telecom & Data	181
221	Simware	80
201	SoftCraft Inc.	2
147	Software Development Systems	195
142	Software Garden	108
196	Software Link	42
168	Software Masters	130
120	Software Merchants	174 & 175
189	Software Security	103
130	Solution Systems	14
126	Solution Systems	129
232	Spencer Organization	134
177	Stargate Technologies	188
176	Storage Dimensions	183
195	Summit Software	121
158	Sunny Hill Software	197
103	Syntax	166
231	Systems & Software	198
194	Tall Tree Systems	33
197	Tall Tree Systems	35
233	Tech PC	84 & 85
246	Tiara Computer Systems, Inc.	184
156	Unify Corp.	133
169	Upper Bound Micro Computer	22
115	Vermont Creative Software	21
204	Video 7	82
192	Videx	123
124	Wells American	115
*	Wintech	210




ILLUSTRATION • DAVID POVILAITIS

DECEMBER

December 2-4
Protecting Intellectual Property
Washington, DC
Sponsor: American Institute of Aeronautics and Astronautics and the U.S. Department of Defense Computer Institute
Contact: Dr. Joel Levy, General Chairman, ORI, 1375 Piccard Drive, Rockville, MD 20850; 301/670-2000

December 3-5
Conference on Personal and Small Computers
San Francisco, CA
Sponsor: ACM SIGSMALL/PC
Contact: Jacob Slonim, Conference Chairman, Geac Computers, 350 Steelcase Road W, Markham, Ontario, Canada L3R 1B3; 416/475-7733

December 8-9
PC as a Programmer/ Analyst Workstation
San Francisco, CA
Sponsor: Digital Consulting Associates, Inc.
Contact: Software Institute of America, Inc., 8 Windsor Street, Andover, MA 01810; 617/470-3880

December 8-11
Local Area Networks and Micro-mainframe Links
Washington, DC
Sponsor: National Data Communications
Contact: Software Institute of America, Inc., 8 Windsor Street, Andover, MA 01810; 617/470-3880

December 9-10
Hands-on PC Networks
Los Angeles, CA
Sponsor: Integrated Computer Systems
Contact: Yolande Amundson, 5800 Hannum Avenue, P.O. Box 3614, Culver City, CA 90231; 800/421-8166, in Canada 800/267-7014

December 9-11
Practical Software Development Environments
Palo Alto, CA
Sponsor: ACM SIGSOFT/ SIGPLAN and the Office of Naval Research
Contact: Peter B. Henderson, Department of Computer Sciences, SUNY-SB, Stony Brook, NY 11794: 516/246-7145, ext. 7090

December 9-11
Expert Systems '86
Brighton, England
Sponsor: British Computer Society Specialist Group on Expert Systems
Contact: Expert Systems '86, Clearway International MSM Ltd., Conference House, 9 Pavilion Parade, Brighton BN2 1RA, U.K.

JANUARY

January 13-16
Implementing Local Area Networks
Anaheim, CA
Sponsor: Integrated Computer Systems
Contact: Yolande Amundson, 5800 Hannum Avenue, P.O. Box 3614, Culver City, CA 90231; 800/421-8166, in Canada 800/267-7014

January 20-23
UniForum 1987: UNIX Solutions in Business and Government
Washington, DC
Sponsor: /usr/group
Contact: Lizabeth Reilly, Program Chair, /usr/group, 4655 Old Ironsides Drive, Suite 200, Santa Clara, CA 95054; 408/986-8840

January 20-23
Introduction to Data Communication and PC Networks
Washington, DC
Sponsor: Integrated Computer Systems
Contact: Yolande Amundson, Manager Education Services, 5800 Hannum Avenue, P.O. Box 3614, Culver City, CA 90231; 800/421-8166, in Canada 800/267-7014

January 21-23
Principles of Programming Languages
Munich, Germany
Sponsor: ACM SIGACT-SIGPLAN and Gesellschaft für Informatik
Contact: Steve Muchnick, Sun Microsystems, MS 5-40, 2550 Garcia Avenue, Mountain View, CA 94043; 415/960-7233

January 22-23
Micro-mainframe Links
San Diego, CA
Sponsor: Integrated Computer Systems
Contact: Yolande Amundson, Manager Education Services, 5800 Hannum Avenue, P.O. Box 3614, Culver City, CA 90231; 800/421-8166, in Canada 800/267-7014

January 26-28
AI: Practical Applications
Toronto, Ontario Canada
Sponsor: Digital Consulting Associates, Inc.
Contact: Software Institute of America, Inc., 8 Windsor Street, Andover, MA 01810; 617/470-3880

January 28-30
Computer Graphics New York '87
New York, NY
Sponsor: Exhibition Marketing and Management, Inc.
Contact: EM&M, 8300 Greensboro Drive, Suite 690, McLean, VA 22102; 703/893-4545

CALLS FOR PAPERS

December 10
Computer Applications in Health Care
San Francisco, CA
(May 13-16, 1987)
Sponsor: American Association for Medical Systems and Informatics
Submit papers to: AAMSI, 1101 Connecticut Avenue NW, Washington, DC 20036; 202/857-1189

December 15
Computer Graphics '87: Computer Animation Competition
Philadelphia, PA
(March 22-26, 1987)
Sponsor: National Computer Graphics Association
Submit entries to: NCGA Communications, 2722 Merrilee Drive, Fairfax, VA 22031; 703/698-9600

Use these reader service cards to get

FREE INFORMATION

about the products and services in this issue of TECH JOURNAL

Learning more about a product that's advertised or mentioned in an article in this month's issue is as simple as 1-2-3. And absolutely free.

1 Print or type your name and address on the attached card. Use only one card per person.

2 Circle the numbers on the card that correspond to the numbers at the bottom of the advertisements or articles for which you want more information.

(Key numbers for advertised products also appear in the Advertisers' index.)

3 Simply mail the card, and the literature will be mailed to you free of charge by the manufacturer.

TECH JOURNAL

Are you personally involved in the selection of microcomputers and related products for:

1 Your company or organization?
A☐ Yes B☐ No

2 Your client companies or organizations?
C☐ Yes D☐ No

3 Are you planning to purchase in the next 6 months:
E☐ PC Hardware?
F☐ PC Software?
G☐ PC Peripherals?

101	116	131	146	161	176	191	206	221	236	251	266	281	296	311	326	341	356	371	386
102	117	132	147	162	177	192	207	222	237	252	267	282	297	312	327	342	357	372	387
103	118	133	148	163	178	193	208	223	238	253	268	283	298	313	328	343	358	373	388
104	119	134	149	164	179	194	209	224	239	254	269	284	299	314	329	344	359	374	389
105	120	135	150	165	180	195	210	225	240	255	270	285	300	315	330	345	360	375	390
106	121	136	151	166	181	196	211	226	241	256	271	286	301	316	331	346	361	376	391
107	122	137	152	167	182	197	212	227	242	257	272	287	302	317	332	347	362	377	392
108	123	138	153	168	183	198	213	228	243	258	273	288	303	318	333	348	363	378	393
109	124	139	154	169	184	199	214	229	244	259	274	289	304	319	334	349	364	379	394
110	125	140	155	170	185	200	215	230	245	260	275	290	305	320	335	350	365	380	395
111	126	141	156	171	186	201	216	231	246	261	276	291	306	321	336	351	366	381	396
112	127	142	157	172	187	202	217	232	247	262	277	292	307	322	337	352	367	382	397
113	128	143	158	173	188	203	218	233	248	263	278	293	308	323	338	353	368	383	398
114	129	144	159	174	189	204	219	234	249	264	279	294	309	324	339	354	369	384	399
115	130	145	160	175	190	205	220	235	250	265	280	295	310	325	340	355	370	385	400

Please print clearly—Use only one card per person.

Void after March 31, 1987

Name_____ Phone (_____)_____

Title_____

Company_____

Address_____ Apt._____

City_____ State_____ Zip_____

(Zip code must be included to insure delivery.)

4☐ **Please send me 1 year (13 issues) of *PC Tech Journal* for $26.70 and bill me. I'll save 50% off the cover price.**

TJ12862

TECH JOURNAL

Are you personally involved in the selection of microcomputers and related products for:

1 Your company or organization?
A☐ Yes B☐ No

2 Your client companies or organizations?
C☐ Yes D☐ No

3 Are you planning to purchase in the next 6 months:
E☐ PC Hardware?
F☐ PC Software?
G☐ PC Peripherals?

101	116	131	146	161	176	191	206	221	236	251	266	281	296	311	326	341	356	371	386
102	117	132	147	162	177	192	207	222	237	252	267	282	297	312	327	342	357	372	387
103	118	133	148	163	178	193	208	223	238	253	268	283	298	313	328	343	358	373	388
104	119	134	149	164	179	194	209	224	239	254	269	284	299	314	329	344	359	374	389
105	120	135	150	165	180	195	210	225	240	255	270	285	300	315	330	345	360	375	390
106	121	136	151	166	181	196	211	226	241	256	271	286	301	316	331	346	361	376	391
107	122	137	152	167	182	197	212	227	242	257	272	287	302	317	332	347	362	377	392
108	123	138	153	168	183	198	213	228	243	258	273	288	303	318	333	348	363	378	393
109	124	139	154	169	184	199	214	229	244	259	274	289	304	319	334	349	364	379	394
110	125	140	155	170	185	200	215	230	245	260	275	290	305	320	335	350	365	380	395
111	126	141	156	171	186	201	216	231	246	261	276	291	306	321	336	351	366	381	396
112	127	142	157	172	187	202	217	232	247	262	277	292	307	322	337	352	367	382	397
113	128	143	158	173	188	203	218	233	248	263	278	293	308	323	338	353	368	383	398
114	129	144	159	174	189	204	219	234	249	264	279	294	309	324	339	354	369	384	399
115	130	145	160	175	190	205	220	235	250	265	280	295	310	325	340	355	370	385	400

Please print clearly—Use only one card per person.

Void after March 31, 1987

Name_____

Title_____ Phone (_____)_____

Company_____

Address_____ Apt._____

City_____ State_____ Zip_____

(Zip code must be included to insure delivery.)

4☐ **Please send me 1 year (13 issues) of *PC Tech Journal* for $26.70 and bill me. I'll save 50% off the cover price.**


TJ12861

FREE INFORMATION

Follow the instructions on the reverse side of this card to receive advertisers' product information. FREE.

SUBSCRIBE NOW!

Now's an ideal time to consider having us start you as a PC Tech Journal subscriber.
13 issues cost you only $26.70...a savings of 50% off the cover price. Special PC Tech Journal Directory published in November included with your subscription! Just check the box at the bottom of the reply card.



NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 27346 PHILADELPHIA, PA

Postage will be paid by addressee

TECH JOURNAL
P.O. Box 40086
Philadelphia, PA 19106-9931

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 27346 PHILADELPHIA, PA

Postage will be paid by addressee


TECH JOURNAL
P.O. Box 40086
Philadelphia, PA 19106-9931

ACCESS 386



Satisfy your need for Speed.

Power through your most complex programs at pulse quickening speed! Based on the Intel 80386 32 bit microprocessor, the **ACCESS 386** personal computer from **Advanced Logic Research, Inc.** more than triples your processing capabilities when compared to 80286 based personal computers.



A 32 bit interleave memory data path eliminates through put slowdowns by doubling the flow capacities of 80286 16 bit systems. This memory through put, plus the speed of a 16MHz 80386 CPU will streak through industry standard software faster than anything else!

Access 386 is the new standard of "advanced technology" in personal computers - the standard by which all future PC technology will be measured. **Advanced Logic Research, Inc.** sets the pace of the future with the introduction of **Access 386** in three configurations based on these impressive features:

PERFORMANCE

- 80386-16 32 bit Processor
- 16MHz CPU Speed
- Optional 80287-10MHz (80387 Socket installed)
- 512Kb 32 bit Interleave RAM
- Phoenix BIOS
- 1.2MB Floppy Disk Drive
- Serial Port
- Parallel Port
- AT Style 84 Switch Keyboard
- 8 System Expansion Slots

Advanced Logic Research offers a full line of XT™/AT™ compatible microcomputers designed to satisfy your need for speed. Get the power to finish first-call for information on your local **ALR dealers (714) 581-6770 NOW!**

XT, AT are registered trademarks of International Business Machines Corporation

CIRCLE NO. 116 ON READER SERVICE CARD

Advanced Logic Research, Inc.
10 Chrysler, Irvine, California 92718 - (714) 581-6770
FAX: (714) 581-9240 - TELEX: 5106014525, Answer back Advanced Logic
In Canada contact ALR (416) 229-6477



The Launch Of Our New Flagship:

Customizable, Expandable, and Responsive CROSSTALK® Mk.4.

It takes a powerful, flexible PC communications program to cut through the sea of incompatible systems you face today. CROSSTALK® Mk. 4 has what it takes. More protocols — X.PC, Xmodem, Kermit, and our own CROSSTALK. More terminal emulations, including complete IBM 3101, DEC VT-100, and TeleVideo 900 series. Concurrent communications capability — up to 15 sessions. Error checking at high speeds. Beginners can use the simple menus, a clear help system, and prepared script files that help extract data from many popular information utilities. Experts can use the powerful command programming language to create extensive, customized "scripts." A unique modular architecture means we can quickly add new capabilities by phone. So CROSSTALK Mk. 4 may be the launch of more than just today's standard in PC communications. It's probably tomorrow's as well.

MICROSTUF®

1000 Holcomb Woods Parkway
Roswell, Georgia 30076

CROSSTALK and MICROSTUF are registered trademarks of Microstuf, Inc.
DEC VT-100 is a registered trademark of Digital Equipment Corp.
IBM is a registered trademark of International Business Machines Corp.
TeleVideo is a registered trademark of TeleVideo Systems, Inc.
X.PC is a trademark of Tymshare, Inc.

CIRCLE NO. 167 ON READER SERVICE CARD

CROSSTALK MK4